

Letter Attachments



| | Attachment Air Quality |
|-------------|--|
| | 4.6 AIR QUALITY |
| | Air quality refers to the presence or absence of pollutants in the atmosphere. It is the combined result of the natural conditions (i.e., dust from wind erosion) and emissions from a variety of pollution sources (i.e., automobiles, power generating facilities). B.D. Neal & Associates prepared an air quality study to: 1) describe existing air quality in the area; 2) assess the potential short- and long-term direct and indirect air quality impacts that could result from Honua'ula; and 3) recommend measures to mitigate potential air quality tundy are summarized below. Appendix O contains the full study. |
| ATTACHMENT | B.D. Neal & Associates also prepared an air quality study specifically for the widening of Pr'ilani Highway from Kilohana Drive to Wailea Iki Drive. Appendix R contains the complete Pr'ilani Highway Widening Project Final EA. Appendix E of the Final EA contains the complete air quality study for the widening of Pr'ilani Highway. |
| AIR QUALITY | The present air quality in the vicinity of Honua'ula, <u>the area of the widening of Pr'ilani</u> <u>Highway</u> , Wailea Ike Drive and Wailea Alanui Drive intersection, and the off-site wells, waterline, storage tank and the wastewater transmission line alignment for possible <u>connection</u> to the Måkena Resort WWRF (off-site water and wastewater infrastructure) is believed to be relatively good, except for periodic impacts from volcanic emissions (vog) and possibly occasional localized impacts from traffic congestion and local agricultural sources. |
| | Regional and local climate, together with the amount and type of human activity, generally dictate the air quality of a given location. The climate in the vicinity of Honua'ula, the area of the widening of Pi'ilani Highway, the Wailea Ike Drive and Wailea Alanui Drive intersection, and the areas of the off-site water and wastewater infrastructure is very much affected by its <u>the</u> elevation near sea level and by nearby montains. Haleakalā shelters the area from the northeast trade winds, and local winds (such as land/sea breezes and upslope/downslope winds) affect the wind flow in the area much of the time. Temperatures in the area are generally very consistent and warm with average daily temperatures ranging from about 63°F to 86°F. |
| | Both Federal and State standards have been established to maintain ambient air quality. At the present time, seven parameters are regulated: 1) particulate matter, 2) sulfur dioxide, 3) hydrogen sulfide, 4) nitrogen dioxide, 5) carbon monoxide, 6) ozone and 7) lead. Hawaii air quality standards are comparable to the national standards except those for nitrogen dioxide, which are more stringent than the national standards. |
| | POTENTIAL IMPACTS AND MITIGATION MEASURES |
| | Creation of Honua'ula, the widening of Pi′ilani Highway, the Wailea Ike Drive and Wailea Alanui Drive intersection improvements, and the areas of the off-site water and |
| | . Page 1 of 4 |

.

•

| Attachment Air Quality | Long-term Impacts – After construction, use of Honua'ula, the widened Pi'ilani Highway, and the improved Wailea Ike Drive and Wailea Alanui Drive intersection will result in increased motor vehicles in these areas eening to and from Honua'ula will result in a long term increase in air pollution emissions in the area. Motor vehicles with gasoline- powered engines are significant sources of carbon monoxide. They also emit nitrogen oxides and other contaminates. | To assess the impact of emissions from these vehicles, a computerized air quality modeling study was studies were undertaken to: 1) provide estimates of air pollution emissions from traffic within the area of the widened Pi'llani Highway from Kilohana Drive to Wailea Iki Drive; and 2) estimate current assess ambient concentrations of carbon monoxide at roadway intersections in the area of the widened Pi'llani Highway and the vicinity of Honnia'uld a fine huild not and to anedic thrue levels back with and when vicinity of Honnia'uld a first build out and to anedic thrue levels back with and when | Homa'ula. Based on the results of the analysis of the potential long-term effects of the widening of Pirilani Highway, the air quality study concludes that the widening of Pirilani Highway would likely have an overall positive impact on air quality of the area. This is due to the fact that emissions from vehicles are a function of vehicle speed, and improved traffic flow will also provide for less time queued at intersections and less idle emissions. | While the widening of Pi'ilani Highway is expected to have an overall positive impact on air quality of the area, at specific locations, such as at intersections, the widened highway will tend to concentrate more traffic, and thus may cause an increase in carbon monoxide concentrations at specific locations. Therefore, some specific locations may experience higher carbon monoxide concentrations compared to without the project, but concentrations are expected to remain well within State and Federal standards and overall emissions are expected to decrease for the region as a whole. | <u>Based on the results of the analysis of ambient concentrations of carbon monoxide</u> prepared specifically for Honua'ula, Even even during worst-case conditions, model results indicated that present one-hour and eight-hour carbon monoxide concentrations at study intersections are well within both State and Federal ambient air quality standards. In the year 2022 without Honua'ula, worst-case carbon monoxide concentrations were predicted to increase at some <u>locations study intersections</u> in the area, but concentrations should remain well within State and Federal standards. With Honua'ula in the year 2022, worst-case carbon monoxide concentrations <u>at study intersections</u> were estimated to increase by about 10 to 20 percent compared to the without-Honua'ula case, but worst- case concentrations should still remain within both State and Federal standards. | The air quality study concludes that implementing mitigation measures for traffic-related air quality impacts are unnecessary and unwarranted. |
|---------------------------|---|---|--|--|--|---|
| Attachment Air Quality | wastewater infrastructure may result in short- and long-term impacts on air quality, either directly or indirectly, as a consequence of construction and occupancy use . However, it is anticipated that no State or Federal air quality standards will be violated during or after the construction. After build-out, air quality in the <u>vicinity vicinities</u> of Honua'ula, <u>the</u> widened Pi'ilani Highway, the Wailea Alanui Drive intersection, and the off-site water and wastewater infrastructure primarily will be affected by vehicular emissions associated with additional traffic. | Short-term Impacts – Short-term impacts from fugitive dust will likely occur during construction. Construction will include earthmoving activity, excavating, trenching, and filling. To a lesser extent, exhaust emissions from stationary and mobile construction equipment, from disruption of traffic, and from workers' vehicles may also affect air quality during construction. | A dust Dust control plans for both Honua'ula and the widening of Pi'rlani Highway will be implemented during all construction phases. All construction activities, <u>including</u> construction of the Wailea lke Drive and Wailea Alanui Drive intersection improvements and the off-site water and wastewater <u>infrastructure</u> will comply with the provisions of Chapter 11-60.1-33, HAR on fugitive dust. Measures to control dust during construction may include: | Planning phases of construction to minimize the amount of dust-generating materials and activities, centralizing on-site vehicular traffic routes, and locating potential dust-generating equipment in areas of least impact; Watering active work areas and any temporary unpaved work roads daily; Landscaping and rapid covering of bare areas, including slopes, starting from the initial grading phase; Minimizing dust from shoulders and access roads; Providing adequate dust control measures during weekends, after hours and before | daily start-up of construction activities; Controlling dust from debris being hauled away; Using wind screens and/or limiting the area of disturbance at any given time; Using wind screens and/or limiting the area of disturbance at any given time; Covering dirt-hauling trucks traveling on roadways; Preventing trucks from tracking dirt onto paved roadway by routine road cleaning and/or tire washing; Establishing landscaping early in the construction schedule; and Monitoring dust at the Property boundary during the construction period as a means to evaluate the effectiveness of the dust control program, and adjusting the program if necessary. | In accordance with County of Maui Ordinance No. 3554 (Condition 15), during construction <u>of Honua'ula</u> all dust control will use non-potable water or effluent, which may be obtained from the Kihei WWRF when available. |

Attachment Air Quality

While a specific air quality study was not prepared for the Wailea Ike Drive and Wailea Alanui Drive intersection improvements, long-term impacts are not expected to be significant as the improvements will accommodate anticipated future traffic while providing similar vehicle flow and queuing times at the intersection as compared to exiting conditions.

Long-term air quality impacts are not expected to be significant from the off-site water and wastewater infrastructure, as after these facilities are created there will be very little to no vehicle emissions associated with on-going operations. **Electrical Demand and Solid Waste Disposal** – The <u>Honua'ula</u> air quality study concludes that significant long-term impacts on air quality are unlikely due to indirect emissions associated with the community's electrical power and solid waste disposal requirements. Nevertheless, Honua'ula will incorporate energy conservation strategies (see Section 4.8.6 (Electrical System)) and recycling programs (see Section 4.8.5 (Solid Waste)) to further reduce any associated impacts and conserve resources.

ATTACHMENT ALTERNATIVES

Page 4 of 4

| Attachment Alternatives | (Manduca blackburni) (for information on the Blackburn's sphinx moth see Section 3.7 (Wildlife Resources)). | Chapter 19.90A, MCC (Kihei-Makena Project District 9 (Wailea 670)), sets forth Honua'ula's: purpose and intent; land use sub-districts, including allowable densities and acreage: general standards of development; and specifications for each sub-district. Chapter 19.90A, MCC also includes an adopted conceptual land use map for Honua'ula that graphically shows Honua'ula's land use sub districts, golf course, circulation, and other elements. This map does not show a Native Plant Preservation Area of any size. | The Conceptual Master Plan shown in Figure 1 is in conformance with the requirements of Chapter 19.90A, MCC regarding. Honua'ula's purpose and intent, land use subdistricts, allowable densities, and other elements, such as the provision of a golf course. It is also in conformance with the map provided with County of Maui Ordinance No. 3554 regarding the general size and location of the Native Plant Preservation Area. | Providing a Native Plant Preservation Area of 130 acres would result in significant changes to the Conceptual Master Plan (Figure 1), resulting in conflicts with several provisions of Chapter 19.90A, MCC. A Native Plant Preservation Area of 130 acres would necessitate shifting a significant number of single-family and multi-family homes to the prothem section of the Pronerty thereky increasing density in this area. It would also | significantly change the golf course layout or possibly make a golf course altogether infeasible. Simply reducing the number of homes or not providing a golf course could make Honua'ula economically unfeasible in light of the significant on and off-site improvements required as conditions of County of Maui Ordinance No. 3554. Reducing the number of homes and/or not providing a golf course would also dramatically decrease the economic benefits of Honua'ula, such as property tax revenues to the County, total gross tax revenues to the State; and impact fees paid to the County and State by Honua'ula Partners LLC. | <u>To elaborate on how a Native Plant Preservation Area of 130 acres would be in conflict</u> with the provisions of Chapter 19.90A, MCC, the following examples are provided: | Section 19:90A.010, MCC states: "The purpose and intent of Kihei-Makena project district 9 (Wailea 670) is to establish permissible land uses and appropriate standards of development for a residential community consisting of single-family and multifamily dwellings complemented with village mixed uses, all integrated with an eighteen-hole golf course and other recreational amenities." | Section 19:90A.010(B)(3). MCC states: "Integrate the golf course and recreational amenities with the different uses comprising the project." A Native Plant Preservation Area of 130 acres would significantly impact the ability to integrate Honua'ula's single and multifamily homes with an 18-hole golf course and other recreational amenities, as shifting nearly all of the residential uses to the and other recreational amenities, as shifting nearly all of the residential uses to the | Page 2 of 6 |
|----------------------------|--|---|---|--|---|---|--|--|-------------|
| | | | | | | | | | |
| Attachment Alternatives | 6.7 130-ACRE NATIVE PLANT PRESERVATION AREA | a version comments on the Dran LD requested upt the LD include an anternative customs and a net internative customs and a net internative customs and set in part, that the Native Plant Preservation Area "shall not be less than 18 acres, in part, that the Native Plant Preservation Area "shall not be less than 18 acres and shall not exceed 130 acres." County of Maui Ordinance No. 3554 also includes a map showing the location of the Native Plant Preservation Area within the portion of the Property south of latitude 20°40/15.00"N. This map shows a Native Plant Preservation Area of 18 acres. | As discussed in Section 3.6 (Botanical Resources), in conformance with County of Maui Ordinance No. 3554 Condition 27, to protect and conserve an area that contains the highest density of representative native plant species within Honua'ula, Honua'ula Partners, LLC will dedicate in perpetuity a conservation easement titled "Native Plant Preservation Area." As shown on Figure 1 and Figure 12, the Native Plant Preservation Area encompasses a contieuous 40-acte area within the southern portion of the Pronerty. | Section 3.6 (Botanical Resources) and Section 3.7 (Wildlife Resources) detail additional on-site measures to protect native plants also discusses off-site measures that that Honua'ula Partners, LLC will undertake to protect and enhance native plants and habitat for the Blackburn's sphinx moth ² , including: | Acquiring a perpetual conservation easement of approximately 224-acres on a currently unprotected portion of property owned by Ulupalakua Ranch adjacent to the eastern boundary of the State of Hawaii Kanaio Natural Area Reserve: and Funding and implementing the continuation and expansion of restoration efforts within the Auwahi Forest Restoration Project area, just north of the Kanaio Natural Area Reserve, including fencing of approximately 130 acres, ungulate removal, and plant restoration activities. | It is important to note that no Federal or State of Hawai'i listed threatened or endangered plant species have been identified on the Honua'ula Property ³ . The Property is not located within or immediately adjacent to critical habitat or recovery management units designated by the U.S. Fish and Wildlife Service (USFWS) and until recently there have | been no efforts by any Federal. State, or local government agency, or non-governmental conservation organizations to acquire or protect any portion of the Honua'ula Property. The non-native tree tobacco (Nicotiana glauca) has been found at various locations throughout the Property and often appears quickly following grading, mowing, or related land disturbances. While insignificant as an introduced weedy plant species, it is a proconsized hore for the Rederal Nuclicted and and and and work work moving, or related | ² The on- and off-site mitigation measures and areas are subject to the approval of the Habitat Conservation ² The on- and off-site mitigation measures and areas are subject to the approval of the Habitat Conservation Plan by USFWS and DLNR. ³ While no Federal or State of Hawai'i listed threatened or endangered plant species have been identified, five individual plants of the candidate endangered species, 'awikiwiki (Canavalia pubescens), have been documented within the Property. | Page 1 of 6 |

- pject nily ated onal onal

| Attachment Alternatives | The conceptual land use map adopted as part of Section 19.90A.020(D) has already been modified to accommodate the initial Native Plant Preservation Area and other conditions required under County of Maui Ordinance No. 3554. The Planning Department reviewed the changes necessary to implement the initial Native Plant Preservation Area and other conditions which included changes to sub-district configurations and densities, circulation design, and golf course layout. Increasing the Native Plant Preservation Area to 130 acres would require additional changes in sub-district configurations and densities, circulation design, golf course layout, and other critical design considerations. A significantly revised conceptual land use map incorporating a 130-acre Native Plant Preservation area would be inconsistent with the conceptual land use map referenced in Section | Section 19.90A.030(A)(1), MCC requires: "Existing natural drainageways shall remain as open spaces and their hardening shall be discouraged, provided that landscaping, walkways, bikeways, roadways, fences, drainage, and minor recreational and other structures, which do not either detract from the natural environment or adversely affect, drainageways and improvements, shall be permitted." | Shifting nearly all single-family and multi-family homes to the northern section of the Property would impact the ability to retain the natural drainage ways, buffer zones, and slope areas in their natural condition. Crading for home site pads would be drastically increased as a result of greater densities. This would have aesthetic impacts and, more importantly, create greater concentrations of run-off within the property. Increases in density would result increased non-permeable areas and create the need for increased detention basin area. | Section 19.90A.030(A)(2), MCC states: "The drainage master plan shall incorporate the golf course and open spaces as areas for stormwater retention and desilting basins." | Increasing density in the northern section of the Property will impact the ability to create a golf course and a drainage plan required under Section 19.90A.030(A)(2), MCC. In all Honua'ula planning and engineering studies the golf course has been a critical element of the drainage design. If the golf course layout is significantly altered in its design, or becomes infeasible, the ability to use the golf course for drainage will be significantly impacted. | Section 19:90A.030(A)(3) requires: "Grading of the project site shall be encouraged to retain the existing rolling topography and natural drainage ways. Shifting nearly all single-family and multi-family homes to the northern section of the Property would dramatically increase grading of the Property. as significantly | Page 4 of 6 |
|----------------------------|--|--|---|--|---|--|-------------|
| Attachment Alternatives | northern section of the Property would require most of the area to be used for residential uses, or if integrated with a golf course, require significantly higher density residential configurations. Section 19.90A.020(A), MCC sets forth maximum allowable densities and acreage for each sub-district. The single-family sub-district is limited to an average density of 2.5 units per acre or less and approximately 40 percent of Honua'ula's total dwelling units are required to be single-family. The multi-family sub-district is limited to an average density of 10 units per acre or less and approximately 60 percent of Honua'ula's total dwelling units are required to be single-family. The multi-family sub-district is limited to an average density of 10 units per acre or less and approximately 60 percent of Honua'ula's total dwelling units are required to an average density of 10 units per acre or less and approximately 60 percent of Honua'ula's total dwelling units are required be multi-family. | of the Property would require: 1) significantly higher density residential configurations in the northern section to provide the same amount of workforce and market priced homes; or 2) significantly less homes to comply with the density requirements of Section 19.90A.020(A), MCC. Reducing the total number of homes would make Honua'ula economically unfeasible in light of the significant on and off-site improvements required as conditions of County of Maui Ordinance No. 3554. | Section 19.90A.020(B), MCC requires that 450 affordable homes shall be provided within the Honua'ula Property. Shifting nearly all single-family and multi-family homes (affordable and market priced) would require significantly higher density residential design or a reduction in the total number of homes. Since 450 affordable homes are required, any reduction in the number of homes would result in less market priced homes. Reduction the number of market borized homes would make Honua'ula | economically unfeasible in light of the significant on and off-site improvements required as conditions of County of Maui Ordinance No. 3554. In addition, some Maui Meadows residents have expressed concerns about the | density of affordable multi-family homes adjacent to the Maui Meadows boundary. On the Conceptual Master Plan included with the Draft EIS it was necessary to include multifamily homes in this area to accommodate the initial Native Plant Preservation Area. Providing a larger 130-acre Native Plant Preservation Area would necessitate increasing the number and density of units in the northern section of the Property thus adding to the concerns of some Maui Meadows residents. | Section 19.90A.020(D), MCC references a conceptual land use map that "is adopted and is made a part of this section." The map graphically shows Honua/ula's land use sub districts, golf course, circulation, and other elements. | Page 3 of 6 |

| Attachment Alternatives | Contribute \$550,000 to the County for the development of the new Kihei District Police Station in South Maui (Condition 24); and Provide the County two acres of land with direct access to the Pi'ilani Highway extension for the development of a fire station (Condition 24). | Reducing the number of homes within Honua'ula or not providing a golf course could make Honua'ula economically unfeasible in light of these significant fees that must be paid, in addition to overall on-site construction costs of Honua'ula. | In summary, the alterative with a 130-acre Native Plant Preservation Area would: Conflict with provisions of Chapter 19.90A, MCC; Conflict with several conditions of approval required under County of Maui Ordinance No. 3554 Necessitate shifting a significant number of single-family and multi-family homes to | the northern section of the Property, thereby increasing density in this area and requiring significant changes to the Conceptual Master Plan; • Significantly change the golf course layout or possibly make a golf course | altogether infeasible; Impact the ability to use the golf course for drainage as required under Section 19.90A.030(A)(2), MCC; Significantly increase grading of the Property to create home site pads required for the increased density; Impact the ability to use reclaimed water for irrigation; Decrease the economic benefits of Honua 'ula, such as property tax revenues to the | County, total gross tax revenues to the State, and impact fees paid by Honua'ula Partners LLC, and Make Honua'ula economically unfeasible in light of the significant on and off-site improvements required as conditions of County of Maui Ordinance No. 3554; | Horua ula 5 on-site 40-acte Native Plant Preservation Area will protect and conserve the area of the Property that contains the highest density of representative native plant species. It also will allow for conformance with the requirements of Chapter 19.90A, MCC and the | conditions of County of Maui Ordinance No. 3554. Combined, Honua'ula's on-site 40- acre Native Plant Preservation Area and proposed off-site mitigation measures discussed in Section 3.6. (Botanical Resources) and Section 3.7. (Wildlife Resources) provide approximately 394 acres of native dry shrublands for the perpetual protection and propagation of native dryland plants—a substantially greater area for native plant protection and Blackburn's sphinx moth habitat than would be provided solely by a 130- acre Native Plant Preservation area on the Honuaula Property. | | Dozo 6 of 6 |
|----------------------------|--|--|--|---|---|---|---|--|---|--------------|
| Attachment Alternatives | more grading would be necessary to create home site pads with the increased density. County of Maui Ordinance No. 3554 contains conditions requiring Honua'ula to provide | a private water system computer 1/ and a private wastewater system computer 1/2. Significantly reducing the number of homes within Honua'ula to accommodate a 130- acre Native Plant Preservation Area could make providing these systems infeasible as the cost to build and operate these systems may not be supportable with less homes. In addition, Condition 17 also requires reclaimed water from the private wastewater system | to be used for irrigation. A reduced number of homes would result in less output of reclaimed water from the private wastewater system, thereby possibly necessitating more non-potable well water for irrigation. Alternatively, if the same amount of homes were provided at increased densities, with a 130-acre Native Plant Preservation Area there would be less area available to dispose of the reclaimed water. Condition 17 prohibits injection wells. | County of Maui Ordinance No. 3554 requires Honua'ula to pay specific development fees, including: | Traffic improvement fees of \$5,000 per residential unit, payable to the County of Maui (Condition 3); Park assessment fees, currently at \$17,240 per residential unit, payable to the County of Maui (Condition 11); and School impact fees, currently at \$5,560 per single family unit and \$3,000 per multifamily unit, payable to the State (Condition 22). | Together, these fees are at least \$25,240 per residential unit and total over \$29 million Any reduction in the number of units will result in a corresponding decrease in fees paid to the State and the County. County property tax revenues would also decrease with less homes or diminished property values resulting from higher density homes. State tax revenues, estimated on a per capita basis, would also decrease with fewer homes. | County of Maui Ordinance No. 3554 also requires Honua'ula Partners, LLC to: | Widen Piilani Highway from Kilohana Drive to Wailea Ike Drive from two to four lanes⁴. The widening project is estimated to cost approximately \$26 million; Pay not less than \$5 million to the County for the development of the South Maui Community Park in-lieu of dedicating a Little League Field within Honua'ula (Condition 10); | ⁴ Cost to be shared by Honua'ula Partners, LLC, A&B Wailea LLC, Keaka LLC, and ATC Makena Holdings; however County of Maui Ordinance No. 3554 Condition 2a requires the widening of Pillani Highway to be completed before any construction on the Honua'ula, Property, with the exception of grading; therefore Honua'ula Partners, LLC may be required to pay the total amount if the other entities are not able to contribute before construction of Honua'ula begins. | Darro E of 6 |

Page 6 of 6

| | Archaeological and Historic Resources |
|--|---|
| | 4.1 ARCHAEOLOGICAL AND HISTORIC RESOURCES |
| | Aki Sinoto Consulting, LLC, completed a revised archaeological inventory survey for the Property in 2008. The resulting archaeological inventory survey report, dated March 2010, was included as an appendix to the the Draft EIS (Sinoto 2010). <u>Revisions to the</u> archaeological inventory survey report were completed in 2012 (Sinoto 2012). Findings of the archaeological inventory survey report, as revised in 2012 (Sinoto 2012), are summarized below. Appendix 1 contains the complete archaeological inventory survey report dated March 2012. |
| ATTACHMENT ARCHAEOLOGICAL AND HISTORIC RESOURCES | The area surveyed includes the Property, the area of the Priflani Highway extension ROW that traverses the Property (both the portion owned by the State and the portion owned by "Ulupalakua Ranch), and the area of the Maui Electric substation. The revised archaeological inventory survey report incorporates the results of two previous surveys together with the results of additional fieldwork. In April 2000, Sinoto & Pantaleo conducted an archaeological inventory within the 190-acre southern third of the Property (Sinoto & Pantaleo, 2000). Subsequently, in 2001, Sinoto & Pantaleo, 2001). Multiple field sessions were conducted between August 2003 and June 2008 to supplement the two initial surveys. Additional field work was conducted in February 2012. Findings of the survey work are summarized below. Appendix Lemans the |
| | Previous to the archaeological work commencing in 2000, four other archaeological surveys were conducted within the Property; one for the proposed Prilani Highway extension project (Walton, 1972); two for the previously proposed Wailea 670 development (Hammatt, 1979; Kennedy, 1988), and one for a cinder haul road paralleling the southern boundary (Sinoto & Pantaleo, 1993). |
| | In March 2010 the archaeological inventory survey report incorporating all previous surveys and included as an appendix to the Draft EIS (Sinoto 2010) was submitted to the State Historic Preservation Division (SHPD) for review. |
| | On June 22. 2010 the Maui Planing Commision held a meeting to discuss the Draft EIS. At this meeting Lucienne De Naie, testifying on behalf of Maui Tomorrow, and Clare Apana, testifying on behalf of Maui Cultural Lands, stated that they thought the archaeological inventory survey report in the Draft EIS was inadequate that there are more archaeological inventory survey report in the Draft EIS was inadequate that there are more archaeological inventory survey report in the Draft EIS was inadequate that there are more archaeological sites on the Property than were recorded in the archaeological inventory survey report. Clare Apana also provided to the Commission a copy of a letter from Daniel Kanahele addressed to SHPD explaining what he considered were the inadequacies of the archeological inventory survey. In their comments on the Draft EIS the Maui Planning Commission directed Honua'ula Partners. LLC's representative Charlie Jencks to: "Work with people that have provided comments regarding the archaeology of the site to clarify finding". |
| | Page 1 of 11 |

| Attachment Archaeological and Historic Resources | Maui Cultural Lands and other community members at Maui Community College on November 17, 2011. Maui Cultural Lands members and other community members present at the November 17, 2011 meeting, included: Daniel Kanahele, Janet Six, 'Ekolu Lindsey, Lucienne De Naie, Jocelyn Costa, and Clifford Ornellas. Others present at the meeting included Stanley Solamillo, a cultural resource planner with the Maui Planning Department, and Tanya Lee Greig, the director of Cultural Surveys Hawaii's Maui office. As a result of the November 17, 2011 meeting, the archaeological inventory survey report was further revised to: 1) recommend preservation of a section of a post-contact agricultural wall documented in the archaeological inventory survey through recommended for preservation: 2) add descriptive narrative information for two post- contact agricultural walls; and 3) revise pertinent map figures in the report. Archaeologist Ait Sinoto submitted the further revised archaeological inventory survey report to SHPD in March 2012. Since the SHPD Maui archaeological inventory survey report to SHPD in March 2012. Since the SHPD Maui archaeological inventory survey report to SHPD in | In addition to the revised archaeological investion were arguing to struct the information once in Rapolei and to Dr. Theresa Donham, the interim SHPD chief of archaeology in Hilo. In April 2012, Dr. Donham notified archaeologist Aki Sinoto that the report was forwarded to the SHPD Maui office for review due to the hiring of replacement personnel. As of May 2012, SHPD has not completed its review of the revised (March 2012) archaeological inventory survey. Appendix 1 contains the complete archaeological inventory survey report dated March 2012. In addition to the revised archaeological inventory survey for the Property (Sinoto 2012). Aki Sinoto Consulting, LLC, completed archaeological surveys for the areas of: 1) the | wastewater transmission line alignment for possible connection to the Mäkena Resort WWRF; and 2) the off-site wells, waterline, and storage tank. Figure 2 shows the locations of these utility areas. Appendix I contains the complete archaeological inventory surveys. Regarding the Pirilani Highway widening area from Kilohana Drive to Wailea Ike Drive | and the area of the Wallea lke Urive and Wallea Alanui Urive intersection improvements, the State Historic Preservation Division has determined that an archaeological inventory survey of these areas is not required given that the work will be within the existing highway right-of-way or adjacent to previously disturbed land; however archaeological monitoring plans will be prepared and a qualified archaeological monitor will be present during all ground altering disturbances. For more information on the widening of Pri'llan Highway see Section 4.4 (Roadways and Traffic) and Appendix R, which contains the complete Pr'llani Highway Widening Project Final EA. Appendix G of the Final EA contains the SHPD letter regarding the need for archaeological monitoring plan for the | Pirilani Highway widening area. For more information on the Wailea Ike Drive and Wailea Alanui Drive intersection improvements see Section 4.4 (Roadways and Traffic) and Appendix S, which contains the complete Wailea lke Drive and Wailea Alanui Drive Intersection Improvements Final EA. Appendix G of the Final EA contains the SHPD letter regarding the need for archaeological monitoring plan for the Wailea Ike Drive and Wailea Alanui Drive intersection improvements. | Page 3 of 11 |
|---|--|---|---|--|--|--------------|
| Attachment Archaeological and Historic Resources | In response to the Maui Planning Commission's directive, on August, 26, 2010 Honua'ula Partners, LLC's representative Charlie Jencks, consultant archaeologist Aki Sinoto, and consultant cultural advisor Kimokeo Kapahulehua participated in a site visit of the Honua'ula Property with several community members and SHPD staff. SHPD staff present were archaeologist Morgan Davis and cultural historian Hinano Rodrigues. Community members present included: Lucienne de Naie, Danie Kanahle, Janet Six, Elle Cochan, U'ilani Kapu, Ke'aumoku Kapu, Lee Altenberg, and 'Ekolu Lindsey. Some of the community members had previously: 1) presented testimony, or were present, at the Maui Planning, Commission meeting on June 22, 2010 at which the Honua'ula Draft ElS was discussed: 2) submitted information to SHPD claiming that they had found archaeological sites on the Property that had not been included in the archaeological inventory survey dated March 2010 included in the Draft ElS; and 3) submitted written comments on the Draft ElS expressing concerns regarding archaeological sites on the Property. | Subsequent to the site visit, SHPD issued a letter dated September 8, 2010 stating that no significant unrecorded sites were noted at that time (i.e. during the August, 26, 2010 site visit). The letter also provides SHPD's review of the archaeological inventory survey (dated March 2010) and requested revisions, including: 1) editorial changes; 2) that the total number of survey man-hours and the spacing of survey transects be noted; and 3) a large plan map of the survey area with sites and features plotted be included. In addition, the SHPD letter states: "This report presents a comprehensive summary of past archaeological work in this area and nicely incorporates previous surveys in the discussion of current findings." | In response to SHPD's September 8, 2010 letter commenting on the archaeological inventory survey (dated March 2010), archaeologist Aki Sinoto: 1) revised the archaeological inventory survey report to address SHPD's concerns; and 2) submitted the revised archaeological inventory survey report to SHPD in April 2011. | In July and August of 2011, Daniel Kanahele of Maui Cultural Lands submitted letters to Honua'ula Partners, LLC's representative Charlie Jencks and SHPD providing additional comments on the archaeological inventory survey (dated March 2010) that was included in the Draft EIS. Honua'ula Partners, LLC's representative <u>Charlie</u> Jencks, consultant archaeologist Aki Sinoto, and consultant cultural advisor Kimokeo Kapahulehua responded to these letters in writing. In the summer of 2011 Maui Cultural Lands members also made a presentation to SHPD regarding their inspections of the Property. | In response to the concerns Maui Cultural Lands members expressed to SHPD in the summer of 2011, on September 23, 2011 archaeologist Aki Sinoto and cultural advisor Kimokeo Kapahulehua met with SHPD archaeologist Morgan Davis and SHPD cultural historian Hinano Rodrigues at SHPD's Maui office. Subsequently, as recommended by SHPD, Honua'ula Partners, LLC's representative Charlie Jencks, consultant archaeologist Aki Sinoto, and consultant cultural advisor Kimokeo Kapahulehua met with members of | Page 2 of 11 |

.

Page 2 of 11

Page 3 of 11

| Attachment Archaeological and Historic Resources | habitation and agriculture, although scattered permanent habitation extended as far as a half-mile inland in certain localities (Schilt 1988). The presence of earlier permanent settlements on the coast has been recently discovered as well (Donham 1986 and Fredericksen 1999). | As the archaeological knowledge base has progressively grown, traditionally held perceptions that the region was marginal and sparsely occupied until the latter phases of the prehistoric period have been changing. Similarly, the interpretation that the "intermediate" zone between the coastal areas and the forested upland zones was barren, used only during transit between the two loci, and lacked any consequential occupation. | has also recently come into question. Recent-studies of the intermediate zone (Gosser et al. 1993 & 1997, Sinoto & Pantaleo 2008) highlight: 1) the importance of the intermediate zone in specific areas of the region; and 2) a range of site types representing various activities in the intermediate zone. | Identified Sites A total of 40 archaeological sites comprised of 60 component features have been recorded within the Property. No burials or human remains have been found. The recorded site types include: small enclosures, modified overhang shelters, modified outcrop platforms and terraces, steppingstone trail segments, long walls, and multiple feature complexes. The majority of the sites/features appear to primarily represent prehistoric-period semi- permanent and temporary habitation functions associated with marginal intermediate inland-zone agricultural pursuits and/or mauka-makai transits between coastal and inland permanent habitation zones. A few sites, such as a complex of meandering tree-standing | walls, may represent historic period activities, most likely associated with ranching. Only one site was recorded in the northern two-thirds of the Property. Although there is evidence that the area had previously undergone extensive disturbances, the scarcity of archaeological sites is remarkable especially when compared to the southern third of the Property, which contains 97.5 percent of the recorded sites. A large wall, treading east to west, demarks a physical division between the northern two-thirds of the Property and the content that The contains of the Property consiste of Jarge Jarge stores of a 5 flowe | With intermittent palveloe flow ridges. Due to the rough terrain, it appears that earlier historic ranching activities attempted to keep cattle out of this southern area and did not encroach south of the large wall until a later phase of ranching activities. The presence of a steppingstone trail in the a'f flows (in the southern third of the Property) and small, isolated features support the argument that this mid-elevation zone was primarily used for temporary transit stops during travel between the coast and inland | areas. Based on results of previous research in the region, the dispersed, isolated occurrence of small, crudely constructed, structural features; such as C-shapes, modified outcrops and overhang shelters; can be indicative of temporary habitation. These feature types are well-represented in the neighboring areas and have been interpreted as |
|---|---|---|--|--|--|---|---|
| Attachment Archaeological and Historic Resources | Settlement Patterns The earliest prehistoric settlement on Maui is postulated to have occurred between A.D. | DU-DUD atong the windoward regions where abundant raimal and retrile soil supported crop cultivation and human populations (Kirch 1985, Cordy and Athens 1988, Gosser et al. 1997). Population expansion into the drier, leeward areas of Kihei, Wailea, and Mákena, likely took place by A.D. 1000-1200 (Cordy 1974, Kirch 1985) although localized areas of earlier permanent occupation appear to have been present (Gosser et al. 1997). | The Honua'ula Property is located along the southwestern slopes of Haleakalā, within the <i>moku</i> (traditional district) of Honua'ula (currently subsumed into the Makawao District) and includes portions of three <i>ahupua'a</i> : Paeahu in the north, Palauea in the middle, and Keauhou in the south. | The inhabitants of Honua'ula <i>moku</i> subsisted mainly on fish and sweet potatoes, a common diet of those who lived in the dry leeward areas of Maui (Barrere 1975). The early French navigator La Perouse noted, while anchored at Keone'o'io Bay that "This part of the coast was altogether destitute of running water. The inhabitants had no drinking water but a brackish water obtained from shallow wells" (La Perouse 1798). Due to the lack of running water was in pockets of molection in leeward Maui was limited to dryland taro in the upland areas in pockets of moist soil where rainfall was greater, while sweet potatoes were grown at the lower elevations (Handy 1940). | The general pattern of occupation within the Honua'ula <i>moku</i> suggested by previous archaeological research consists of seasonal settlements occurring along the coastal areas to exploit marine resources, while permanent settlements occupied the upland areas to utilize forest products and cultivate agricultural resources. Between these settlements was an arid area used for cultivating sweet potatoes and for transit on mauka-makai trails. Upland populations exchanged taro, bananas, and sweet potatoes with the coastal populations for occan resources (Handy 1940). | Chapman and Kirch (1979) proposed that a pattern of transience existed between coastal and inland areas. Inhabitants of the upland agricultural region may have utilized the coastal shelters as temporary or seasonal bases for expanding the range of resource exploitation. Trails linked these permanent upland habitation areas to coastal areas. Temporary habitation sites, located along trails linking upland and coastal areas. were used by travelers from upland residences to the coast to gather seasonal marine resources. | The late prehistoric/early historic settlement was characterized by permanent habitation along the coast and limited agricultural expansion into harsher, more ecologically marginal regions (Kirch 1977). Sites over a quarter-mile inland were used for temporary |

.

| Attachment Archaeological and Historic Resources | however archaeological monitoring plans will be prepared and a qualified archaeological monitor will be present during all ground altering disturbances. POTENTIAL IMPACTS AND MITIGATION MEASURES | The archaeological inventory survey recommends placement of the recorded sites on the Property into three categories: <i>in situ</i> preservation, data recovery, and no further work. Permanent <i>in situ</i> preservation is recommended for 15 <u>16</u> sites. Data recovery is recommended for 18 sites. No further work is recommended for seven <u>sit</u> sites which correspond to those sites which were evaluated to be no longer significant (NLS). Table 3 presents a summary of the significance and treatment for all 40 sites. | Preservation Area (4) and the Native Plant Conservation Areas (7), areas that will not be graded or disturbed so that existing native vegetation can be conserved and protected dedicated in perpetuity to the conservation of native Hawaijan plants and significant cultural sites (see Section 3.6 (Botanical Resources)). The three four remaining sites recommended for permanent <i>in situ</i> preservation he southern portion of the Property that are not in the Native Plant Preservation Areas will be preserved as isolates in historic preservation easements. The single site in the | northern two-thirds of the Property recommended for permanent preservation will be preserved <i>in situ</i> within an existing gulch, which will remain as an open area. In addition to the 15 <u>16</u> sites recommended for permanent <i>in situ</i> preservation, there are opportunities to retain additional sites designated for data recovery within the approximately 113 acres of the Native Plant <u>Conservation</u> . Areas. There are further opportunities to retain sites within golf course areas not requiring grading. In addition, the Native Plant <u>Conservation</u> Areas will enhance the natural setting in which archaeological and cultural preservation is implemented. | In compliance with County of Maui Ordinance No. 3554 (Condition 26), Honua'ula Partners, LLC, will provide an archaeological preservation/mitigation plan, pursuant to Chapter 6E, HRS, to the State Historic Preservation Division (SHPD) and the Office of Hawaiian Affairs (OHA) for approval, prior to Project District Phase II approval. In accordance with SHPD requirements, Honua'ula Partners, LLC, will also provide a data recovery plan to SHPD for review and approval. | Page 7 of 11 |
|---|--|---|---|---|---|--|
| Attachment Archaeological and Historic Resources | temporary habitation sites, most with intermediate to late prehistoric period origins. The frequency of platform features as well as two multiple feature complexes—composed of more substantial structural features in terms of variety, size, numbers, and construction— suggest more intensive, if not permanent, occupation in the area. Further work, especially age determinations for specific sites, is needed to clarify the nature of these sites. | Of the 40 total sites recorded, 33 <u>34</u> are considered to be significant based on at least one Hawai'i Register criterion: the potential to yield information. Several of the <u>Six</u> sites—such as the multiple feature complexes, steppingstone trail segments, and the long walls—are considered significant based on multiple criteria. Seven <u>Six</u> sites are considered no longer significant. For resources to be significant they must possess integrity of location, design, setting, materials, workmanship, feeling, and association, and meet one or more of the following criteria: | Criterion A - specifies association with events or broad patterns important to the prehistory or history of a region, island, or Hawaii in general; Criterion B - reflects association with persons important to the prehistory or history of a region, island, or Hawaii in general; Criterion C - applies to sites that reflect architectural achievements or are excellent | examples of a specific type of site; Criterion D – specifies that the site has yielded or has the potential to yield information significant to the understanding of traditional culture, prehistory, history, and/or foreign influences on traditional culture and history of a region, island, or Hawaii in general; and Criterion E – applies to sites or places perceived by the contemporary community as having traditional culture. | Off-Property Areas No surface structural remains or any other features indicative of prehistoric period or traditional Hawaiian cultural activities were encountered in the areas of: 1) the wastewater transmission line alignment for possible connection to the Mäkena Resort WWRF; and 2) the off-site wells, waterline, and storage tank. The Priflani Highway widening area from Kilohana Drive to Wailea Ike Drive is within the existing highway ROW or adjacent to previously disturbed land. The area of the Wailea Ike Drive and Wailea Alanui Drive intersection improvements is also within an area of previously disturbed land. The State Historic Preservation Division has determined that | archaeological inventory surveys of the areas of the Pi'ilani Highway widening and the Wailea Ike Drive and Wailea Alanui Drive intersection improvements are not required; Page 6 of 11 |

.

| Attachment Archaeological and Historic Resources | Aki Sinoto Consulting, LLC and Hana Pono, LLC prepared a CRPP (see Section 4.2 Cultural Recourses and Amandiv II in compliance with County of Maril Configuration Mari | Ststa (Condition 13 and Condition 26) The CPDP also serves as the archaelee No. | oust reconstruction and contanton zoy. The CNT appointed and the Andread oppoint procentration/initiation alon discursed above and cost forth (summer elements) solution | preservation/minigation/prior discussed adove and sets form (alliptic) selection preservations of the risk of the international prior prime management of the risk of the risk of the risk of the | tructure in successive depreserved and short- and tong-term preservation measures, including | purier zones and interpretative signs, as appropriate for each site to be preserved. The | CKPP was prepared in consultation with interested and concerned parties, cultural | advisors, Na Kupuna O Maui, the Maui County Cultural Resources Commission, the | Maui/Lāna'i Island Burial Council, the DLNR Nā Ala Hele, SHPD, OHA, and various | knowledgeable individuals. In compliance with County of Maui Ordinance No. 3554 | (Condition 13) the CRPP will be has been submitted to SHPD and OHA on March 18, | 2010 for review and recommendations. Upon receipt of comments and recommendations | from SHPD and OHA, the CRPP will be provided to the Maui County Cultural Resources | Commission for review and adoption before Project District Phase II annoval | | The CRPD includes short-term and long term preservation morecurst for each of the 15 | the city included storphone and ong term preservation incastles of each of the 1 store clated for in site encounters. While an offen and the storphone store is a store and the store store store | sues stated of in stud preservation. Write the CKT provides specific preservation macrimes for and site immunity of monthly and long term term for another state monthly and | incarators for each site, summanes or general short- and roug-term preservation measures | | | | short-term or interim site protection measures, including an SHPD approved | archaeological monitoring plan, ensure that, during construction, inadvertent damage or | other adverse impacts do not befall sites slated to be preserved. These include: | | Prior to construction commencement a meeting shall be held to inform all pertinent | parties regarding the locations and buffer zones for all sites slated for preservation | in or near areas of potential effect and the authority of the archaeological monitor | to temporarily halt work in the vicinity of any inadvertent findings; | The erection of temporary construction fencing (orange plastic) or other visible | markings defining no-encroachment buffer zones around the perimeter of sensitive | areas; | The installation of protective supports or covers to better protect the integrity of | fragile or delicate features, if warranted: | Regular monitoring of preservation sites and construction activities: and | | | | to and the statement of | construction reservation measures - the latentication and inflatementation of long-term | site protection measures provide for the continued | | איניכר אמונטו מור למסטאר מוומ מרמאר ליורסרו אמוטון, מש מרשרוטרת טרוסאי | |
|---|---|---|---|--|--|--|---|--|---|---|---|---|--|---|---------------|--|--|---|--|---------------|---------------|---------------|--|---|--|-----------------|--|--|--|---|--|--|---------------------|--|---|---|---------------------|-----------------|---------------|--|---|---|-------------------------------------|--|--|
| | | Treatment | Preservation | Preservation | Preservation | Preservation | No further work | No further work | No further work | Data Recovery | Data Recovery | Data Recovery | Data Recovery | Data Recovery | Data Recovery | Preservation | Preservation | No further work | Preservation | Data Kecovery | Data Recovery | Data Kecovery | Preservation | Data Kecovery | Preservation | No further work | Preservation | Data Recovery | Preservation | Preservation | Data Recovery | Data Recovery | Data Recovery | Preservation | | Descention | Preservation | No further work | Data Recovery | Data Recovery | No further work | | | | |
| urces | Table 1. Archaeological Sites: Significance and Treatment | Significance | | | | | NLS | NLS | NLS | D | D | ۵ | ۵ | ٥ | | C,D,E | | NLS D | C | | | ے د | A,U | 2 | | | | T | | | ٥ | | ٥ı | | | | | S IN | | | NLS | iy 50-50-14-) | | | |
| Attachment Archaeological and Historic Resources | Significance | Period | | traditional? | traditional? | traditional? | traditional? | historic? | historic? | traditional? | traditional? | traditional? | historic? | traditional? | traditional? | traditional? | traditional? | historic? | | traditional | traditionals | traditionals | traditionals | traditional | traditionals | historic? | traditional | traditional? | traditional? | traditional? | traditional? | traditional? | traditional? | traditionals | traditionals | traditionals | traditional? | historic? | traditional? | traditional? | historic? | s (Preceded t | | | |
| Attachment gical and Histo | jical Sites: | Features | | 5 | 2 | - | | | | 1 | - | - | - | 2 | | | | m | , | -, | - , | 7 , | ہ م | 7 | ~ - | - - | - - | - | - | 1 | 2 | - | | | 7 - | - - | | | | - | 7 | s Number | Ē | | |
| Archaeolo | I. Archaeolog | Type | wall | complex | platform | HO pom | C-shape | wall | wall | U-shape | C-shape | HO pom | open area | HO pour | C-shape | SS trail | platform | wails | - | C-shape | | | complex | enclosures | 55 trail/pits | undi coa | Mail Seg. | lava blister | platform | platform | cluster | C-shape | platform | trail | | | lavia tuba | lew | mod outcron | HO | walls | *State Inventory of Historic Places Numbers (Preceded by 50-50-14-) | **Only site in the northern section | | |
| | Table 1 | *SIHP# | 200 | 201 | 204 | 205 | 3156 | 3157 | 3158 | 4945 | 4946 | 4947 | 4948 | 4949 | 4950 | 4951 | 4952 | 4953 | 101 | 4954 | 4955 | 4956 | 495/ | 4958 | 4959 | 4960 | **5109 | 5110 | 5111 | 5112 | <u>6794 n/a</u> | 6795 n/a | 6796 n/a | 6797 N/a | 0/ 90 H/4 | 0/ 33 +/+4 | 6801 n/a | 6807 5/2 | 6803 a/a | 6804 n/a | 6805 n/a | Inventory of I | / site in the ne | | |
| | | ¥04 | + | 7 | 3 | 4 | ሳ | 9 | ц | æ | 6 | 9 | # | Ť | 11 | 4 | 15 | 4 | ļ | <u></u> | * | ‡ ? | \$ | ‡;; | *: | 42 | **20 | 35 | 5 6 | 27 | 28 | 30 | * | 7 | | | 66 75 | 27 | 38 | đ | 4 | *State | {InO** | | |

Page 9 of 11

Page 8 of 11

Attachment Archaeological and Historic Resources

- Passive Preservation Sites in this category do not undergo any interpretive development, occur in areas that can be avoided by development, and are left as is. This category is sometimes referred to as "data banking." Most sites in this category are not intended to be permanently preserved, but are anticipated to undergo data recovery procedures in the future, presumably when improved data gathering techniques and refined analysis technologies are available or on large tracts of land where development is intended to take place in incremental phases; and
- Active Preservation Sites in this category are chosen for their interpretive potential. Their selection may be based on aesthetic, academic, or cultural representation values. Different levels of interpretive development may be undertaken, including: stabilization, partial or complete restoration, and/or reconstruction. Signs may be involved, and details regarding access and protocols need to be worked out.

Off-Property Areas

The AIS reports for the off-site water and wastewater infrastructure areas recommend that in view of the negative results, no further pre-construction archaeological procedures are warranted. However, archaeological monitoring of construction-related ground disturbing activities is recommended. When water and wastewater system plans are finalized, archaeological monitoring plans will be prepared and submitted to SHPD for review and approval before commencement of any construction activities. The limited width of the water and wastewater transmission line corridors will facilitate avoidance of any inadvertent discoveries that warrant preservation. The Pirilani Highway widening area from Kilohana Drive to Wailea Ike Drive is within the existing highway ROW or adjacent to previously disturbed land. The area of the Wailea Ike Drive and the Wailea Rea Drive and the Wailea Rea Drive and the Wailea Rea Drive and Wailea Hanui Drive intersection improvements is a of the thrat archaeological inventory surveys of the areas of the Pirilani Highway widening and the areas of the Drive and the Drive and the prevention Drive intersection improvements are not required. However archaeological inventory surveys of the areas of the Pirilani Highway widening and the areas of the Drive and a qualified archaeological monitor will be present during plans will be prepared and a qualified archaeological monitor will be present during all ground altering disturbances. For more information on the widening of Pirilani Highway widening Project Final EA. Appendix G which contains the SHPD letter regarding the need for Appendix C of the Final EA contains the SHPD letter regarding the need for achaeological monitoring plans will be present for and Appendix S. Witch area and Appendix S. Witch and Appendix S. Witch area and Appendix S. Witch and Appendix S. Witch area and Appendix S. Witch and Appendix S. Witch and Appendix S. Witch area and Appendix S. Witch and Appendix S. Witch area and a provements final EA. Appendix and Anal Drive intersection improvements for Contains the Complete Wailea Alanui Drive intersection improvements for S. Witch and Appendix S. Witch ana

Page 10 of 11

Attachment Archaeological and Historic Resources

Inadvertent Finds

In addition to the protections to be instituted through the CRPP, Honua'ula Partners, LLC and its contractors will comply with all State and County laws and rules regarding the preservation of archaeological and historic sites. Should historic <u>sites such as walls</u>, <u>platforms, pavenents and mounds, or</u> remains such as artifacts, burials, concentrations of shell or charcoal be inadvertently encountered during the construction activities, work will cease immediately in the immediate vicinity of the find and the find will be protected. The contractor shall immediately contact SHPD, which will assess the significance of the find and recommend appropriate mitigation measures, if necessary.

Page 11 of 11

| | Attachment Botanical Resources |
|---------------------|---|
| | 3.6 BOTANICAL RESOURCES |
| | Several botanical <u>reconnaissance</u> surveys of the Property have been conducted since 1988 (Char and Linney 1988; Char 1993, 2004; SWCA 2006; and Altenberg 2007) , and <u>SWCA</u> conducted a comprehensive botanical survey of the <u>Property</u> in 2008 (<u>SWCA</u> 2010a). In all, 146 plant species have been identified within the <u>Property</u> , 26 of which are native; 14 of these native species are endemic to <u>the</u> <u>Hawaifi Hawaiian Islands</u> . The remaining 120 species are introduced non-native species. |
| ATTACHMENT | None of the surveys identified any Federal or State of Hawai'i listed threatened or endangered plant species on the Property. However, five individual plants of the candidate endangered species, <i>'äwikiwiki (Canavalia pubescens</i>), have been documented by SWCA (2010a) within the Property. The Property is not located within or immediately adjacent to critical habitat or recovery management units designated by the U.S. Fish and Wildlife Service (USFWS). There Until recently there have been no efforts by any Federal, State, or local government agency, or non-governmental conservation organizations have |
| BOTANICAL RESOURCES | Deen uncertaken to acquire and or protect any portion of the Houna'ula Property. An <u>A</u> <u>few</u> non-native tree tobacco (<i>Nicotian glauca</i>) <u>alsa have</u> been found at various. locations <u>widely scattered</u> throughout the Property. and <u>This opportunistic weedy species</u> often appears quickly following grading, mowing, or related land disturbances. Mhile insignificant as introduced weedy plant species, it <u>The species</u> is a recognized host plant for the Federally-listed endangered Blackburn's sphinx moth (<i>Manduca blackburn</i>) (for information on the Blackburn's sphinx moth see Section 3.7 (Wildlife Resources)). <u>However, the plant is not considered as a "primary constituent element" of critical habitat</u> <u>by the US Fish and Wildlife Service for the moth</u> . |
| | SWCA completed the most recent botanical survey of the Honua'ula Property in 2008 (SWCA 2010a), which included the area of the Pri/lani' Highway extension ROW that traverses the Property (both the portion owned by the State and the portion owned by 'Ulupalakua Ranch), and the area of the Maui Electric substation. To address concerns regarding native plants, SWCA conducted a thorough quantitative assessment of site vegetation to obtain the best possible understanding of vegetation types and plant species present within the Property. Spatially explicit information on the composition and structure of plant communities at Honua'ula was obtained to meet three key study objectives: 1) identify the location(s) of rare plants; 2) develop conservation and |
| | management recommendations; and <i>si</i> provide support for long-term monitoring and ecological research. Key findings of the SWCA survey are presented below. Appendix E contains the complete survey. |
| | SWCA also completed a botanical surveys of the areas of: 1) the alternative wastewater transmission line alignments for possible connection to the Makena Resort WWRF, which is located approximately one mile south of Honua'ula; 2) the off-site wells, waterline, and storage tank; 3) the Pi'ilani' Highway widening area which extends from Kilohana Drive to Wailea ike Drive; and 4) the Wailea lke Drive and Wailea Alanui Drive intersection |
| | |

Page 1 of 19

| Attachment Botanical Resources | Attachment Botanical Resources |
|--|---|
| <u>improvement area</u> . The survey did not observe-any Federal or State of Hawai'i listed threatened, endangered, or candidate plant species on any of the alignments | Vegetation Types |
| No Federal or State of Hawai'' listed threatened, endangered, or candidate plant species | Within the Honua'ula Property SWCA (2010a) identified three distinct vegetation types: |
| were observed during the survey of the alternative wastewater transmission line | Kiawe-Buffelgrass Grassland - About 75 percent of the northern portion of the Property |
| <u>augnments</u> ; nowever the non-native tree topacco (<i>Nicotiana glauca</i>) was also -observed (SWCA 2009). Since the botanical survev of the areas of the wastewater transmission line | consists of kiawe-buttelgrass grasslands. There is scattered evidence of kiawe logging activities in this area. In addition to buttelgrass, guinea grass (Panicrum maximum) natal |
| alignments was conducted, a decision has been made regarding which alignment to use | redtop (Rhynchelytrum repens), and sour grass (Digitaria insularis) are also scattered |
| based upon potential construction impacts, costs, and permitting considerations. For more | throughout the northern portion of the Property. Other plants found in this area include |
| momination of the serected wastewater anguitten for possible connection to the makena Resort WWRF see Section 4.8.2 (Wastewater System) and Figure 2. Appendix E contains | ure invasive koa naoie (<i>Leucaena leucocepnala</i>), lantana (<i>Lantana camara</i>), partirige pea (<i>Chamaecrista nictitans</i>) and cow pea (<i>Macroptilium lathyroides</i>). The area has been |
| the complete botanical survey of the alternative wastewater transmission line alignments. | disturbed throughout by numerous jeep trails and unrestricted grazing by axis deer (Axis |
| No Federal or State of Hawai'i listed threatened. endangered, or candidate plant species | axis). Some open areas that appeared to be heavily grazed were devoid of buffelgrass, but contained the native shruhs ' <i>film</i> a and hoary abutilon' and the introduced golden crown |
| were observed during the survey of the areas of the off-site wells, waterline, and storage | beard (Verbesina enceloides). |
| tank (SWCA 2010d). Eighty percent of the plant species observed during the survey are | |
| introduced to the Hawalian Islands. Most of the native plants observed during the survey | Gulch Vegetation – The vast expanse of kiawe-buffelgrass in the northern three quarters of |
| are commonly found throughout Maui and the main Hawaiian Islands. Of the native | the Property is bisected from east to west by several gulches. These intermittent gulches |
| plants in the survey area, only will has a limited distribution throughout the Hawalian Islands For more information on the off site wells, and ustarbands and wetaling on Society | vary in depth and are characterized by patches of exposed bedrock. The guiches are |
| A.1. (Water System) and Figure 2. Appendix E contains the complete botanical survey of | snaded by their steep waits providing relatively cool and moist conditions. Three species of fems, including maiden hair fem (Adiantrum raddiantum) sword fem (Nenbrodenic |
| the areas of the off-site wells, storage tank, and waterline. | multiflora), and the endemic 'iwa'iwa fern (Doryopteris decipiens) were found in the |
| | shaded rocky outcrops and crevices within the gulches. Native pill grass (Heteropogon |
| No Federal or State of Hawai'i listed threatened, endangered, or candidate plant species | contortus) was found in more open and sunny locations. Other species found within the |
| were observed during the survey of the Pi'ilani Highway widening area (SWCA 2009c). In | gulches include tree tobacco (<i>Nicotiana glauca</i>), <i>wiliwili</i> , lantana, partridge pea, golden |
| addition, no rare native plant species were found. A total of 88 plant species were | crownbeard, 'ilima, hoary abutilon, koa haole, indigo (Indigofera suffruticosa), 'uhaloa |
| recorded, of which, three species are native. Two indigenous species, 'filma (Sida fallax) and ubaloa (Matheria indica) were common along both eider of the highway. The third | (Waltheria indica) and lion's ear (Leonotis nepetifolia). |
| and unated (Waitheria Induca), were common atom bour stores of the ingliway. The unit indigenous species. milo (Thespesia populnea), was only found at one location adjacent to | Mixed Kiawe-Wiliwili Shruhland – The mixed <i>kiawe-wiliwili</i> shruhland waatation area is |
| a homeowner's backyard. For more information on the widening of Pi'ilani' Highway see | limited to the southern 'a'ā lava flow in the southern quarter of the Property. This 'a'ā lava |
| Section 4.4 (Roadways and Traffic) and Appendix R, which contains the complete Pi'ilani | flow comprises approximately 170-acres. Scattered groves of large-stature wiliwili |
| Highway Widening Project Final EA. Appendix C of the Final EA contains the complete | (Erythrina sandwicensis) and kiawe trees co-dominated the upper story. Native shrubs, |
| botanical survey of the Pi'ilani Highway widening area. | such as 'ilima and maiapilo, and the native vine 'anunu (Sicyos pachycarpus), were |
| | represented in the understory. Introduced shrubs (e.g., <i>koa haole</i> , lantana, wild basil, and |
| No rederal or state of Hawai'i listed threatened, endangered, or candidate species were | tree tobacco), and introduced grasses (e.g., guinea grass, natal redtop) and introduced |
| observed during the survey of the Wallea like Drive and Wallea Alanui Drive intersection | vines and herbaceous species (e.g., bush bean, vining solanum, burbush, and golden |
| improvement area (SWCA 2009b). In addition, no rare native plant species were found. A total of 40 mlant species were recorded of which only glossy nightshade (Solanum | crownbeard) dominate the ground vegetation. Lantana found throughout the mixed <i>kiawe- witiwiti</i> charded choused circles of disheads. Althouch abundant the mixed arrest found |
| americanum) is native to, but, common in the Hawaiian Islands. For more information on | winwin sinuoranti sitowed signs of diepack. Annough abundant, une guinea grass round on the site was grazed to stubble, probably by axis deer. |
| the Wailea Ike Drive and Wailea Alanui Drive intersection improvements see Section 4.4 | |
| (Roadways and Traffic) and Appendix S, which contains the complete Wailea Ike Drive and Wailea Alamii Drive Intereaction Immovements Final FA Amandix R of the Final FA | Native Species |
| contains the complete botanical survey of the Wailea Ike Drive and Wailea Alanui Drive | All of the native plant species reported on the Property (Char and Linney 1988; Char |
| intersection improvement area. | 1993, 2004; SWCA 2006; Altenberg 2007, and SWCA 2010a) are known to occur |

Page 3 of 19

| Attachment Botanical Resources | | | | | etween 360 plant species, as none were identified on the Property. In addition, the possible sewer line to mission to the Mäkena Resort WWRF. The off-site wells waterline and storage tank | | | nged the status of the status of alternative transmission line alignments surveys of these areas. | County of Maui Ordinance No. 3554 Condition 27 requires the establishment of a Native Plant Preservation Area on the Pronetry south of latitude 30º40'15 00"N that shall not be | | | | | With regard to Condition 27, we note that the ordinance refers to "preservation". | | Area reserve System. At this time, the Subject Area is not designated a Natural Area Reserve. Chapter 195 provides a process by which a natural Area reserve may be | | Lungulates, DLNR also stated: "Mitigation for a project as part of an HPC [Habitat Conservation Plan] may in minimize the conducted off site if all other recurrements are next and if the HCP is | | In their letter commenting on the Honua'ula Draft Environmental Impact Statement (E(S) detect liefy 3 2010 the LISENX related: " une recommend that the concentrice accomment | | | ees snowed 5 erythrinae | . Although | |
|-----------------------------------|--|--|--|---|---|---|--|---|--|--|--|--|---|---|--|--|---|---|--|--|---|---|--|--|---|
| | elsewhere on Maui and the main Hawaiian Islands. Only the unique leaf form | riene unpounderation appears to be initiated to the property; nowever, it is not recognized as a separate subspecies or variety (Wagner et al. 1999; Herbst, personal | communication). One native species, 'āwikiwiki (Canavalia pubescens), is considered to be a candidate endangered species by USFWS. Five 'àwikiwiki vines were found within | the Property (SWCA 2010a). Currently, the species appears to be limited to five | populations on the Island of Maui, which altogether total a fittle over 200 between 360 and 500 individuals (LISEWS 2009 2010). The LISEWS has chosen not to mirrius | immediate issuance of a proposed listing rule for ' <i>âwikiwiki</i> in lieu of higher priority listing | actions, which include other candidate species with lower listing priority numbers | (USFWS 2009, 2010). As of October 2011, the USWFS had not changed the status of <i>awikwiki</i> from candidate endanged species (USFWS 2011). Continued status | momoning win be conducted as new momination becomes available. Other native sneries found on the Pronecty includer our <i>bub (latraemone district)</i> alone | (Boerhavia repens), maiapilo shrubs (Capparis sandwichiana), 'a'ali'i shrubs (Dodonaea | viscosa), 'iwa'iwa ferns' (Doryopteris decipiens), pili grass (Heteropogon contortus), Havviitan moon flower vines (Inomoaa tuhvideo) wiliwiil trees (Eruthrina sandwicensis) | naio trees (Myoonum sandwicense), kolomota una seres birubs (Sena gaudichaudin), hoary | abunion sinups (Abunion incanum), Koan awama vines (Ipomoea ingrea), inma (Sida fallax), popolo (Solanum americanum), 'ilie'e (Plumbago zeylanica), 'uhaloa (Waltheria | <u>indica),</u> and 'ānunu vines (Sicyos hispidus <u>, S. pachycarpus</u>). | The highest concentration of native plants occurs in the southern quarter of the Property, which is the area containing the annovinately $170-5$ res 23° is low and the $bisus$. | wiliwili shrubland vegetation type. The remnant native vegetation in the mixed kiawe- | wiliwili shrubland represents a highly degraded lowland dry shrubland in which wiliwili trees are a natural component (SWCA 2010a). Far from being pristine, this dry shrubland | has been degraded by human activities including unrestricted grazing by feral ungulates, periodic cattle grazing, and invasion by invasive plant species, road cutting, <i>kiawe</i> | logging, and World War II military training maneuvers (SWCA 2010a). Until surveys by SWCA (2006) and Altenberg (2007), there had been no recognition of the mixed kiawe- | wiliwili shrubland as an area worthy of special recognition. | Wiliwili (Erythrina sandwicensis) was the most common native tree species in the southern | a a rava now area. JWCA (2010a) niapped 2,410 individual uces distingued incognout the kiava with shrubland in groves of various sizes. The largest groves tended to be to actual is the more actual of the distance of | located in the eastern portion of the klawe-winwit shrubland. Most winwit trees showed some form of damage, primarily from the Erythrina gall wasp (Quadristichus erythrinae | Kim) and the seed eating bruchid beetle (Specularius impressithorax Pie). Although wiliwili is not a Federal or State of Hawaii listed endangered species, severe damage | caused by the Erythrina gail wasp has led to uncertainty about the survival of these trees throughout the State. Thus agency resource managers believe it is prudent to protect |

be incorporated into the preferred alternative. Alternatively, your discussion of the project alternatives (Section 6.0) in your Final EIS should thoroughly address any reasons conservation of the entire southern area was not included selected [sic] as the preferred alternative. Based on the presence of the non-native tree tobacco (*Nicotiana glauca*) and native host plants for the endangered Blackburn's sphinx moth, the USFWS also expressed concern that "habitat loss within the project site could adversely impact Blackburn's sphinx moth populations within this region of Maui."

In their letter dated May 10, 2010 the United States Army Corps of Engineers stated:

The Corps Regulatory Program does not have the legal authority or expertise to comment or make recommendations as to the appropriateness of areas of a parcel for preservation or for use as mitigation, for a particular project, for Maui Planning Commission use. Since June of 2010 Honua'ula Partners, LLC has met with DLNR and USFWS on many occasions to reach agreement regarding satisfaction of Condition 27. As a result of these meetings, Honua'ula Partners, LLC proposes both on- and off-site measures to protect and enhance native plants and habitat for the Blackburn's sphinx moth (Manduca blackburn) as discussed below (also see Figure 1, Figure 12, and Figure 12a).

On-Site Native Plant Preservation Area and Native Plant Conservation Areas

Native Plant Preservation Area – To protect and conserve an area that contains the highest density of representative native plant species within Honua'ula, including the five individual '*äwikiwiki* plants and numerous individual *nehe* plants found on the Property. Honua'ula Partners, LLC will dedicate in perpetuity a conservation easement titled "Native Plant Preservation Area." This In compliance with Condition 22 this area will be dedicated to the conservation of native Hawaiian plants and significant cultural sites (see Section 4.1 (Archaeological and Historical Resources) and Section 4.2 (Cultural Resources) for information on archaeological and cultural resources). The Native Plant Preservation Area will be deticated will be actively managed in accordance with the Conservation and Section 4.1 (Archaeological and cultural resources). The Native Plant Preservation Area will be actively managed in accordance with the Conservation and Stewardship Plan (see below and Appendix F). Management actions will include removal and exclusion of ungulates (deer, cattle, goats, and pigs), removal and control of noxious invasive weeds and plants, and propagation of native plants from seeds collected on the Property.

As shown on Figure 1 and Figure 12, the proposed Native Plant Preservation Area is within the portion of the property south of latitude 20°40′15.00″N <u>as required by Condition 27</u>. It encompasses a contiguous <u>22</u> <u>40</u>-acre area within the *kiawe-wiliwili* shrubland to protect the portion of the remnant native lowland dry shrubland plant community with the highest densities of selected endemic/native plants having high conservation priority. The proposed size and location of the Native Plant Preservation Area are based, in part, upon a vegetation density analysis employed by SWCA (2010a) to

Attachment Botanical Resources

aid in defining areas where preservation could be most effective. The size and location of the Native Plant Preservation Area are also based upon scientific research that suggests even small restoration efforts consisting of a few hectares can help provide habitat for native species and can subsequently serve as urgently-needed sources of propagules (Cabin et al. 2000b, Cabin, et al. 2002a). This is reinforced by numerous sources of information on successful propagation of native plants specifically for landscaping (e.g., TNC 1997, Tamimi 1999, Friday 2000, Wong 2003, Bornhorst and Rauch 2003, Lileeng-Rosenberger and Chapin 2005, CTAHR 2006). The research shows that even small preserves consisting of individual trees are being deemed as appropriate and feasible by USFWS and DLNR when managed in combination with regional preserve areas, such as at 2003).

acres) Natural Area Reserves (SWCA 2010b). In addition, in 2009 over 42,000 11,000 will be forever protected. These existing conservation efforts protect substantial habitats In addition, the Native Plant Preservation Area must be considered in the context of the dry shrubland, and until recently there have been no efforts by any Federal, State, or local efforts for native dry forest ecosystems on Maui have focused on better examples of relatively intact ecosystems, such as the 'Auwahi 1 restoration area (10 acres) and Pu'u o Kali (236 acres) Forest Reserves and the Kanaio (876 acres) and 'Ahihi-Kīna'u (1,238 acres in South Maui were recently donated to the Maui Coastal Land Trust-the state's the remnant native vegetation found on the Property represents a highly degraded lowland government agency, or non-governmental conservation organizations to acquire and or protect any portion of the Property (SWCA 2010b). Instead, government conservation largest conservation easement—representing a significant area of dry forest habitat that that are more intact host higher diversity of known native host plants for the Blackburn's sphinx moth than those found in Honua'ula, and contain a greater diversity of native plant significant conservation efforts already in existence in South Maui. As previously noted species than Honua'ula.

When considered together with the other conservation measures identified for plants and wildlife (SWCA -2010a, 2010c), including - an -additional 121 <u>36</u> acres of lands at Honus' ula where existing native plants are to be protected, enhanced, and propagated, the 22 <u>40</u> acre Native Plants are to be protected, enhanced, and propagated, the 22 <u>40</u> acres blants are to be protected, enhanced, and propagated, the <u>22 40</u> acres to the long term viability of remnant mixed *kiawe willwill* shubland associations in southeastern Maui. These conservation measures are subject to contribution to the USEWS, and the United States Corps of Engineers. The provision of the Native Plant Preservation Area estement is in conformance with County of Maui Ordinance No. 3554 Condition 27.

The scope of the Native Plant Preservation Area easement will be set forth in an agreement between Honua'ula Partners, LLC and the County of Maui (in conformance with County of Maui Ordinance No. 3554 Conditions 27a – 27d) that will include:

Attachment Botanical Resources

- A commitment from Honua'ula Partners, LLC te protect for the perpetual protection and preserve preservation of the Native Plant Preservation Area for the protection of native Hawaiian dry shrubland plants and significant cultural sites worthy of preservation, restoration, and interpretation for public education and enrichment consistent with a Conservation Plan (see below) approved by the State DLNR, the United States Geological Survey, and the USFWS and with a Cultural Resource Preservation Plan (see Section 4.1 (Archaeological and Historic Resources) and Section 4.2 (Cultural Resources) for information on archaeological and cultural resources), which includes the management and maintenance of the Native Plant Preservation Area (Condition 27a);
 - Confining use of the Native Plant Preservation Area to activities consistent with the purpose and intent of the Native Plant Preservation Area (Condition 27b);
- Prohibiting development in the Native Plant Preservation Area other than erecting fences, enhancing and interpretive trails, and constructing structures for the maintenance needed for the area, in accordance with the Conservation/ Preservation Plans (Condition 27c). Interpretive trails will be minimal in size, and shall not consist of imported materials or hardened surfaces; care will be taken to minimize impacts to native plants during establishment of trails; and
- That title to the Native Plant Preservation Area will be held by Honua'ula Partners, LLC, its successors and permitted assigns, or conveyed to a land trust that holds other conservation easements. Access to the Native Plant Preservation Area will be permitted pursuant to an established schedule to organizations on Maui dedicated to the preservation of native plants to help restore and perpetuate native species, and to engage in needed research activities. These organizations may enter the Native Plant Preservation 27d).

In addition to the Native Plant Preservation Area, Honua'ula Partners, LLC will also provide additional areas for the protection of native plants (figure 12). Altogether, 143 acres are proposed for the preservation, conservation, propagation, and management of native plant species at Honua'ula. The Native Plant Preservation Area and an additional 22 acres of Native Plant Species at Honua'ula. The Native Plant Preservation Area and an additional 23 acres of Native Plant Conservation Areas within the *highest* density of native and indigenous plants found at Honua'ula. The Native Plant Preservation Area and an additional 23 acres of Native Plant Conservation Areas within the *kiswe witiwili* shrubland will remain ungraded and approximately. 1) 53 acres of Native Plant Conservation Areas within the *kiswe witiwili* shrubland will remain ungraded approximately. 1) 53 acres of Native Plant Conservation Areas and an additional 22 acres of advind approximately. 1) 53 acres of natural guleh areas: and 3) 17 acres for planting and propagation of native plants. Table 2 identifies conservation sub areas and the elements unique to each. Combined, these areas will: 1) provide protection for native plants; 2) ensure the long term genetic viability and survival of the native diy shrubland species; and 3) 17 acres for planting and propagation of native plants. Table 2 identifies conservation sub areas and the elements unique to each. Combined, these areas will: 1) provide protection for native plants; 2) ensure the long term population growth-

Attachment Botanical Resources

Table 1. Honua'ula Native Plant Areas

| Preservation & Conservation Designation | Approximate Area | Management Objective |
|--|-----------------------|--|
| Native Plant Preservation Area | 22 acres | Easement protected in perpetuity and managed exclusively for preservation of the existing kiawe wiliwiii shrubland association |
| Native Plant Conservation Areas | 23 acres | Ungraded conservation areas in which existing native plants will be protected and managed as natural areas |
| Naturalized Landscape (Existing-and Enhanced) | 53 acres | Areas for conservation of existing native vegetation |
| Natural Gulches | 28 acres | Natural drainage gulehes will be left undisturbed and existing native vegetation will remain intact |
| Out planting Areas for Mative Plants | 17 acres | Areas-declicated to the propagation of native plants |
| TOTAL-AREA | 14 3 acres | Native Plant Areas |
| | | |

Native Plant Conservation Areas – In addition to the Native Plant Preservation Area, Native Plant Conservation Areas will be located throughout the Property including adjacent to both the golf course and the Native Plant Preservation Area. The areas will include:

- All the existing natural gulches throughout the Property (28 acres);
 Ungraded conservation areas (eight acres) in which existing native plants will be
- Areas containing naturalized landscape in which existing native vegetation will be
- conserved or enhanced through propagation of native species from seeds collected on the Property. Combined these areas will add an additional conservation area of at least 36 acres in

computed these areas with add an additional conservation area of at least 3b acres in which existing native plants will be protected. Management strategies employed for these Plant Conservation Areas will be in accordance with the Conservation and Stewardship Plan.

Additional On-site Mitigation Measures – To further protect native species <u>on-site</u> Honua'ula Partners, LLC will:

Page 8 of 19

| Attachment Botanical Resources | Stewardship Plan for the Native Plant Preservation Area and other Native Plant <u>Conservation</u> Areas (see below); and Prepare a multi-species Finalize its draft Habitat Conservation Plan (to include the candidate endangered ' <i>äwikiwiki</i>) under in collaboration with USFWS and DLNR <u>in accordance with</u> Section 10(a)(1)(8) of the Endangered Species Act and in- collaboration with DLNR and USFWS <u>Chapter 195D</u> , HRS. Section 3.7 (Wildlife <u>Resources</u>) below contains additional information regarding the Habitat <u>Conservation Plan</u> . | For off-site mitigation, Honua/ula Partners, LLC will: For off-site mitigation, Honua/ula Partners, LLC will: 1. Acquire a perpetual conservation easement of approximately 224-acres on a currently unprotected portion of property owned by Ulupalakua Ranch adjacent to the eastern boundary of the State of Hawaii Kanaio Natural Area Reserve; and 2. Fund and implement the continuation and expansion of restoration efforts within the Auwahi Forest Restoration Project area, just north of the Kanaio Natural Area Reserve, including fencing of approximately 130 acres, ungulate removal, and plant restoration activities. | Figure 12a shows the proposed locations of the on- and off-site mitigation areas. The on- and off-site mitigation measures and areas are subject to the approval of the Habitat Conservation Plan by USFWS and DLNR. The Kanaio and Auwahi areas have been pinpointed by USFWS, USCS, Medeiros, Loope, and Chimera (1993), VanGelder and Conant (1998), Price et al (2007), and The Nature Conservancy to be of high value for Blackburn's sphinx moth habitat and native dryland forest and shrubland species including willwill and a number of threatened and endangered species. While it may be debated that there are additional areas in Southeast Maui with geology, slope, rainfall, and plant species composition similar to the Honua'uia Property. such areas are either already protected or simply not available for acquisition from their owners. | Kanaio Natural Area Reserve Conservation Easement – The proposed approximately 224- acre perpetual conservation easement adjacent to the eastern boundary of the Kanaio Natural Area Reserve harbors 171 species of plants, 40 percent of which are native to the Hawaiian Islands (19 indigenous species and 49 endemic species). In comparison, Honua 'ula harbors 146 species of plants, of which 27 percent were native (26 indigenous species, and 14 endemic species). In comparison, This area, which contains native dry land habitat, is considered to be particularly high quality habitat for the Blackburn's sphinx moth, due in large part to the presence of many native host plants for both adult and juvenile life stages of the Blackburn's sphinx moth. | |
|-----------------------------------|--|--|---|---|--|
| Attachment Botanical Resources | Conserve as many of the <i>wiliwili</i> trees as possible outside the Native Plant Preservation Area; Fence the entire perimeter of the Property, and other areas as appropriate, to exclude feral ungulates from the <i>kiawe-wiliwili</i> shrubland. A fence has already been erected, however fencing requirements will be reviewed and updated (for example, to include stronger deer fencing) as establishment of the Native Plant Preservation Area and site construction begins (this is consistent with County of Maui Ordinance No. 3554 Condition 7); Implement an update plant to ensure that goats, deer, pigs, and stray or the common of the management plan to ensure that goats, deer, pigs, and stray or plant performent and submodel in a humore plant. | and the Native Plant Conservation Areas (this is consistent with County of Maui Ordinance No. 3554 Condition 7); Employ a Natural Resources Manager to help develop and implement specific conservation programs to ensure the protection of native plants and animals within the Native Plant Preservation Area ad Abber Native Plant Conservation Areas throughout the Property. The Natural Resources Manager will also be responsible for ensuring the success of the off-site mitigation program: Implement a program to control and eradicate invasive grasses, weeds, and other non-native plants from the Native Plant Preservation Areas throughout the Property. The Natural Resources Manager will also be responsible for ensuring the success of the off-site mitigation program. Implement a program to control and eradicate invasive grasses, weeds, and other non-native plants from the Native Plant Preservation Area ad Another Plant Preservation Areas throughout the Property. The Natural Resources Manager will also be responsible for ensuring the success of the off-site mitigation program. | entanglered practability is spiritized in <i>Violatical backburn</i>, tool information on the Blackburn's spiritix moth see Section 3.7 (Wildlife Resources)); Implement a native plant propagation program for landscaping with plants and seeds naturally occurring on the Property. All plants native to the geographic area will be considered as potential species for use in landscaping; Implement a seed predator control program to control rats, mice, and other seed predators; Implement a fire control program to help protect the Native Plant Preservation Area and the Native Plant Conservation Areas and ensure the success of plant program of the management program on and the mative profession and outsach program open to the public and sponsor service groups to assist with implementation of the management programs in the Native Plant Preservation Areas; | Apply for additional program support offered by the State of Hawai'i (Natural Area Partnership Program and Hawaii Forest Stewardship Program) and USFWS to promote sound management of the natural resources within Honua'ula; Submit copies of all SWCA reports prepared for Honua'ula, along with the report titled "<i>Remnant Wiliwili Forest Habitat at Wallea 670, Maui, Hawaii</i>" (Altenberg 2007), to DLNR, USFWS, U.S. Geological Survey, and U.S. Army Corps of Engineers for review and comment in compliance with County of Maui Ordinance No. 3554 Condition 27. <u>These reports were submitted to the above agencies on March 22, 2010</u>. Continue long-term vegetation monitoring during wet and dry seasons to evaluate the health of native plants and to support the development of the Conservation and Page 10 of 19 | |

| Attachment Botanical Resources | 2. Creation and protection of a higher number species of native host plants than currently exists on the Property. The on- and off-site mitigation areas together provide approximately 394 acres of native dry shrublands for the perpetual protection and propagation of native dryland plants, including wiliwili. Through the perpetual protection and enhancement of these areas, a stable core habitat area will be secured for the moth, providing net benefit to this covered species, as well as a large number of additional native dryland species. To implement the on- and off-site mitigation measures Honua'ula Partners, LC, will finalize its draft Habitat Conservation Plant (HCP). (See Section 3.7. (Wildlife Resources). The on- and off-site mitigation measures and home and other species. | Plan by USFWS and DLNR. Section 3.7 (Wildlife Resources) below contains additional information regarding the Habitat Conservation Plan. Honua'ula Conservation and Stewardship Plan To ensure the long-term conservation and stewardship of native plants within Honua'ula, and in conformance with County of Maui Ordinance No. 3554 Condition 27a, SWCA prepared the Honua'ula Conservation and Stewardship Plan (2010b). The plan | incorporates findings, conclusions, and recommendations from previous botanical surveys, wildlife surveys, and biological assessments of the Property and recommends proactive stewardship actions to manage the Native Plant Preservation Area and other Native Plant <u>Conservation</u> Areas. | The <i>Honua'ula Conservation and Stewardship Plan</i> also includes discussion of Hawaiian dry forest ecosystems and their status, an evaluation of the remnant coastal dry shrubland community at Honua'ula, an inventory of dry forest restoration efforts underway statewide (reserves and preserves), and an evaluation of lessons learned that are applicable to the Honua'ula Native Plant Preservation Area and ether Native Plant <u>Conservation</u> Areas. | In summary, the remnant native vegetation in the Honua'ula mixed <i>kiawe-wiliwili</i> shrubland represents a highly degraded lowland dry shrubland. Current conservation efforts for native dry forest ecosystems have been focused on better examples of relatively intact ecosystems such as the Pu'u o Kali, Auwahi, and Kula Forest Reserves and the Kanaio and 'Ahihi-Kina'u Natural Area Reserves. These projects and other conservation efforts in Hawai'i indicate that even small restoration efforts consisting of a few hectares, and in some cases individual trees, can help provide habitat for rare native dry forest end can subscrutently environe and restoration efforts in Some cases individual trees, can help provide habitat for rare native dry forest end can subscrutently environe as uncontine endicate on the provide habitat for rare native dry forest endices and can subscrutently environe as uncontine to environe of the concerted on the provide habitat for rare native dry forest endices and can subscrutently environe of the concerted of the environe | With the lessons learned from other resource protection programs, the overall goal of the <i>Honua'ula Conservation and Stewardship Plan</i> is to conserve the mative plant resources of protect native plants and animals within Honua'ula. The secondary goals are to cooperate with researchers in furthering the science of native plant propagation, <u>and</u> provide education and outreach opportunities , and enhance the natural beauty of Honua'ula . To |
|-----------------------------------|---|--|---|---|--|---|
| Attachment Botanical Resources | As part of Honua'ula Partners, LLC's conservation efforts, the eight-foot ungulate fence that currently exists along the eastern and southern border of the approximately 224-acre area will be extended along the remaining borders of the parcel, and ungulates will be removed from the enclosure. A 10-foot wide fire break will be established along the inside perimeter of the fence to minimize the risk of fires started outside the parcel from entering the mitigation area. In addition, a cross fencing plan for adjacent ranch land is being developed in coordination with Ulupalakua Ranch. Cross fencing will be designed to facilitate cattle grazing in such a pattern to enhance fire control immediately adjacent to the protected area. The fence and fire breaks will be maintained in perpetuity. | Auwahi Forest Restoration – At the Auwahi Forest Restoration Project, Honua'ula Partners, LLC will fund and implement a 15-year restoration program covering an area of approximately 130-acres. This will include: a) fencing of, and ungulate removal from, approximately 130 acres of Blackburn's sphinx moth conservation area; and b) dry forest restoration to benefit the Blackburn's sphinx moth, and native dry shrubland plant species. Restoration activities will include removal of invasive weeds and propagation and out- planting of native species, including many native host plants for both adult and juvenile life states of the Blackburn's sphinx moth. | While an eight foot fence already exists around the entire 184-acre Auwahi Forest Restoration Project, some cattle grazing continues in most of the area within the enclosure. As part of the program funded and implemented by Honua'ula Partners, LLC, cattle fences will be moved or installed and cattle will be removed from restoration areas. | Restoration efforts at the Auwahi Forest Restoration Project started in 1997 have been very successful, with 28 mative species naturally reproducing after only 10 years of restoration efforts. The mitigation program implemented by Honua'ula Partners, LLC will build on this success, and will include mechanical and chemical removal of invasive plant species and | emancement or me narive vegetation triougn propagation. A 10-1001 wide tite preak will be established along the inside perimeter of the fence, and the cross-fencing plan described above will benefit the Auwahi mitigation are as well as the Kanaio conservation easement area. Honuauela Partners, LLC will establish an endowment to ensure that fences, firebreaks, and restored areas will be maintained in perpetuity. Net Conservation Benefit | The proposed on- and on-site measures to protect harve plants and blackburn's spininx moth habitat proposed by Honua'ula Partners, LLC provide a net conservation benefit (as required under Chapter 195D, HRS) through: 1. The protection and propagation of additional native host plants for both larval and adult Blackburn's sphinx moth (including the native host species 'aiea (Nothocestrum spp.) and halapepe (Pleomele spp.)); and |

Page 12 of 19

Page 13 of 19

| Attachment | Attachment |
|---|---|
| Botanical Resources | Botanical Resources |
| achieve these goals the <i>Honua'ula Conservation and Stewardship Plan</i> sets forth management objectives, which are summarized below (SWCA 2010b). Many of these | Management Objective 5: Protect and Augment All Native Plants Within the Native Plant Preservation Area |
| management objectives mirror the recommendations contained in the botanical survey (SWCA 2010a). Appendix F contains the complete <i>Honua'ula Conservation and</i> | In addition to building features or physical barriers (stone walls, fences, etc) to protect the Native Plant Preservation Area, Honua'ula Partners, LLC will augment |
| Stewardship Fran. | existing native populations by seeding, out-planting nursery grown native plants, or transplanting native plants from un-protected areas on the Property. The Natural |
| Management Objective 2: Fund and Hire a Natural Resources Manager A Natural Decentered Manager will implement the cools and chineting of the | Resources Manager will implement a program to relocate scattered rare native |
| A Insturial resources manager with intprement the goals and objectives of the <i>Honua'ula Conservation and Stewardship Plan</i> , which includes the <i>Unpulate</i> | plants occurring outside of the Native Plant Preservation Area (e.g. <i>nehe</i>) to appropriate areas within the houndaries of the Native Plant Preservation Area. The |
| Management Plan. The Natural Resources Manager will be responsible for | Natural Resources Manager will be responsible for improving habitat conditions, as |
| <u> </u> | needed, to augment the health of plants in the Native Plant Preservation Area and ether Native Plant Concervation Areas. |
| eradicating invasive plant species. The Natural Resources Manager will also work | |
| cooperatively with government and non-governmental conservation agencies | Management Objective 6: Create a Plant Propagation Effort |
| including the Mauri Invasive Species Council, Leeward Haleakala Watershed | The Natural Resources Manager will work with native plant propagators in the |
| Allance, ULNK, and other organizations. <u>The Natural Resources Manager with also</u> be responsible for ensuring the success of the off-site mitigation program: | community to facilitate a native plant propagation program. Selective seeds and cuttings will be collected from native plants found within Honua'ula to be stored |
| | outside the natural environment (i.e. seed banks) for use in plantings within the |
| Management Objective 3: Eliminate Browsing, Grazing, and Trampling By Feral | Property, as well as at protected areas such as Pu'u O Kali or the off-site mitigation |
| | areas. The success of this effort depends largely on the availability of fresh, viable |
| | seeds; |
| From the <i>Kawee-Withwith</i> is structurated; nowever, the rencing is portous. In accordance | |
| with ULINK supurations, the existing tence with be replaced with an ungulate proof fears to exclude non-mative dear mosts and cattle from damating mative place | Management Ubjective /: Attempt Propagation and Out-planting of Native Host plant for the plantine calibrium state. |
| The force is eveneted to be made of the mode of multi calle from any calle from a moving of the force of the | Provide the International Sphility Moth |
| the relice is expected to be indue of tust resistant, galvanized steet materials and will be approximately eight feet high with a mech size of no more than six inches | Uespite its importance to the endangeted blackburn's sphinx moth, the non-native tree tohacco (a Riackburn's suchiny moth bact alant) is not an ideal succise to |
| Insuriates transfer within feared areas will be removed from the Property in a | maintain within the Native Plant Preservation Area because it is a high risk inversion. |
| humane manner. A detailed description of the fencing is contained in the Ungulate | species, due to its prolific seed production, environmental versatility, and toxicity |
| Management Plan which is appended to the Honua'ula Conservation and | to humans and cattle; |
| Stewardship Plan; | |
| | he Native Plant Preservation Area is to protect valu |
| Management Objective 4: Remove and Manage Noxious Invasive Plants | native plant species, consideration is being given to propagating <i>aiea</i> |
| Honua'ula Partners, LLC will implement a program to control and eradicate | (<i>Nothocestrum latitolium</i>) (a Blackburn's sphinx moth host native plant) in this area |
| invasive grasses, weeds, and other non-native plants from the Native Plant | to replace the non-native tree tobacco. The ultimate outcome of this effort is |
| Preservation Area with the exception of the hon-halve tree coacco (Nicotiana | unknown because the Property is at a lower elevation and drier climate than the |
| glauca), which is a recognized host plant for the endangered blackburn's sphinx | elevation where native 'area usually grows. It 'area becomes established within the |
| mon. In addition, the Natural Kesources Manager will establish a protocol for | Native Plant Preservation Area and is used by the Blackburn sphinx moth, then |
| avoiding the introduction of new invasive plants or the spread of existing plants. The Natural Recurree Manager will also collaborate with the landscape deciments | non-native tobacco trees with intage of fermoved. Removal of non-native tree tobacco will only occur in the season when Rlackhum schiny mothe are underground |
| for the golf course and the residential areas to ensure that the ornamental plants | Precautions will be taken to ensure pupae are not harmed; |
| being used for landscaping are not likely to become invasive within the Native | |
| Plant Preservation Area or the Native Plant Conservation Areas; | Management Objective 8: Protect Native Plants and Animals Against Wild Fires Honua'ula Partners, LLC will implement a fire control program to help protect the <u>Native Plant Preservation Area</u> and Native Plant <u>Conservation</u> Areas to insure the |
| | |
| Dama 11 af 10 | |

Page 14 of 19

Page 15 of 19

| Attachment Botanical Resources | Attachment Botanical Resources |
|---|--|
| success of plant propagation and conservation efforts. This program will include the creation of a fire break immediately outside of the perimeter of the Native Plant Preservation Area. The golf course, which will abut portions of the Plant Preservation Area and other Native Plant <u>Conservation</u> Areas, will also act as a fire break to protect native plants. In addition, non-native grasses which augment fuel biomass, will be controlled from inside of the areas. The Natural Resources | conduct detailed scientific inventories and monitoring programs to develop an accurate baseline and ongoing monitoring to evaluate the efficacy of management activities and identify imminent threats to the Native Plant Preservation Area. Honua'ula Partners, LLC will make an effort to continually disseminate useful information to all stakeholders; |
| Manager will develop and finalize the fire control plan in coordination with resource agencies and fire department officials; | Management Objective 13: Develop a Public Education and Outreach Program Honua'ula Partners, LLC will implement an education and outreach program open to the local community and the general public. This program will be coordinated |
| Management Objective 9: Remove and Manage Non-Native Seed Predators The Natural Resources Manager will design and implement a predator control program for rats, mice, and other predators within the Native Plant Preservation Area and the Native Plant Conservation Areas that prey on native plant seeds and seedlings. This program may include the use of bait stations, as well as traps. The program will be developed through condination with USDA Animal Damage | by the Natural Resources Manager and will involve: 1) sponsoring service trips to assist with management activities; 2) field trips for island students; and 3) developing interpretive signs to encourage public cooperation and discourage trespassing through the Native Plant Preservation Area and other Native Plant <u>Conservation</u> Areas; and |
| Control and DLNR staff. State DOH BMPs will be implemented; Management Objective 10: Develop and Implement a Scientific Monitoring | Management Objective 14: Incorporate Adaptive Management Principals To accommodate for uncertainty inherent in natural systems, Honua'ula Partners, LLC will adopt an active adaptive management approach. With this approach. |
| Program The Natural Resources Manager will work with the USFWS, DLNR, and others as appropriate to conduct a detailed scientific inventory and monitoring program. The purpose of the monitoring will be to: 1) establish an accurate baseline to evaluate the efficacy of management activities; 2) determine if the goals of the <i>Honua'ula</i> <i>Conservation and Stewardship Plan</i> are being achieved; and 3) identify impending threats to the Native Plant Preservation Area. This program will monitor annual survival rates, natural reproduction, signs of herbivory, abundance of invasive species, and accurately map native species, as appropriate; | information gathered during the monitoring program will influence and improve future management practices. According to USFWS policy, adaptive management is defined as a formal, structured approach to dealing with uncertainty in natural resources management, using the experience of management and the results of research as an on-going feedback loop for continuous improvement. Adaptive approaches to management recognize that the answers to all management questions are not known and that the information necessary to formulate answers is often unavailable. Adaptive management also includes, by definition, a commitment to change management practices when determined appropriate. |
| Management Objective 11: Utilize Appropriate Native Plant Landscaping in Areas Outside the Native Plant Preservation Area and Native Plant Conservation Areas Honua'ula Partners, LLC will landscape common areas with native plant species to the maximum extent practicable. Preference will be given to xeric species (i.e. plants that require minimal irrigation and are tolerant of dry conditions); however, all plants native to the geographic area should be considered as potential species for use in landscaping. Honua'ula Partners, LLC will also conserve as many of the <i>willing</i> trees as possible outside of the Native Plant Preservation Area and the | Honua'ula Landscape Master Plan To ensure a cohesive and visually unified landscape throughout Honua'ula, PBR Hawaii and Associates, Inc, prepared the Honua'ula Landscape Master Plan. The Landscape Master Plan establishes an overall landscape concept and establishes principles to guide the design and implementation of landscape planting within Honua'ula. Key concepts and objectives of the Landscape Master Plan are summarized below. Appendix G contains the complete plan. |
| Native Flam Conservation Areas; Management Objective 12: Manage the Native Plant Preservation Area With the Cooperation of Stakeholders Honua'ula Partners, LLC will attempt to involve a wide range of stakeholders in the management of the Native Plant Preservation Area. The Natural Resources Manager will work with the University of Hawai'i, Maui Invasive Species Council, Leeward Haleakalā Watershed Alliance, State DLNR, and others, as appropriate, to | The design proposals contained in the Honua'ula Landscape Master Plan are driven by the <i>Honua'ula Conservation and Stewardship Plan</i> (SWCA 2010b), which recommends proactive stewardship actions to manage and propagate native plants within Honua'ula. Similarly, the Landscape Master Plan strives to create a naturalized landscape palette, using native plants, which require minimal irrigation and will, after establishment, require minimal maintenance. Consistent with the Maui County Planting Plan, the Honua'ula |
| Darra 16 and 10 | 0 + 7 - 1 + 4 U |

•

Page 16 of 19

•

Page 17 of 19

| Attachment Botanical Decources | Attachment Botanical Reconscree |
|--|--|
| Landscape Master Plan is responsive to the botanical resources of the area and the need to limit the use of water for irrigation. | Gateways – Define trees and/or vertic |
| The goals of the Landscape Master Plan are to: | Ighting: Rodways – The landscape treatment along roadways and trails will consist primarily of informal choice of national consist. |
| Create an informal, naturalistic community-wide landscape that will allow buildings and other improvements to rest graciously upon the land; in this sense, | Prilani Highway Extension – With the exception of a few strategically located view corridors, most of the Pi'ilani Highway extension within Honua'ula will be planted |
| the landscape will dominate the scene; Create a memorable experience at Honua'ula by designing landscapes that respect the site's natural and cultural resources, and 'embrace this unique Hawaiian landscape: | with informal clusters of native and/or ornamental plants to create a dense buffer between the highway and adjacent uses; • Goff Course – Native vegetation will be planted in informal clusters to transition from onff course Indecaring to onen succes. |
| Preserve, enhance, and protect native landscape and habitat areas by using native plants, whenever possible, to make seamless transitions between the natural landscape and introduced landscapes. | Clubhouse – A combination of native plants, at the periphery or in low impact areas, and ornamental landscaping, close to the club buildings and in high impact areas will create a varied very naturalistic landscape. |
| Concentration and a second key amonity areas of the Golf Clubhouse, mixed use village areas, and select higher density residential neithborhoods; | Nation of the plant Preservation Area of Mattive Plant Conservation Areas – Protection of existing native plants will be the primary objective for these areas; 'A'ā Lava Flows – Java and rocks will surround native plant cluters promosolad |
| Rehabilitate existing degraded landscapes and restore all disturbed areas affected by grading and construction for infrastructure and community development; and Use plants and irrigation techniques that are sensitive to water conservation. | from the site; Grass Lands – Native shrub vegetation will be use to landscape the area; Maui Medows Landscape Buffer – A mixture of medium-sized canopy trees, large and the strees of another shrub control buffer by the street s |
| The Honua'ula Landscape Master Plan draws inspiration from the geographical characteristics and native vegetation found on-site and in the area: | native situates, and small uses will function as a tanoscape outlet. In addition, portions of the buffer could be utilized for community parks and gardens; Utility Buffers - Canopy trees and dense understory plantings will surround water the buffer of the buffers of the buffer of the buffer |
| • Native Plant Palette – Honua'ula's primary plant palette will reflect the area's mixed <i>kiawe-wiliwili</i> shrubland vegetation. The vegetation will consist mainly of native drought-tolerant plants, which will be planted in a manner that will mimic how these plants would grow in their natural state. All planting areas will be interval on a manner drong proverse plants which were area's and a state. | culches - Re-established native plants will provide natural landscape treatment; Culches - Re-established native plants will provide natural landscape treatment; Parks - Landscape will include turf grass, canopy trees, and native shrubs and groundcovers; and Village - Within the higher density village mixed use areas, a more ornamental |
| tringated using non-potable water. Lava Flows - Lava stone found on-site will be incorporated into the landscape as a thematic element. On-site rocks and boulders will be used for grade transitions and will also be incorporated as landscape features. Lava Rock Walls - Dry stack rock walls similar to the existing historic and ranch era walls found on-site will be incorporated into the landscape as both a functional and aesthetic design element. These walls will be incorporated throughout Honua'ula, becoming an important identity element of the Honua'ula landscape. Culches - As much as possible, gulches will incorporate boulders found on-site will incorporate bounders found on-site will incorporate bounders found on-site will incorporate boulders found on-site with native plantings. | landscape is appropriate, using canopy trees and shrub massing to mitigate the visual and micro-climate impacts of buildings. |
| The Honua'ula Landscape Master Plan identifies 13 key landscape areas or components that combine to create the framework for the overall landscape concept. Below is a listing of these areas along with the key design features of each: | |

Page 18 of 19

Page 19 of 19

| Attachment Consultation | 8.1 INDIVIDUALS AND ORGANIZATIONS CONSULTED WITH PRIOR TO THE EIS PROCESS | In the course of planning Honua'ula, since 2001, Honua'ula representatives have met with concerned individuals, community organizations, private groups, and government agencies, which include (Note: * Title/position at time of meeting): | State of Hawai'i | Land Use Commission Anthony Ching, Executive Officer* Full Commission | Department of Education Meidi Meeker, Land Use Planner | Department of Health Department of Health Herbert Matsubayashi, <u>Chief, District Environmental Health Division</u>. | Department of Land and Natural Resources Betsy Gagne, Natural Area Reserve System Bohn Cummings, Branch Manager, Maui DOFAW John Cummings, Branch Manager, Maui DOFAW Fern Duvall, Wildlife Biologist, DOFAW Paula Hartzell, <u>Conservation Initiative Coordinator</u>, DOFAW Charles Ice, Staff, CWRM Ane Bakutis, formerly with Plant Extinction Prevention Program (DLNR) Talia Portner, Plant Extinction Prevention Program (DLNR) | Department of Transportation Brian Minai, Director* Jadine Urasaki, Deputy Director* Brennon Morioka, Director* | Office of Hawaiian Affairs Boyd Mossman, Trustee[*] Boyd Mossman, Trustee[*] Kai Markell, <u>Director of Native Rights, Land, and Culture</u> Jerome Yasuhara, <u>Compliance Specialist</u> | University of Hawai'i Dr. Creighton Litton, <u>Assistant Professor of Forest Ecology</u> Dr. Jonathan Price, <u>Assistant Professor of Geography & Environmental Studies</u> Dr. Cliff Morden, <u>Associate Professor of Botany</u> | Page 1 of 11 |
|----------------------------|---|--|------------------|---|---|---|---|--|---|--|--------------|
| | | | | | ATTACHAAENIT | CONSULTATION | | | | | |

`

Consultation Attachment

Federal

- U.S. Fish and Wildlife Service
 - James Kwon, <u>Botanist</u>
- Lorena Wada, <u>Biologist</u> 0
- Bill Standley, Fish and Wildlife Biologist
 Mike Richardson, Entomologist
- U.S. Geological Survey
- o Dr. Art Medeiros, Research Biologist
- U.S. Army Corps of Engineers
- George Young, <u>Chief, Regulatory Branch</u>
 Robert Deroche, <u>Project Manager, Regulatory Branch</u>
- Stephen Mosher, Wildlife Biologist (Contractor) U.S. Army

County of Maui

- Mayor Kimo Apana*
- Mayor Alan Arakawa*
- Mayor Charmaine Tavares^{*}
- Department of Planning
- John Minn, Director*
- Michael Foley, Director*
- Jeffrey Hunt, Director* 0
- Clayton Yoshida, Deputy Director*
 - Colleen Suyama, Deputy Director*
 - Ann Cua, Senior Planner*
- Department of Fire and Public Safety Carl Kaupololo, Chief* •

 - Jeffrey Murray, Chief о
- Neal Bal, Deputy Chief*
 Robert Shimada, Deputy Chief
- Department of Housing and Human Concerns Alice Lee, <u>Director*</u> •
- Department of Parks and Recreation •
 - Tamara Horcajo, Director^{*} Floyd Miyazono, Director*

Page 2 of 11

Consultation Attachment

- o Glenn Correa, Director[±]
 - Pat Matsui, Deputy Director*
- Tom Phillips, Chief^{*} Police Department
- Department of Public Works •
- Gilbert Agaran, Director*
- Milton Arakawa, Director^{*}
- Michael Miyamoto, Deputy Director*
- Department of Water Supply
- Jeffrey Eng, Director*
 George Tengan, Director*
- Private Organizations & Individuals

- o Edward Reinhardt, President Maui Electric Company, Ltd.
- Neil Shinyama, Engineering Manager
- Kihei Community Association
- David Fraser, President
- o David Maxwell, President
- Planning and Development Committee
- Full membership
- o William Overton, Director Wailea Community Association
 - o Bud Pikrone, Director
 - Phillip Johnson
- Board of Directors
 - Full membership
- Diamond Resort •
- Kyoko Kimura, General Manager
- 'Ekolu Homeowners Association .
 - Board of Directors Ronald Beckett
- Mākena Homeowners Association
 - Tim Farrington, President
 Board of Directors

| Attachment Consultation | ve Director | | kers | ent of Entomology ment of Botany (Retired) | | | ctors Maya LeGrande, Botanist/owner, LeGrande Biological Surveys Hina Kneubuhl, Botanist, LeGrande Biological Surveys Ronald Walker, former DLNR wildlife biologist Reggie David, wildlife biologist | | Mike Diaz Dustin Dipersia Joe Evans Joe Fritzen Ken Gift Ken Godfellow Daniel & Claudia Goodfellow Steve Goodfellow Lucia Gouveia Tia Hanchett Mike Harrell |
|----------------------------|--|---|---|--|--|---|---|---------------------------------------|---|
| | Maui Contractors Association Jackie Haraguchi, Executive Director Tom Cook, President Full membership | Hawai'i Carpenters Union William Kamai Steven Suyat Ivan Lei | International Longshoreman Workers Willi Kennison Steven West Jason Medeiros | Bernice Pauahi Bishop Museum Dr. Rob Preston, Department of Entomology Dr. Derral Herbst, Department of Botany (Retired) | The Nature Conservancy OI. Sam Gon | Maui Coastal Land Trust Dale Bonar | Contractors Maya LeGrande, Botanist/owner, LeGrande Bio Mina Kneubuhl, Botanist, LeGrande Biological 9 Ronald Walker, former DLNR wildlife biologist Reggie David, wildlife biologist | Community Members | Shannie Akau John Armstrong Peggy Aviles Michelle Bruce John Buist Kolyne Cabanas Laverne Carvalho Donna Clayton Dany Collier Steve Cordova Dave Cullup |
| | | | | | | | | | |

Pardee Erdman, President
 Sumner Erdman, VP

'Ulupalakua Ranch

o James Gomes, Manager

Housing for Local People
 Mr. Stan Franco
 Board members

Nā Kūpuna O Maui,
 Patty Nishiyama

Eric Miyajima

Maui Junior Golf

Buzz Stluka, President*
 Don Young, President
 Scott Meidell, Manager

Haleakală Ranch

Rob Parsons
 Membership

Sierra Club

.

Attachment Consultation

Maui Meadows Homeowners Association

Ron Sturtz

Full membership

Madge Schafer
 Board of Directors
 Full membership

Maui Meadows Neighborhood Association
 Dorothy Hughes
 Board of Directors
 Full membership

Irene BowieBoard of Directors

Ron Sturtz

Maui Tomorrow

o Membership

Page 4 of 11

Page 5 of 11

| 0 | Arline Harris | o Larry Paet |
|---|----------------------|--|
| 0 | Chris Haynes | Steve Parker |
| 0 | Fred Hollenbeck | Sheryl Paschoal |
| 0 | Michele Hough | Steve Pawlak |
| 0 | Tamio Iwado | Keoki & Twinkle Perreira |
| 0 | Mike Jackman | Doug Peterson |
| 0 | Erik Jorgensen | o Ana Peterson |
| 0 | Rob Judge | o Greg Peterson |
| 0 | Kristi Kapahulehua | > Heather Peterson |
| о | Howard S. Kihune | Scott Pingrey |
| 0 | Karen Kuwashima | James Respicio |
| 0 | Blanca Lafolette | o Sam Ribao |
| 0 | Mark LaTurner | Amy Sands |
| 0 | Corie Leal | Madge Schaefer |
| 0 | Bob & Kay Lloyd | Eric Schaible |
| 0 | Craig Lohmeyer | Millie Septimo |
| 0 | Adam Lynch | Leif Sjostrand |
| о | Todd MacFarlane | o Ray Skelton |
| 0 | Todd MacFarlane, Jr. | o John Spasari |
| о | Dave Mackwell | Donna Speed |
| о | Paul MacLaughlin | Joyce & Jesse Spencer |
| 0 | John Maloney | o Chris Speten |
| 0 | John Martinsen | Gary Swatzel |
| 0 | Mary Lou Masko | Danshiell Thompson |
| 0 | Dennis McCarthy | Travis O. Thompson |
| 0 | Bo McKuin | o Greg Treese |
| 0 | Jerry McLain | Scott Trudell |
| 0 | Jerry McLain IIi | Cory Uchima |
| 0 | Melina Mindoro | o John Uhrin |
| о | Dayna Morreira | o Cameron Vibbert |
| 0 | Mel Nakoa | o Robin Weeks |
| 0 | Steven Newhouse | Dave & Karen Williams |
| 0 | Kelly O'Kief | Joseph Williams |
| 0 | Steve Ovendale | Charmaine Yuen |
| 0 | Wilson Padilla | |

INDIVIDUALS AND ORGANIZATIONS CONSULTED DURING THE EIS PROCESS 8.2

in preparation of the Draft EIS (see Chapter 11, EA/EISPN Comments and Responses). This Draft EIS will be distributed to the following agencies, organizations, and individuals. Comment letters received on this Draft EIS and responses will be included in the Final EIS. Various Federal, State, and County agencies, as well as organizations and members within the community, were consulted with or provided comments on the EA/EISPN which aided

reira

Department of Business, Economic Development & Tourism (DBEDT)

DBEDT – Strategic Industries Division

Department of Education

Department of Health

٠

DBEDT - Office of Planning

State of Hawai'i

DLNR - State Historic Preservation Division

Department of Transportation

Department of Land & Natural Resources Office of Environmental Quality Control

•

Office of Hawaiian Affairs University of Hawai'i Environmental Center

U.S. Fish and Wildlife Service

U.S. Army Engineer Division

Federal

Attachment Consultation

Department of Housing & Human Concerns

Department of Fire Control

Department of Planning

County Council

Maui County

Department of Parks & Recreation

Department of Environmental Management

Department of Public Works Department of Water Supply

Police Department

Private Organizations & Individuals

Maui Meadows Neighborhood Association

Maui Electric Company, Ltd.

Maui News

.

Hawaiian Telcom

.

Wailea Community Association

.

Madge Schaefer

Save Mākena.org o Angie Hoffman o Elle Cochran

Page 7 of 11

Page 6 of 11

Consultation Attachment

- Elle Cochran Maui Unite!
- Gordon Cockett
 - Maui Cultural Lands
 - Clare Apana
- Maui Tomorrow Foundation
 - o Irene Bowie
 - o Lucienne de Naie Sierra Club Maui Group
- **Community Members** •
- Angie Hofmann
 - Claire Jordan 0
- Clare Apana 0
- Dale Deneweth о
- Daniel Kanahele о
 - Dick Mayer 0 0
- George Harker Gordon Cockett
 - 0
- Joe Fell-McDonald 0
 - Johnny Be о
- Joyclynn Costa о
- Katie Romanchuk Karrie Silva 0 0
 - Keegan House о
 - Ken Rose ο
- о
- Lee Altenberg Lucienne de Naie 0
- Madeleine Migenes 0
 - Mark Hyde 0
- 0
- Michael Howden Michael & Barbara Gach
 - 0
 - Robert Wintner 0
 - Robin Knox 0
- Sally Raisbeck о
 - Scott Heller 0

 - Steve Lefleur 0
 - Teri Leonard 0
- Todd Wilson 0
- Wayne Bachman 0

EIS Consulted Parties

Consultation Attachment

"Upon publication of a preparation notice in the periodic bulletin, agencies, groups, or individuals shall have a period of thirty days from the initial issue date in which to request to become a consulted party and to make written comments regarding the environmental effects of the proposed action." Title 11, Chapter 200, HAR, §11-200-15, Consultation Prior to Filing a Draft EIS, states:

The following organizations and individuals requested to become a consulted party:

- Maui County Council
 o Wayne Nishiki
- Maui Cultural Lands Clare Apana
- Elle Cochran Maui Unite!
- Maui Tomorrow Foundation Irene Bowie
- Save Mākena •
- Angle Hoffman
- Lucienne de Naie Sierra Club Maui Group
- Community Members
- Angle Hofmann
 - Claire Jordan 0
- Clare Apana 0
- Dale Deneweth
- о
- Daniel Kanahele 0
- George Harker 0
- Joe Fell-McDonald 0
 - Johnny Be 0
- Joyclynn Costa 0
- Karrie Silva
- 0
- Katie Romanchuk 0

 - Keegan House 0

 - o Ken Rose
- Page 9 of 11

Page 8 of 11

Attachment Consultation

- o Lucienne de Naie o Mark Hyde
 - Michael Howden
- Michael & Barbara Gach
 - 0 0
- Robert Wintner
- Robin Knox 0
 - Scott Heller
- Steve Lefleur
 - Teri Leonard 0
- Todd Wilson

8.3 FURTHER CONSULTATION

Following the distribution of the Draft EIS, additional consultation was sought prior to the preparation and distribution of the Final EIS. Based on input gathered at these consultation meetings, the Draft EIS was refined to the plans presented in the Final EIS.

the Property, size of the Native Plant Preservation Area, and off-site improvements. Below Some key issues that have surfaced from the consultation include: archaeological sites on is a list of consulted agencies and individuals.

State of Hawai'i

- Department of Land & Natural Resources
- DLNR Division of Forestry and Wildlife
- DLNR State Historic Preservation Division Office of Hawaiian Affairs

Federal

U.S. Fish and Wildlife Service

Maui County

- County Council •
- Planning Commission
 Planning Department

Urban Design Review Board

Page 10 of 11

Attachment Consultation

Private Organizations & Individuals

- Maui Unite!
 Elle Cochran
- Daniel Kanahele Maui Cultural Lands
- Sierra Club Maui Group
 - Lucienne de Naie
- Community Members
- o Angie Hofmann o Claire Jordan o Ke'eaumoku Kapu
- .

- U'ilani Kapu
 U'ilani Kapu
 Lee Altenberg
 Janet Six
 Ekolu Lindsey

| | Attachment Cultural Resources |
|--------------------|---|
| | 4.2 CULTURAL RESOURCES |
| | Hana Pono, LLC prepared a cultural impact assessment for the Honua'ula Property to identify traditional customary practices within the Property and in the vicinity of the Property. The cultural impact assessment was conducted in accordance with the OEQC Guidelines for Assessing Cultural Impacts and includes archival research and interviews with people knowledgeable of Honua'ula and the surrounding area. Findings of the cultural impact assessment and other relevant information are summarized below. Appendix K contains the complete cultural impact assessment. |
| ATTACHMENT | Hana Pono, LLC also prepared a cultural impact assessment specifically for the widening of Pi'llani Highway. The cultural impact assessment concluded that no current gathering practices or access concerns occur within the Pi'llani Highway widening area. For more information on the widening of Pi'flani Highway see Section 4.4 (Roadways and Traffic) and Appendix R, which contains the complete Pi'flani Highway Widening Project Final EA. Appendix H of the Final EA contains the cultural impact assessment specifically for the widening of Pi'llani Highway. |
| CULIUKAL KESOUKCES | While a specific cultural impact assessment was not prepared for the Wailea lke Drive and Wailea Alanui Drive intersection improvement area, in a letter dated March 9, 2011 Hana Pono, LLC concluded that the intersection improvements are not expected to impact any cultural resources, access concerns or current gathering practices, as none are known to exist in the area. |
| | In addition, Hana Pono, LLC, completed a review of Honua'ula's off-site water and wastewater infrastructure areas and determined that there are no known cultural resources, access concerns, or current gathering practices occurring in these areas. Figure 2 shows the locations of these off-site water and wastewater infrastructure areas. |
| | 1.1.1 Honua'ula <i>Moku</i> |
| | The Honua'ula <i>moku</i> was one of 12 ancient districts of Maui Island. The literal meaning of the name is "red earth" or "red land," which may have been in reference to the distinctive red dust of Haleakalä (Handy et al. 1991). There are a number of alternative explanations for the name. In the cultural impact assessment, Tau'a and Kapahulehua (2009) state that the name connotes sacred earth based on the sacredness of the color red. Sterling (1998), in <i>Sites of Maui</i> , includes the following account, by Fornander, of the chief, Mo'ikeha, who brought back companions from his voyage to Tahiti: |
| | His canoes were equipped forthwith under the superintendence of Kamahualele, his astrologer and seer (Kilokilo), and with a goodly company of chiefs, retainers, and relatives, they set sail for HawaiiThe legends differ somewhat to the names of the followers of Mo'ikeha, but they all agree that a number of places in the Hawaiian group were named after such or such |
| | Page 1 of 10 |

| Attachment Cultural Resources | The traditional Honua'ula <i>moku</i> , located between Kula to the north and Kahikinui to the east and south, included the following 19 known <i>ahupua'a</i> from north to east: Paeahu, Palauea, Keauhou, Kalihi, Waipao, Papa'anui, Ka'eo, Maluaka, Mo'oiki, Mo'oloa, Mo'omuku, Onau, Kanahena, Kualapa, Kalihi, Papaka-kai, Kaunuahane, Kalo'i, and Kanaio. The traditional Honua'ula <i>moku</i> crossed several environmental zones that | spanned across 18.5 miles of coastline and reached the summit of Haleakalā. Human settlement of the Honua'ula <i>moku</i> dates back to pre-historic times and continues | today. The Honua uta <i>moku</i> was a fishing and farming region from the beginning of its occupancy in early Hawai'i. Its shores were rich with an abundance of marine life, which included deep and shoreline fishing of squid, octopus, crab, and shell fish, and an abundance of various seaweeds. The sweet potato or ' <i>uals</i> was the important agricultural crop of the Honua'ula region and together with the marine resources comprised the staple food of its inhabitants. Handv and handv (1972) describe the Honua'ula region and together with the marine resources comprised the staple | On the south coast of East Maui, from Kula to 'Ulupalakua, a consistently dry and lava-strewn country, Mākena and Keone'ó'io were notable for good fishing: this brought many people to live by the shore and inland. There were some patches of upland taro, not irrigated; but this was a notable area for | sweet potato, which, combined with the fishing, must have supported a sizable population although it cannot be counted as one of the chief centers. | As explained in Section 4.1 above, previous archaeological research suggests a pattern of transience existed between coastal and inland areas (Chapman and Kirch 1979). Inhabitants of the upland agricultural region may have utilized coastal areas as seasonal bases for expanding the range of resource exploitation. Temporary habitation sites, located along trails linking upland and coastal settlements were used by travelers from upland residences to the coast to gather marine resources. Upland populations exchanged taro, | bananas, and sweet potatoes with the coastal populations for ocean resources (Handy 1940). | Kiha-Pi'ilani who reigned in the last half of the 15 th century connected the entire island with a network of trails to aide his people in their travels and give the king quick access to all parts of his kingdom. The original trails still exist today from Keone'o'io to Nu'u. The trails do not intersect the Honua'ula Property; however branching trails extend from the Pi'ilani trail in the Honua'ula <i>moku</i> . | During the time of Kamehameha the Great, large quantities of sandalwood were harvested from mauka areas (Kula, Makawao, and Haleakalā) and loaded at Mākena. Kamehameha's invasion of Maui occupied all the shores of Honua'ula to defeat the Maui king Kalanikupule (Sterling 1998). Afterwards, the fishponds of Kalepolepo and Kō'ie'ie were rebuilt. Since Honua'ula did not possess rich waterways from mountain to ocean, sweet potato, sugar cane, and ranching were key activities of the region. The <i>maka'ainana</i> (common people) worked the land under the direction of the <i>konohiki</i> and occasionally | Page 3 of 10 |
|----------------------------------|---|---|---|---|--|---|--|---|--|--------------|
| Attachment Cultural Resources | companions of Mo'ikeha, who were permitted to land here and there as the fleet coasted along the island shores, and who succeeded in establishing themselves where they landed. Thus were named the district of Honua'ula on Maui. | Two traditional Hawaiian sayings regarding Honua'ula recorded by Mary Kawena Pūku'i (1983) in ' <i>Olelo No'eau, Hawaiian Proverbs and Poetical Sayings</i> speak of the wind of the region and describe the character of the inhabitants as given below: | <i>Honua'ula, e paluku 'ia ana na kihi po'ohiwi e na 'ale o ka Moa'e</i> Honua'ula whose shoulders are pummeled by the Moa'e wind (A poetical expression for a person being buffeted by the wind. Honua'ula, Maui, is a windy place.) | <i>Honua'ula kua la'ola'o</i> Callous-backed Honua'ula (Said of the people of Honua'ula, Maui, who were hard workers. The loads they carried often caused callouses on their backs.) | There are many historical accounts that specifically mention Honua'ula <i>moku</i> in story, chant and oral tradition. One of the earliest accounts that describe the first inhabitants of Honua'ula came from genealogical chant. Between 1100 and 1400 A.D., chants recorded | the long voyage of Chief Mo'ikeha from Tahiti to Hawai'i and describe how his travels gradually appropriated the rule over lands in Hawai'i through intermarriage, battles and ritual sacrifices. In his inaugural sail, Chief Mo'ikeha first landed on Hawai'i Island and then on to Maui, where he sailed around the Kaupō coastline until he arrived at the place known today as Honua'tula. | In the years following the Mahele in 1848, various configurations of the 12 <i>moku</i> (districts) were implemented and revised. In 1901 and 1932, the current district divisions were established, with Honua'ula incorporated into Makawao. Of these boundary | modifications, R. D. King, in Sterling (1998), stated: Since the advent of legislative government, or from about 1846, many modifications have been made of the ancient district boundaries and there are many instances where other names have been substituted for the old district names Come of the other names was made for notifical reasons and | others for convenience, but the principal made in boundaries were caused by movements in population reflecting new uses of the land areas. These new district boundaries did not always conform to the ahupua`a boundary and there are examples today of an ahupua'a being situated in more than one district where no such condition existed in ancient times | Dare 3 of 10 |

Page 2 of 10

Page 3 of 10

| Attachment Cultural Resources | The area is significant for its connection to Kealaikahiki, the pathway to Tahiti and the voyaging of Hawaiian ancestors. Paeahu signifies a place of embarking on a journey or disembarking after a journey. To this day, Paeahu shundra is connected with who who | around any a pounty to the voyages of Hawaiian people. Traditionally, when fishing or on a sea voyage, thut within sight of shore, reference points on land were used to determine the off-shore location or maintain a certain course. This worked much like lining up a set of lights to enter a harbor channel today. Natural landmarks were used, but often, <i>ahu</i> or stone mounds were constructed for this purpose. <i>Ahu</i> were used to guide travelers on land as well. | The Paeahu <i>ahupua</i> 'a was part of the lands assigned to Moses Kekaiwa, the eldest son of Kekuana'oa, a powerful governor of O'ahu. However, in 1842, it was included with other Honua'ula <i>moku</i> lands that were reclaimed by the government (Barrere 1975). The commutation of lands to the government, in lieu of cash tax payments. was a common | practice among the chiefs. | At the time of the Mahele, nine kuleana Land Commission Awards (LCA) in Paeahu ranged in size from 0.22 to 11.68 acres and consisted of shoreline parcels, houselots, and | agricultural lands. Banana, dryland taro, and sweet potato were listed as the cultivated crons (Stocker et al. 1992). One of the kulasna awards. ICA 10665 to Bionio amount to | have been located close to, but beyond the northern boundary of the current Property | area, probably within the existing Maui Meadows subdivision. The locations of the other LCAs, with the excention of 5220 to Koukaina. Increted at the coast, are unknown. Most | likely, the other parcels were located mauka of the current Property area in the inland | agricultural zone. Following 1850, portions of Paeahu <i>ahupua'a</i> were sold to foreign businessmen and large acreages changed owners often, until in 1864 when 4,445 acres were sold to lames McKee, the founder of Rose Ranch in 'Ulupalakua. Much of the lands | passed through McKee to 'Ulupalakua Ranch and Alexander and Baldwin, Ltd. (Kleiger et al.1992). | Palauea Ahupua'a – The Palauea <i>ahupua'a</i> is a large land section. Literally, the name means "lazy" (Püku'i et al. 1974). One of the oral traditions passed down about this area | refers to faziness. The <i>anupua</i> a, comprising about 2,130 acres (LCA 11216) was awaroed to Chiefess Miriam Kekauonohi during the Mahele of 1854, and the current Property area | includes a portion of this LCA. Upon her death in 1851, the land passed to her husband, | Ha'alelea. In 1862, most of the ahupua'a was sold to James McKee through public | auction. A total of 14 LCAs and 11 Royal Patent Grants to commoners are listed for Palauea <i>abunua</i> 'a Four are described as Irish notato nlots and three others as houselots | The remaining awards are not described as to land use. Map locations of kuleana are unavailable. However, the narrative descriptions of two of the houselots place them at the costs. The others likely consisted of sarrivultural lots looped in the worths unlaval. | רטמאר דווה טוויבוש וואכוץ בטוושאבע טו מצוובטוועומו וטוש וטבא ניו וויני איבוובי שמוואש. | Keauhou Ahupua'a – The Keauhou ahupua'a is a large land division of which only a small section lies within the Property. The name literally means "the new era" or "the new | Dance Flored |
|----------------------------------|---|--|--|---|---|---|--|---|---|--|---|---|---|--|---|---|---|--|---|--------------|
| Attachment Cultural Resources | the <i>ali'i</i> would drop by enroute to Kaupō, where most of the activities of the chiefs took place. | In post-contact times, Mäkena Landing became the second busiest port after Lahaina since cattle and agricultural products from the mauka lands were brought here to load, and the port received goods for residents throughout Central Maui. By the 1800's, traditional settlement patterns underwent major changes throughout the region and the entire island with: 1) the advent of cattle and commercial agricultural enterprises; 2) the introduction of the western concept of private ownership of land; and 3) the development of cart paths, roadways, and harbors. | Following the overthrow of the Hawaiian monarchy, Handy (1940) reported the following changes in the area due to cattle ranching: | In Honuaula, as in Kaupo and Kahikinui, the forest zone was much lower and rain more abundant before the introduction of cattle. The usual forest-zone | plants were cultivated in the lower upland above the inhabited area. Despite two recent (geologically speaking) lava flows which erupted from fissures | below the crater and only a few miles inland and which covered many square miles of land the astern and coastal nortion of Honuaula was thickly | populated by Hawaiian planters until recent years. A few houses are still | standing at Kanaio where the upper road (travelling eastward) ends but only two are now occupied. A number of Hawaiian families whose men are | | these native homes a little dry taro is cultivated. Formerly, there was much dry taro in the forest zone. | Ranching has been blamed for many of the district's environmental problems. Cattle and goats stripped the land of its native flora while destroying ancient Hawaiian temples and other traditional Hawaiian remains | 1.1.2 Ahupua'a within the Honua'ula Property | The Honua'ula Property includes portions of three ahupua'a: Paeahu, Palauea, and | Keauhou from north to south. Most of the northern two-thirds of the Property is within a | section of Paeahu ahupua'a. Roughly half of the width of Palauea ahupua'a is within the | Honua'ula Property, with the remainder extending north. The entire width of Palauea aburuata is within the Honua'ula Property primarily within the southern third of the | Property. A proportion of the width of Keauhou <i>ahupua'a</i> extends from within the southern third of the Property and continues further south. | Paeahu Ahuoua /a – The Paeahu <i>ahuoua</i> /a is significant for many reasons. Literal | translation of the name is a "row of heaps" (FUku'i et al. 1974), the heaps refer to ahu (a stone mound). Paeahu holds multiple meanings, all having to do with the concept of ahu. | Page 4 of 10 |

, o

jo jo

| Attachment Cultural Resources | Jimmy Gomes was born in Pu'unene in 1948. He has been employed by the 'Ulupalakua Ranch for the last six years and is currently the Operations Manager. Aside from his employment activities, he has visited the lands owned by the Ranch for the past 50 vears: | Kevin Mahealani Kai'okaman was born in Keokea. He was raised in the Houra'ula region where his family has resided for at least seven generations. He took an interest in botany at a young age and was able to learn from noted local botanist; | Randsom Arthur Kahawenui Piltz was born at Wailuku in 1939. He was raised on Maui until moving to Dayton, Ohio where he studied Business Management. He returned to Maui in 1993 to start working for his father's business, Piltz Electric. Mr. Piltz is part of the 130-member Kukahiko family which has roots in the Mäkena Landing area. He also served on the Maui Planning Commission | and is currently serving on the state LUC; and Mildred Ann Wietecha is a lifelong resident of Kihei. Her mother was Violet Thomson of the Thomson Ranch in Kula. She is related to Douglas "Butch" | Wayne Akina of Akina Bus Service. Summary of the Oral History Interviews Each of the individuals interviewed had something to contribute about life in the | Honua'ula District and the surrounding areas. The three most knowledgeable individuals regarding the region were Edward Chang Jr., Kevin Kai'okamalie, and Ranson Piltz. These three individuals, all related to the Kukhikof family of Makena, grew up in different time frames, lived separate lifestyles, but all three speak the same language about the land and the ocean of the Honua'ula region. Mr. Eugene Clark interestingly spoke of the relationship between the upland farmers and the coastal fishermen, a traditional pattern of life that continued over centuries in the Honua'ula region. | The concerns raised by the oral interviews were more general in nature, and no cultural concerns were raised that related specifically to the Honua'ula property. These concerns included impact on coastal fishing, the rising property taxes that make it difficult if not near impossible for Hawaiian families to maintain any coastal property in the region, shoreline access in developed areas, gated communities, the loss of traditional Hawaiian place names, the potential loss of good grazing land for cattle, the desecration of Hawaiian culture, and the desire to keep new development out of the region. None of the interviewees shared any proprietary knowledge about specific traditional cultural resources or associated practices within the boundaries of the Property. | POTENTIAL IMPACTS AND MITICATION MEASURES The cultural impact assessment report recommends that representative existing cultural sites be incorporated into Honua'ula and native plants be kept intact as much as possible to retain the unique identity of the area. The cultural impact assessment report also | Page 7 of 10 |
|----------------------------------|--|--|--|---|--|--|--|--|--------------|
| Attachment Cultural Resources | current" (Pūku'i et al. 1974). It is connected to the currents that flow around and between the islands, Nā Kai Ewalu, and the channels that carried the ancestors to and from their destinations. | In 1852, LCA 6715 (RP 8213) was awarded to Ho'omanawanui, a member of the <i>ali'i</i> class whose father, Kaleilei, was a member of King's (Kamehameha III) court, which included the entire <i>ahupua'a</i> of Keauhou 1. The award covered an area of 853 acres. In 1856, Ho'omanawanui and her husband Hikiau II sold Keauhou 1 to James McKee for | \$1,000. Eleven commoner awards are listed for all of Keauhou (1 and 2) <i>ahupua'a.</i> Although their locations are unknown, based on the descriptions given in the award documents, most appear to be firish and sweet potato lands or houselots. The potato lands probably were further inland (above the 1200-foot elevation) of the current Property area, while the houselots were most likely located closer to the coast. | | Informant interviews with eight local residents were conducted in January 2008 by Keli'i Tau'a and Kimokeo Kapahulehua of Hana Pono LLC as part of the cultural impact assessment. Kimokeo Kapahulehua conducted an additional interview in March 2009. The complete transcript for each interview is appended to the cultural impact assessment provided in Appendix K. | | Marie Doreen "MD" Alborano was born in 1935 in Kihei. Raised from intancy in Krhei, she grew up working on the family's 56-acre farm near the existing Welakahao Road. She was a student of renowned hula teacher Aunty Emma Sharpe; Edward Quai Ying Chang, Jr. was born in 1982 at Wailuku. He moved to Mäkena when he was four or five years old. His ancestors have lived in Måkena since 1883 when his great great grandfather John Kukahiko bought the lands from Mäkena Surf to Mäkena Landing. Mr. Chang has a degree in Biological Science with a minor in Plant Pathology; Stanley Ahana Chock was born at Honolulu in 1933 and moved to Kula shortly | after he was born. He was raised by his mother's sister, Hattie Kanoho, in Pulehu'iki at Kula and also spent most of his childhood in Kahakuloa; • Eugene C. "Herman" Clark, Sr. is of Hawaiian ancestry and lived on Maui since 1935. He lived in the Kihei region on what is now known as Kenolio Road. He is knowledgeable of the Honua'ula area and is currently practicing the art of reflexology; | Page 6 of 10 |

- . ج

| Attachment Cultural Resources | Attachment Cultural Resources |
|---|--|
| recommends that the <i>ala i ke kai</i> (pathway to the ocean) and the <i>ala i ke kula</i> (pathway to the uplands) be recognized as part of the law decreeing that one should respect Hawai'i's gathering rights (passage to fishing at the ocean and streams or gathering native plants in the mountrin). | Kapahulehua, retains the primary role in consulting with the landowner and in interacting with other Hawaiian organizations regarding matters related to cultural preservation, protocols, and practices. |
| are more throwever, based on consulation with interviewees, the cuitalat impact assessment report concludes that there are no known gathering practices or access concerns. | The elements of the CRPP for which community input, especially from Native Hawaiian groups, was sought, include: |
| To preserve cultural resources within Honua'ula, Aki Sinoto Consulting, LLC and Hana Pono, LLC prepared a CRPP in compliance with County of Maui Ordinance No. 3554 (Condition 13). The CRPP seeks to: | The mode of preservation, passive or active, recommended for specific sites; The nature of access to religious, ceremonial, and confirmed burial sites; The determination of appropriate traditional protocols and practices; |
| Define cultural parameters that will guide the preservation of archaeological remains and the interpretation of archaeological data; Document settlement patterns and timelines for the sites; Consult with traditional/cultural practitioners with ties to the Honua'ula region and other interested parties: | The size and types of buffer zones and appropriate protective barriers; The need for any stabilization or restoration; Whether signs are appropriate and if so, the type, design, and content of the sign; The types of native flora to be used for landscaping or barriers; and The establishment of educational and community stewardship programs; |
| Foster a more traditional and cultural land use perspective for the project site; and Ensure long-term consistency and integrity toward preservation efforts within the Property and in the Honua'ula region. | Based on the community input received, the CRPP: Includes recommendations resarding the mode of preservationassive or |
| Appendix J contains the complete CRPP. | • Notes that at this time, there are no known or identified religious, ceremonial, or |
| The CRPP incorporates the findings of the cultural impact assessment report and the Archaeological Inventory Survey. Recommendations of the CRPP regarding archaeological resources are summarized above in Section 4.1. Although archaeological resources comprise part of cultural resources and are more readily identified, quantified, and | burial sites on the Property; however, conditional access for lineal and cultural descendants will be provided if any such sites are identified later; Recommends that Nā Kūpuna O Maui, in consultation with other cultural experts, address appropriate protocols and practices throughout the planning and development periods and thereafter. |
| evaluated, other aspects of cultural resources are sometimes not as apparent and not as easily identified and evaluated. This is especially true of non-material regional resources, such as place names and specialized protocols, since the expertise is only found in persons with intimate or long-term knowledge of the subject region or particular locality. | Includes recommendations regarding the size and type of buffer areas for specific archaeological sites; Concludes that the long rock wall that demarcates the southern third of the Property (Site 200) requires repair and stabilization where deer have caused |
| During the initial planning stages of Honua'ula, several on-site tours and discussions involving archaeological and cultural components were held with various members of the community. An informational presentation was given to the Maui Cultural Resources Commission. Specific input was also sought from key individuals and the Native Hawaiian organization, Nā Kūpuna O Maui, and a number of valuable recommendations resulted from discussions with an in-house cultural group ² . Public input was also sought prior to preparation of the CRPP through publication of public input was also sought prior to the Maui News and OHAs' Newsletter, <i>Ka Wai Ola</i> . Nā Kūpuna O Maui, under the leadership of Mrs. Patty Nishiyama and their regional representative Mr. Kimokeo | damage and where sections have been breached; Provides sample text for interpretive signs; the material and method of mounting signs will be finalized during subsequent planning phases; Recommends that native plants found on the Property should be used for archaeological buffer areas, and suitable plants include: 'a'ali'i (Dodonaea viscose), 'āwikiwiki (Canavalia galeata), 'ilima (Sida fallax), kolomana (Senna surratensis), maiapilo (Capparis sandwichiana), ma'o (Abutilon grandifolum), and naio (Myoporum sandwicense); and Notes that the nature and implementation of community stewardship and educational provents used is under consideration by Nā Küpuna o Maui. |
| ² The in-house cultural group included: Kimokeo Kapahulehua, Clifford Naeole, Hokulani Holt Padilla, Keli'i Tau'a, members of Nā Kūpuna O Maui, Lisa Rotunno-Hazuka, Aki Sinoto, and Charlie Jencks. | Honua'ula Partners, LLC, and other pertinent parties and will be finalized as additional input is received and planning progresses. |

Page 8 of 10

Attachment Cultural Resources

In addition to community input received for the specific points noted above, much information regarding traditional place names, protocols, practices, as well as glimpses of daily life were gained from oral interviews conducted in conjunction with both the CRPP and the cultural impact study. Starting from mythology and legends that include references to places in the region, there are well-known stories and folklore recounted for generations by the inhabitants. The compilation of not only this conventional folklore, but the recording of individual stories and experiences of area *kupuna* are invaluable resources that aid in interpreting the unique aspects of the region. The CRPP contains a compilation of not only texts and translations of several *mele* and *oli*, both traditional and contemporary, but also audio recordings of these on a compact disc.

In compliance with County of Maui Ordinance No. 3554 (Condition 13) the CRPP will-be <u>has. been</u> submitted to SHPD and OHA <u>on March 18, 2010</u> for review and recommendations. Upon receipt of comments and recommendations from SHPD and OHA, the CRPP will be provided to the Maui County Cultural Resources Commission for review and adoption before Project District Phase II approval.

ATTACHMENT CUMULATIVE AND SECONDARY IMPACTS

Page 10 of 10

Cumulative and Secondary Impacts Attachment

.

CUMULATIVE AND SECONDARY IMPACTS 7.2

foreseeable actions within the area, regardless of who initiates the action. Table 7 lists recently completed and proposed South Maui development projects, as compiled by the County of Maui Department of Planning, Long Range Planning Division. As defined by the Cumulative and secondary impacts are impacts that may result from other reasonably Long Range Planning Division, projects are divided among the following categories:

- Recently Completed Projects include those where the subdivision process is complete, total build-out of the project has been reached or nearly reached, and real property is being actively marketed;
 - Planned/Committed Projects have the appropriate conforming Community Plan 201G/H, HRS projects (i.e. affordable housing projects which may be granted certain exemptions from State and County land use regulations), or are Department of Hawaiian Home Lands (DHHL) projects (which are exempt from State and and zoning entitlements, are approved agricultural subdivisions, are approved County land use regulations); •
- Planned/Designated Projects have urban or rural Community Plan designations but not the conforming zoning entitlements to proceed; and •
 - Proposed Projects are currently lacking urban or rural Community Plan designations. •

| Table <u>8</u> 7. South Maui Development Projects | /elopment | Projects | |
|---|-----------|------------|------------|
| | | Unit Types | |
| Projects | Single | Multi- | Time Share |
| | Family | Family | and Hotel |
| Recently Completed | pleted | | |
| Ho'olei Wailea MF-9 | 0 | 120 | 0 |
| Honu Ala Hele | 62 | 0 | 0 |
| Kai Makani | 0 | 112 | 0 |
| Kamali'i Alayna Estates | 92 | 0 | 0 |
| Kihei Kauhale | 23 | 0 | 0 |
| Kilohana Heina | 20 | 0 | 0 |
| Kilohana Mauka | 73 | 0 | 0 |
| Landry Apartments | 0 | 18 | 0 |
| Moana Estates | 06 | 0 | 0 |
| Wailea Beach Villas | 0 | 105 | 0 |
| Sub-Total | 360 | 355 | 0 |
| | | | |
| Planned/Committed | nitted | | |
| Alahele Homes | 48 | 0 | 0 |
| Bluffs at Wailea | 12 | 0 | 0 |
| Chambers Apartments | 0 | 18 | 0 |
| Cove Beach Villas | 0 | 32 | 0 |
| Garcia Mākena Residences | 10 | 0 | 0 |
| Crand Wailea Resort Expansion | 0 | 0 | 310 |
| Hale Mahaolu Ehiku | 0 | 114 | 0 |
| Ho'onani Homes | 28 | 0 | 0 |
| | | | |

. + D. 4 2 als Mr. i no Tabla

Page 1 of 10

Cumulative and Secondary Impacts Attachment

| Blanned/Committed (Continued) | (Continued) | acto | |
|----------------------------------|-------------|-------|-----|
| Hokidani Colf Villas | 187 | 58 | c |
| Honua'ula | 560 | 840 | 0 |
| Kai Ani Village | 0 | 66 | 0 |
| Kai Malu Wailea Master | 0 | 150 | 0 |
| Kalama Heights Ph. 2 | 0 | 36. | 0 |
| Kalama Hills | 12 | 0 | 0 |
| Kanani Wailea | 38 | 0 | 0 |
| Ke Ali'i Ocean Villas | 14 | 144 | 0 |
| Kenolio Leilani Affordable Homes | 2 | 0 | 0 |
| | 1 | 0 | 0 |
| Kīhei Hanalei Condominiums | 0 | 4 | 0 |
| Kilohana Waena | 31 | 0 | 0 |
| Liloa Village | 65 | 0 | 0 |
| Mākena Condos | 0 | 436 | 0 |
| Maluaka Mākena Residences | 13 | 0 | 0 |
| Maui Beach Place | 0 | 3 | 0 |
| Maui Lu Timeshare | 0 | 388 | 400 |
| MF-21 Subdivision | 5 | 0 | 0 |
| Nani Loa Condos | 0 | 64 | 0 |
| Naupaka Courtyard | 0 | 78 | 0 |
| One Palauea Bay PD 8 | 15 | 0 | 0 |
| Papa'anui Mākena Place | 2 | 0 | 0 |
| Paradise Ridge Estates | 0 | 32 | 0 |
| Sunset Estates | 25 | 0 | 0 |
| Wailea Baccarat (Renaissance) | 0 | 0 | 193 |
| Wailea MF-10 | 10 | 36 | 0 |
| Wailea MF-11 Lots | 12 | 0 | 0 |
| Wailea MF-19 Lots | 6 | 0 | 0 |
| Wailea SF-11 Lots | 16 | 0 | 0 |
| Wailea SF-8 | 60 | 0 | 0 |
| Wailea Villas (MF-4) (Papali) | 25 | 0 | 0 |
| Waiaka Village Apartments | 0 | 18 | 0 |
| Sub-Total | 1,205 | 2,550 | 903 |
| | | | |
| Planned/Designated | | | |
| Hale Pama Condos | 0 | 9 | 0 |
| 'Iwa 'Ike Mākena Lots | 4 | 0 | 0 |
| Kaiwahine Lots | 47 | 0 | 0 |
| Kalani Mākena Condos | 0 | 4 | 0 |
| Ka'ono'ulu Condos | 0 | 166 | 0 |
| Ke Kani Kai Mākena Lots | 2 | 0 | 0 |
| Kenolio Makai Lots | 18 | 0 | 0 |
| Kihei Kaiwahine Res. A&B | 600 | 0 | 0 |
| Mākena Lots | 699 | 0 | 0 |
| Ohukai Village | 768 | 160 | 0 |
| One Wailea Dev. | 20 | 0 | 0 |
| Sub-Total | 2,128 | 336 | 0 |

Page 2 of 10

| Attachment Cumulative and Secondary Impacts | review and approval of State and County decision-making bodies, which will need to | weign ute intents of each project at une une une approvals are requested. Therefore, pronoced projects in the State Agricultural or Concervation Districts without the | appropriate community plan designation, and without property zoning, are much more | speculative than projects with the appropriate underlying entitlements. | | Furthermore, a multi-stage land use approval and permitting process exists in Hawai'i, | such that there are many approvals of a project at various levels of government and at | different points in time. At each step, decision-makers involved in the process evaluate a | project in the context of the existing regional conditions, including infrastructure capacity | and other factors. Because it is not possible to know which proposed projects may proceed at what time and in what form it is appropriate to avaluate the impact of an | individual project at each step in the decision-making process in context with all other | projects that have preceded it. This comprises the existing cumulative conditions at the time. This is a rational, logical approach that allows each project to be evaluated in | sequence with others that have preceded it (i.e. in context of the existing cumulative | conditions at the time). Because of the multi-stage land use approval process, along with | additional environmental permit regulations, there are sufficient safeguards in place to address and mitirate for cumulative immarts when monoced projects and of for anorovals | מטע בא מיוט ווווואמתב וטו בעווועומנועב ווויאמרוא איותיו איסטרטיבט איסטרנא אוסטרטי מאטוע וטו מאטע איס | Finally, the capacity of infrastructure systems (such as roadways and wastewater treatment | facilities) are constraints to unlimited development, and large-scale projects increasingly | are required to provide regional solutions to add capacity proportionate with their impacts | or to build private systems (as Honua'ula will) that do not or do burden State and County | facilities. The availability of water is also a critical factor in determining whether a project | can proceed and may be a limiting factor with respect to a specific project moving | forward, especially in the Kihei region with its restricted water resources. Thus, for all of | the foregoing reasons, an overly broad approach of simply adding up the total units of all | proposed projects and then concluding that the total amount of proposed development | will have significant cumulative impacts, is too simplistic, unrealistic, and unreasonably | alarmist. | | Honua ula will be part of the overall change and growth of the region. Cumulative and | secondary impacts resulting from proposed projects are likely to include increased | population and greater demands on public initastructure systems and services. However, the nonulation of the Krhei-Mätena region is projected to grow and the people of a | ure population of the Nuterivianetia region is projected to grow and the needs of a growing population relating to traffic infrastructure public services and other issues will | growing population relating to taking the manufacture, puone services, and other issues with need to be addressed regardless if some or all of these projects are huilt. The challenge is | to manage growth in a predictable and acceptable manner. | - | In the case of Honua'ula, the "Project District 9" designation of Property on the Kihei- | Mākena Community Plan has been in place since 1992. In the mid-1990s the Kithei- | Mākena Community Plan was subject to an extensive community-based revision and | update. The County Council and the Mayor adopted the plan (Ordinance No. 2641), | which became effective on March 6, 1998. The updated Kihei-Mākena Community Plan |
|--|--|---|--|---|--------------|--|--|--|---|---|--|---|--|--|--|--|---|---|---|---|--|--|---|--|---|--|---|---|--|--|--|--|--|---|---|---|---|---|--|--|
| Attachment Cumulative and Secondary Impacts | Promoced | 1,522 895 | 0 | Kamardie Village 104 U | dences 0 231 | 300 0 | 70 56 | 0 | vvaluation virtage Sub-Total 512 U Sub-Total 5,788 2,192 24 | | Source: County of Maui Department of Planning, Long Range Planning Division (2009) | (http://co.maui.hi.us/documents/Planning/Long%20Range%20Division/GIS%20Maps/D evProj200907_SouthMaui_WM.PD) | h subdition to succeed musicate listed as Disnach(Committed Beciarie Deviante Disnach(Doriver) | in addition, to proceed projects instea as right. Committee right, righted righted projects, righted righted b Projects of Pronosed Projects may also neady 1) a State I and I lies District Roundary | Amendment, to designate the property to the appropriate State Land Use District (for | example a property could have the necessary County Community Plan and/or zoning | designation, but still be in the State Agricultural District, and thus require a reclassification | to the State Urban District); 2) compliance with Chapter 343, HRS regarding preparing an | e P | District Phase 1, 2 or 3 approval, subdivision approval or other approval. | · · · · · · · · · · · · · · · · · · · | In considering cumulative impacts, the above designations are important distinctions | regarding when and it a proposed project may proceed. It is unknown whether all | proposed projects will proceed or be built as currently proposed, as desired product types | change over time and project developers are constantly assessing project teasibility. For | several of the listed projects there has been no movement toward development, in some | cases for many years. The reasolutity of a project proceeding is based on many years, | including the State Latin Ose District classification), the Community fraid and Softing designations other necessary approvale overall softime conditions the demand for the | designations, other increased y approvance of a fandering increased with the approvance of a fandering increased in the second seco | proposed product, and the withingness of a randowner of developer to fisk the capital required for development | ולקנורת וסן מכארוסףבורון: | In addition to the category distinctions utilized for the list of projects above. however. | there are other important considerations that must also be taken into account when | evaluating cumulative impacts. Some listed projects may be proceeding only with their | preliminary or first phases or only have some of their required approvals. Other listed | projects are currently within the State Agricultural or Conservation districts, do not have | the appropriate community plan designation, or proper zoning, and thus to proceed may | require: 1) a State Land Use District Boundary Amendment at the State level; 2) a | community plan amendment at the County level; and/or 3) a change in zoning approval at | the County level. These approvals could take many years to obtain and are subject to |

Page 3 of 10

Page 4 of 10

| Attachment Cumulative and Secondary Impacts | improvements. The State DOT has also reviewed and approved the connection with Pi'llani Highway, including widening and traffic signal improvements. Further, the construction of the improvements required for the subdivision has been guaranteed with a bond of over \$22 million. | Regional traffic growth, including from the Ka'ono'ulu Light Industrial Subdivision, is being taken into account as part of DOT's Long Range Land Transportation Plan (LRLTP), which is currently being updated in consideration of known proposed developments in the region and will serve as a guide for the development of major surface transportation facilities and programs to be implemented in the future. | Because Chapter 2.96, MCC requires the workforce affordable homes to be offered to Maui residents, the affordable homes will result in a redistribution of the existing Maui population as opposed to an incremental increase. As a result, there will be no impacts related to increased population, such as an overall increase in the need for State and County services. In addition to the workforce affordable homes, Honua'ula Partners, LLC will also provide a minimum two-acre park within Ka'ono ulu Light Industrial Subdivision to meet the recreational needs of the workforce affordable home residents. | Impacts to schools will be addressed by Honua'ula Partners, LLC's compliance with County of Maui Ordinance No. 3554. Condition 22, which requires Honua'ula Partners, LLC to pay DOE at least \$3,000 per dwelling unit upon issuance of each building permit to be used, to the extent possible, for schools serving the Khei-Måkena Community Plan area: provided that, should the State pass legislation imposing school impact fees that apply to Khei-Måkena Project District 9, Honua'ula Partners, LLC will from that point forward comply with the State requirements, or contribute \$3,000 per dwelling unit, whichever is greater. | Of all the projects currently proposed within South Maui. Honua'ula stands out as contributing its fair share and more to address cumulative and secondary impacts. For example, Honua'ula will address the regional need for: | Traffic Improvements, by: Upgrading Pi'ilani Highway to four lanes from Kilohana Drive to Wailea Ike Uprive; Modifying the Wailea Alanui/Wailea Ike Drive intersection to add a signalized double right-turn movement from northbound to eastbound turing traffic and provide two left-turn lanes for southbound traffic from | Wailea Ike Drive; Signalizing the Pi'ilani Highway/Okolani Drive/Mikioi Place intersection and providing an exclusive left-turn lane on Okolani Drive; Modifying the Pi'ilani Highway/Kilohana Drive/Mapu Place intersection to provide an exclusive left-turn lane, and the southbound Pi'ilani Highway approach to provide an exclusive right-turn lane into Mapu Place; and | Page 6 of 10 |
|--|---|--|--|--|--|---|--|--------------|
| Attachment Cumulative and Secondary Impacts | maintained the Project District 9 designation for the Property. It also reaffirmed the vision—through a community-based process—that Project District 9 should be a residential community complemented with commercial uses and integrated with golf courses and other recreational amenities. Thus, the primary uses envisioned for Honua'ula have been well thought out, considered, and anticipated for nearly 20 years. | In addition, during the County Council hearings for the Honua'ula Change in Zoning and Project District Phase I approval in 2008, the County Council heard extensive testimony from both the public and experts in various fields of study. In response to concerns raised at the hearings, the Council included comprehensive conditions as part of the Change in Zoning Ordinance (County of Maui Ordinance No. 3554) approval. These conditions | reflect a range of concerns and ensure that any impacts of Honua'ula are mitigated and addressed in context with regional impacts and demands, including impacts related to traffic and demands related to infrastructure systems such as water and wastewater. Prior to the County Council hearings in 2008, the Council's Land Use Committee had held extensive public meetings over the course of 2006 and 2007 to consider Honua'ula, including an estimated ten public hearings where public testimony was heard. These meetings/hearings provided significant opportunity for the consideration of public questions and concerns prior to the Council's consideration and approval of the Project | District Phase I application. One of the conditions imposed by the Council as part of Honua'ula's Change in Zoning Ordinance (County. of Maui Ordinance No. 3554, Condition 5) requires Honua'ula Partnes, LLC to provide workforce affordable homes in compliance with Chapter 2.96, MCC, with 250 of these required workforce affordable homes to be provided off-site at the Ka'ono'ulu Liight Industrial Subdivision is within the State Urban District and is within the County of Maui Light Industrial zoning district. Multifamily homes are a permitted use within the State | Urban District and County Light Industrial zone. Providing workforce affordable homes at the Ka'ono'ulu Light Industrial Subdivision does not trigger the need for an environmental assessment or environmental impact statement | under Chapter 343. HRS. However, impacts related to the use of the property for urban uses and uses permitted under the property's Light Industrial zoning have previously been examined as part of the property's State Land Use District Boundary Amendment, County Change in Zoning, and County Subdivision approvals. No rate, threatened, or endangered plant species are expected to be impacted, as none were found during a botanical inventory survey of the property. An archaeological inventory survey and a related | preservation plan have been prepared to address impacts to archaeological resources and, based on their approval of these documents, the State Historic Preservation Division has determined that no historic properties will be affected. As part of the subdivision process for the Ka'ono'ulu Light Industrial Subdivision, the County of Maui Department of Public Works reviewed and approved improvements necessary for the subdivision, including provisions for water, sewage disposal, electrical and communications lines, drainage and flood control, and connection with Pr'ilani Highway, including widening and traffic signal | Page 5 of 10 |

| Attachment Cumulative and Secondary Impacts | Honua'ula is also part of the new "smart growth" planning paradigm that provides an alternative to conventional suburban sprawl, with stores and services as an integral part of the community. This design will help to minimize car trips onto Pi'ilani Highway, since many establishments providing for residents' day-to-day needs will be within walking and biking distance. Therefore, unlike in a conventional subdivision, Honua'ula is designed to be a community with services and facilities to enable residents to meet many of their daily needs without using their cars; thus minimizing trips to outside areas and reducing congestion. | In mitigating cumulative impacts to human and environmental health, Honua'ula is committed to limiting energy consumption and reducing solid waste. Honua'ula Partners, LLC will design and construct energy systems for all residential units to meet all applicable ENERGY STAR requirements established by the EPA in effect at the time of construction. All homes (<u>single-family</u> and multifamily) will be equipped with a primary hot water system at least as energy efficient as a conventional solar panel hot water system at least as energy efficient as a conventional solar panel hot water system and other energy-saving concepts and devices will be encouraged in the design of Honua'ula. | Design standards will specify low-impact lighting and encourage energy-efficient building design and site development practices. Honuarula will also implement strategies from the County of Maui Integrated Solid Waste Management Plan (2009) for diverting solid waste from landfills by providing options for recycling, such as collection systems and bin spaces and promoting sound recycling practices among residents, guests, and construction and maintenance personnel. Green waste, particularly from the golf course, may be processed on-site and reused. | Honua'ula will make an important and valuable contribution to the long-term viability, preservation, and conservation of native plants in southeastern Maui. Honua'ula's on-site Native Plant Preservation Area, combined with other <u>on-site</u> Native Plant <u>Conservation</u> Areas within Honua'ula (see Figure 12 and Section 3.6 (Botanical Resources)), will | provide a total of approximately 143 <u>76</u> acres for the protection, enhancement, and propagation of native plants of the mixed <i>kiawe-wiliwili</i> shrubland associations in southeastern Maui. These areas will: 1) provide protection for native plants: 2) ensure the long-term genetic viability and survival of the native dry shrubland species; and 3) enhance long-term native plant population growth. In addition, Honua'ula Partners, LLC will implement significant off-site measures to protect native plants and Blackburn's sphinx moth habitat and provide a net conservation benefit. Combined, Honua'ula's on- site 40-acre Native Plant Preservation Area and off-site mitigation measures discussed in Section <u>3.6 (Botanical Resources) provide 394 acres of native dry shrublands for the</u> perpetual protection and propagation of native dryland plants. Existing scientific research suggests even small restoration efforts consisting of a few hectares can help provide habitat for native species and can subsequently serve as urgently-needed sources of propagules (Cabin et al. 2000b, Cabin, et al. 2002a). This is reinforced by numerous sources of information on successful propagation of native plants specifically for landscaping (e.g., TNC 1997, Tamimi 1999, Friday 2000, Wong 2003, Bornhorst and Rauch 2003, Lilleeng-Rosenberger and Chapin 2005, CTAHR 2006). The | |
|--|--|---|--|---|---|--|
| Attachment Cumulative and Secondary Impacts | Providing a contribution of \$5,000 per unit (totaling \$5.75 million) to the County for traffic improvements. Workforce Housing, by providing a significant amount of workforce housing in accordance with Chapter 2.96, MCC (the "Residential Workforce Housing Policy"); Parks, by providing a contribution of \$5 million to the County for the development of the South Maui Community Park and an in-lieu cash contribution to satisfy the park assessment requirements under Section 18.16.320, MCC (currently set at \$17,240 per residential unit) in addition to providing parks within Honua'ula that | are open to the puot but privately maintained; Schools, by paying <u>at least</u> \$3,000 per dwelling unit (totaling <u>over</u> \$3.45 million) to DOE for schools serving the Kihei-Mäkena Community Plan area; A Fire Station, by providing two acres of land to the County of Maui for the development of a fire station; and A Police Station, by providing a contribution of \$550,000 to the County for the development of a police station in South Maui. | In addition, Honua'ula will not rely upon or burden any public infrastructure facilities and will instead develop, maintain, and operate its own private water and wastewater systems (or partner with other private providers, in the case of wastewater treatment facilities). All infrastructure will be constructed concurrently with development and will be completed before the issuance of any certificate of occupancy, thus ensuring that necessary facilities and services are in place before residents move in. | Further, the substantial tax revenues from Honua'ula are expected to be well in excess of the costs incurred by the State and County, thereby contributing to the overall State and County tax base (see Section 4.9.5, Economy) and, in turn, the provision of public infrastructure and facilities concurrent with growth. | Regarding cumulative impacts of traffic, the TIAR prepared for Honua'ula (see Section 4.4 and Appendix L) accounted for increased traffic due to additional projects in the Wailea and Makena region. Traffic on Pri/lani Highway and other roads is expected to increase even if Honua'ula is not built. As stated above Honua'ula will be part of the regional traffic solution by: 1) upgrading Pri/lani Highway to four lanes from Kilohana Drive to Wailea the Drive; 2) undifying the Wailea Alanui/Wailea ke Drive; 3) signalizing the signalized double right-turn movement from northbound to eastbound turning traffic and provide two left-turn lanes for southbound traffic from Wailea ke Drive; 3) signalizing the Pri/lani Highway/Kolohana Drive/Mapu Place intersection to provide an exclusive left-turn lane, and the southbound Pri/lani Highway approach to provide an exclusive left-turn lane, and the southbound providing a contribution of \$5,000 per unit (totaling \$575 million) to the County for traffic improvements. | |

Page 7 of 10

.

Page 8 of 10

| Attachment Cumulative and Secondary Impacts | Impact to present or function where public or private system, there will be no impact to present or function and storage of Horua ula's water. Horuarula, the widened Prirlani Highwary, the Wailea Ike Drive/Wailea Alanui Drive intersection improvements, and the off-site water and wastewater infrastructure is are not expected to cause secondary intervention of the point water and wastewater infrastructure is are not experted to trans escondary intervention of the point channe that increased in fore solution of the point waster and wastewater infrastructure is are not experted to cause secondary inducts to maine water rescandary inducts of the marine water scandary inducts of the marine water scandary inducts of the point channel or ingritient water scandary inducts of the marine water scandary inducts of the intervent or negative impacts to marine would be no expected inpacts to the marine environment or negative impacts on any ordinary to the active to the water and in the writes and the off-site water and wastewater infrastructure is are romored in the marine environment or inguing to the ordinary data wastewater infrastructure is are scansarian in the would be no expected impacts to the marine environment or significantly impact the acoundary impacts associated with these issues finally, adherence with Chapter 2015, MCC regarding outdoor lighting ensures finally, adherence with Chapter 2015, MCC regarding outdoor lighting ensures finally, adherence with chapter and secondary impacts associated with these issuescritive surrounding land uss. | Page 10 of 10 |
|--|---|---------------|
| Attachment Cumulative and Secondary Impacts | ersert shows that even small preserved constitution of information with regional preserve and fassible by USFWS and DINR when managed in combination with regional preserve areas 2008; Proceed and managed in combination with regional preserve areas 2008; Proceed and managed in combination with regional preserve areas 2008; Proceed and managed in combination with the Nau in prostimity to Internal State Shorts Reserves and the Kanaki DS 5 acres) shorts Marca Reserves - subtanation include the Yauwali. I <u>Festoration areas</u> 10 acres) and Valin-Kina'u (1238 acres) Rouns Marca Reserves - subtanation include the Yauwali. Testoration areas in south Wau will prove the regional preserving and the regional preserving and the regional preserving and the regional preserving and the regional preserving the rediversity of harive plant yelds. The Horura UIa, and contain a greater diversity of native plant species <u>than</u> honona <u>dia</u> . Thorura UIa, and contain a greater diversity of native plant species <u>than honona dia</u> . Thorura UIa, and contain a greater diversity of native plant species <u>than honona dia</u> . The complementation of the CRP fees Section 41 (Archaeological and Historic Resources) and Section 41 (Archaeological and Historic Resources) and Section 41 (Cultural Resources) and Section 41 (Archaeological and Historic Resources) and Section 41 Cultural Resources Commission the Maul(Dara) (Jara) faland Burial Council, the Maul County Cultural Resources Commission the Maul(Dara) (Jara) faland Burial Council, the Maul County Cultural Resources Commission the Maul(Dara) (Jara) faland Burial Council, the DUN kineter Resources Commission the Maul(Dara) (Jara) faland Burial Council, the Maul County Cultural Resources Commission for review and conformation and condition guite constant and acconcerned patients (Jara) faland Burial Council. The Maul County Cultural Resources Commission to review and concorted patient constant and acconcerned patients (Jara) faland Burial Council. The Maul County Cultural Resources Commission th | Page 9 of 10 |

| | Attachment Drainage System |
|-----------------|--|
| | 4.8.3 Drainage System |
| | Honua'ula |
| | Honua'ula is on the lower southwestern slope of Haleakalā. Site elevations range from 320 feet to 710 feet with slopes of generally three to 17 percent. The Property and areas immediately mauka are undeveloped. The Wailea Resort, including three golf courses, is located makai of Honua'ula. |
| | Currently, surface runoff mauka of the Property sheet flows over the Property or through natural drainage paths toward the ocean. The Property is generally semi-arid, with rainfall averaging about 15 inches per year. Drainage characteristics impacting the site are typical of the western slope of Haleakalā. |
| ATTACHMENT | There are approximately 15 natural drainageways in which runoff flows through the Property. Considering the relatively low rainfall at the Property, these drainage ways are generally dry throughout the year. There are no existing drainage improvements manka of |
| DRAINAGE SYSTEM | the Property. The entire property is designated on the FIRM as Zone G X which is outside of the 500-year flood plain in an area of minimal flooding (Figure 11). The Department of the Army, United States Corps of Engineers has determined that the Property does not contain any navigable waters or other waters of the United States; therefore a Department of Army (DA) permit pursuant to Section 10 of the Rivers and Harbors Act of 1899 (Section 10) and Section 404 of the Clean Water Act (Section 404) is not required for any proposed or future work. |
| | Based on County drainage standards, existing (pre-development) flow (based on a 100 year 24 hour storm) from the Property is calculated to be 2,195 cubic feet per second (cfs). |
| | Off-Property Areas |
| | There are nine existing culvert crossings spanning the Pirilani Highway widening area from Kilohana Drive to Wailea Ike Drive. The highway drainage system consists of concrete swales, curb/gutter, catch basins/grated drain inlets and drain pipes at along the highway. These systems drain to the existing culverts and then to the adjoining gulches. No retention systems currently exist within the highway right-of-way. Mauka offsite flows are currently intercepted by a concrete drainage ditch located along the eastern boundary of the highway and are then conveyed to the existing culverts. Existing flows within highway widening area were calculated to be approximately 65.2 cfs based on a 25-year one-hour storm recurrence interval in accordance with DOT Design Criteria for Highway. Drainage (2006). |
| | Stormwater from the Wailea Alanui/Wailea Ike Drive intersection is collected and disposed of by the existing roadway drainage system. Runoff from the north portion of the intersection flows northward toward an existing catch basin about 300 feet away. Runoff from the south portion of the intersection flows southward to a catch basin about 400 feet |
| | Page 1 of 6 |

| Attachment Drainage System | and allow for settling of fine particles and pollutants, thus reducing sediments and pollutants in the water released from the detention basins. All detention basins will be designed with the proper volume to allow adequate draw-down time for water quality treatment. In addition, the detention basins will be maintained so that the capacity is not impaired. As design progresses a maintenance program will be developed. In general, the detention basins will volve so that the detention basins will be | measured. When the silt reaches a certain level, the silt will be removed and properly disposed of. With the use of detention basins, the peak rate of runoff leaving the Property will not increase over current conditions and seepage of water into the ground from the | detention basins will actually increase the amount of percolation to groundwater. Residential areas will be graded so that runoff flows to drain inlet structures. From the drains, the flow will be piped through a series of drain lines in the roadways to the detention basins. The majority of the drain lines will be 18-inch diameter and the remaining will be 24-inch diameter. | To supplement the detention system Low Impact Development (LID) techniques will be incorporated into the design of Honua'ula where appropriate. LID comprises a set of approaches and practices designed to reduce runoff of water and pollutants from the site at which they are generated. By means of infiltration, evapotranspiration, and rainwater reuse, LID techniques manage water and water pollutants at the source thereby reducing stormwater flows to detention basins. A goal of LID is to maintain or closely replicate predevelopment hydrology of the site with an understanding that rainwater is not merely a waster product to be disposed of, but a resource to be reused. | With LID techniques small-scale practices are employed to control stormwater runoff on- site. The practices, are designed to work in concert with other stormwater best management practices, such as detention basins. While LID techniques span a wide range of design considerations, infiltration and filtration are two primary practices. Infiltration practices are engineered structures or landscape features designed to capture and infiltration practices are engineered structures or landscape features designed to capture and infiltration practices are by include the volume of water discharged from the site and contribute to groundwater recharge. Examples of infiltration practices include: 1) infiltration basins and trenches which are shallow depressions designed to infiltrate stormwater though permeable solis; 2) rain gardens and other vegetated treatment system that provide a planted depression to collect rainwater (usually from a single home) and allow absorption on-site: and 3) disconnected down spouts, which are roof gutter downspouts that are not connected to the sever system to allow roof water to drain to lawns and gardens (or rainwater storage barrels) and permit, plants and soils filter pollutants. | Similar to infiltration practices, filtration practices treat runoff by filtering it through media designed to capture pollutants (such as sand or vegetation). Like infiltration, filtration can both reduce the volume of water discharged from the site and contribute to groundwater recharge, but filtration practices have the added advantage of providing increased pollutant removal. Examples of filtration practices include: 1) bioswales, which are landscaped drainage courses with gently sloped sides filled with vegetation, compost Page 3 of 6 |
|-------------------------------|--|--|--|--|---|--|
| Attachment Drainage System | away. Existing flows from the north portion of the intersection were calculated to be approximately 1.2 cfs. Existing flows from the south portion of the intersection were calculated to be approximately 1.3 cfs. The calculations are based on a 50-year, one-hour storm recurrence interval in accordance with the County of Maui's "Rules for the Design of Storm Drainage Facilities." | The currently there are no drainage improvements in the areas of the areas of: 1) Honua'ula's off-site wells, waterline, and storage tank; and 2) the wastewater transmission line alignment for possible connection to the Mākena Resort WWRF. | POTENTIAL IMPACTS AND MITICATION MEASURES Honua ^c ula | Drainage from Honua'ula is not expected to have a significant adverse effect on groundwater, downstream properties, or marine waters. In accordance with the County of Maui's "Rules for the Design of Storm Drainage Facilities," all drainage improvements will be designed so that there will be no increase in the peak rate of stormwater runoff leaving the Property compared to existing conditions. The post-development runoff from the Property is estimated to be 3,114 cfs, an increase of 919 cfs over calculated existing conditions (pre-development). The discussion below sets forth the means by which Honua'ula will address this additional runoff in compliance with County of Maui requirements. | Runoff will be collected and managed through a drainage system. Roadways, homes, buildings, and other facilities within Honua'ula will increase impervious areas within the Property thereby increasing surface runoff flow rates and volumes. However, approximately half of the Property will be open space, including the Native Plant Preservation Area, ether Native Plant <u>Conservation</u> Areas, natural gulches, open space buffers along Pi'ilani Highway and the border of Maui Meadows, and the golf course. The extensive open space and the golf course are expected to assist drainage control as open space areas will provide pervious areas for percolation of runnoff and golf course greens, fairways, and plants will either absorb runoff or slow drainage flows. Of the 18 inches of average annual rainfall received on the Property, it is assumed that one-third of the rainfall percolates runoff. To manage drainage within the Property, the drainage system will include detention | basins, drainage pipes, open channels, and roadway culverts. <u>This system will be designed</u> to not only manage flood control but also to reduce pollution associated with stormwater. Runoff will be stored in <u>26-27</u> detention basins located on the Property in low lying areas, within the golf course, or along the makai Property boundary. Each of the detention basins will have a drainage outlet consisting, in part, of a vertical perforated pipe within a gravel mound which will act as a filter. In addition to reducing the peak runoff rate by detention storage, this configuration will also capture floatables and suspended solids in the basin |

| Attachment Drainage System | All drainage systems and detention basins will be designed in accordance with the "Rules for the Design of Storm Drainage Facilities in the County of Maui." <u>In addition any</u> detention basin with vertical dimensions that exceed its horizontal dimensions will also be in compliance with all provisions of HAR. Title 11, Chapter 11-23 (Underground Injection <u>Control).</u> In compliance with County of Maui Ordinance No. 3554 (Condition 6), the Preliminary Engineering Report (Appendix P) includes a Drainage Master Plan and Phasing Plan of improvements. | Off-Property Areas | The widening of Pirilani Highway from Kilohana Drive to Wailea Ike Drive will increase impervious surfaces by approximately 5.8 acres. The post-development runoff from the highway widening area is estimated to be 76.8 cfs, an increase of 11.6 cfs over calculated existing conditions (pre-development). The additional runoff will be retained in accordance with DOT Design Criteria for Highway Drainage (2006) and DOT. Storm Water Permanent Best Management Practices Manual (2007) so that there is no increase in the non-off retormanent support runoff construction conditions. | in the peak rate of stortwater runoff compared to existing conditions. Drainage system improvements will include grated drain inlets, catch basins, manholes, underground drainlines, surface retention basins and subsurface retention systems, extension of existing culverts, and construction of new inlet and outlet structures. The increased runoff will be retained via the retention systems. Coordination with the Army Corp of Engineers, Department of Health and Department of Land and Natural Resources will be undertaken during the planning and design of the highway widening to address applicable permitting requirements for culvert modification work. In addition to reducing | peak flow rates, the proposed stormwater system will reduce the discharge of pollutants to the maximum extent practicable in accordance with the DOT Storm Water Permanent Best Management Practices Manual (2007). | A National Pollutant Discharge Elimination System (NPDES) permit for discharge of stomwater associated with construction activities will be obtained and the requirements of the approved NPDES permit and Best Management Practices (BMPs) plan will be adhered to during construction. At a minimum slit fences, diversion berms, gravel egress, truck wash down areas and dust screens will be included in the BMP plan. | The post-development runoff from the Wailea Alanuj/Wailea Ike Drive intersection improvements is estimated to be 1.0 cfs for the north portion of the intersection and 1.6 cfs from the south portion, an increase over calculated existing conditions (predevelopment) of 0.1 cfs for the north portion and 0.3 cfs for the south portion. These increases are nominal and the existing drainage system has the capacity to accommodate this additional runoff. Existing drainage patterns will not be altered and the intersection improvements will have no adverse drainage impacts on the existing drainage facilities or downstream properties. | Page 5 of 6 |
|-------------------------------|---|--|--|--|---|---|---|-------------|
| Attachment Drainage System | and/or rocks designed to slow down water flows and trap pollutants and silt; 2) vegetated swales which are smaller, broad, shallow, channels with dense vegetation covering the side slopes and bottom to trap pollutants, promote infiltration, and reduce flow velocity; and 3) vegetated filter strips, which are bands of vegetation intended to treat sheet flow from adjacent impervious areas (such as parking lots) by slowing runoff velocities, filtering out sediment and other pollutants, and providing some infiltration into underlying soils. | <u>LID</u> practices can also effectively treat and manage non-point source pollution from drainage by filtering "first flush" runoff volumes. Non-point source pollution typically results from rainwater washing across impermeable surfaces such as roadways, parking | lots, and sidewalks and with it picking up pollutants such as oil, detergents, pesticides, fertilizer, and pet wastes. Most surface pollutants are collected during the first one-half inch, or "first flush" of a storm event. LID practices can filter these pollutants before they reach detention basins. Traditional conveyance systems, such as drains and catch basins in parking lots and roadways can also be designed to capture this first flush with installed filtering materials. | Strategically integrated LID practices applied throughout the Property—from individual building sites to larger areas such as parking lots and roadways—can lessen stormwater flows to detention basins and increase the length of time for flows to travel to detention basins. The increased time allows for greater opportunities for groundwater recharge, filtration, and evapotranspiration. UID practices can result in enhanced environmental performance, while at the same time reducing costs compared to traditional stormwater management approaches. | <u>As an application of LID</u> , Natural natural open drainage channels will be provided throughout the site to divert runoff toward the detention basins. Open channels also will be provided at the upper limits of the Property to direct mauke off-site runoff entering the process direct marked off-site runoff entering the process. | <u>with concrete</u> . Roadway culvates where culturers will remain remain and uninter with concrete. Roadway culverts will be provided throughout the Property to divert runoff under major streets and prevent flooding. In addition, bioswales, landscape elements designed to remove silt, may <u>will</u> be an option <u>provided</u> along roadways where appropriate. | Section 3.5.1 (Groundwater) contains discussion on potential impacts due to percolation of stormwater and irrigation water to groundwater. In general, reductions in nitrogen and phosphorus loading are expected, which would result in positive impacts regarding groundwater flowing to the ocean and ocean water quality. Section 3.5.2 (Nearshore Marine Environment) contains discussion on potential impacts to ocean water quality. The nearshore water quality and scrassment (MRC 2010; Appendix D) concludes that: "the estimates of changes to groundwater and surface water would result in a decrease in nutrient and sediment loading to the ocean respected impacts to the nearshore marine, it is evident that there would be no expected impacts to the nearshore marine cosystem owing to development of Honua'ula." | Page 4 rd 6 |

Page 4 of 6

Page 5 of 6

Attachment Drainage System

No significant changes to current drainage patterns are expected in the areas of: 1) Honua'ula's off-site wells, waterline, and storage tank; and 2) the wastewater transmission line alignment for possible connection to the Mākena Resort WWRF. Figure 2 shows location of this water and wastewater infrastructure.

The waterline alignment provides for an underground waterline within in an unpaved easement approximately12,000 linear feet in length and 30 feet in width. The wastewater alignment provides for underground wastewater transmission and R-1 return lines within an unpaved easement approximately 6,400 linear feet in length and 30 feet in width. The 30-foot easement widths allow for access and maintenance parallel to the underground lines. Because the waterline and wastewater and R-1 return lines will be underground and the easements will not be paved, significant changes to current drainage patterns are not expected.

ATTACHMENT ELECTRICAL SYSTEM

Page 6 of 6

| Attachment Electrical System | Attachment Electrical System |
|---|---|
| 4.8.6 Electrical System | represents "conventional" demand without consideration of solar water heating, renewable energy systems, or other measures to reduce the energy consumition |
| The Kihei-Mākena region is serviced by a 69 kV (kilovolt) power line that runs from the 'Ulupalakua Ranch, mauka of Honua'ula, to the MECO substation (Wailea Substation) located on a separate parcel (TMK (2)2-1-08: 043) near the western boundary of the makai portion of the Property. The Wailea Substation is currently being fed by transmission lines from the Maalaea Power Plant, northwest of the Property and from Kealahou Switchyard, mauka of the Property. The substation converts the 69 kV power to 12.47 kV for distribution to the Wailea area. The converted 12.47 kV lines run within a 12-foot wide accoment shore the makei boundary of the property. | MECO based on empirical values derived from records of past electrical consumption with MECO based on empirical values derived from records of past electrical consumption of other similar facilities. The total forecasted demand includes estimated electrical loads for: 1) single- and multi-family homes; 2) neighborhood commercial uses; 3) golf course facilities including, the clubhouse and maintenance facility, and 4) infrastructure facilities, including well pumps, the reverse osmosis facility, the wastewater reclamation facility, and streetlights. |
| to capacity. The Wards of eligible reneway of the right of the wards address of eligible renewable energy electricity generators by residential and commercial customers. Net energy | Honua'ula Partners, LLC's electrical engineer has been in communication with MECO to ensure service is provided. Based on the forecasted Honua'ula electrical demand and use, MECO anticipates additional transformer units or new substation development may be necessary. The current plans for the Property include an area for the expansion of the |
| metering allows a MECO customer to: 1) offset all or part of the electricity they would normally receive from MECO with energy produced by the customer's renewable generation system (e.g. solar photovoltaic system); and 2) export any excess electricity they produce to the MECO grid for use by MECO in meeting electrical demand elsewhere. | existing substation (Figure 1). MECO is aware that Horua'ula Partners, LLC will provide area for the expansion of the existing substation, but at this time cannot confirm that the expansion area is needed without more datailed information including residentions for obtactical damand for other |
| MECO customers that own or lease an eligible renewable energy generator may enter into an agreement with MECO to connect their generator to the utility grid, allowing it to feed surplus electricity into the grid. Net energy metering means that any kilowatt-hours the customer's renewable energy generator feeds into the grid will be subtracted from the kilowatt-hours of electricity the customer obtains from MECO to determine the net amount | proposed projects in the momentory, metCO has stated that they continuously attempt to plan proposed projects in the region. MECO has stated that they continuously attempt to plan for additional substation sites to meet the electrical demand of the community. Honua ula Partners, LLC's electrical engineer will continue to coordinate with MECO regarding the need for expanding the substation and Honua'ula Partners, LLC will continue to include an area for the expansion of the existing substation on Honua'ula plans. |
| of kilowatt-hours. The customer is then bitled only on the net kilowatt-hours. By Public Utility Commission (PUC) order, net energy metering is available to MECO customers on a first come, first served basis until the sum of the total energy received from the renewable energy generators equals four percent of MECO's current system peak demand. This can is in place because when MFCO customers participate in net energy | It has not yet been determined whether expansion of the existing substation will be necessary. Honua'ula Partners, LLC's electrical engineer has provided available information regarding Honua'ula to MECO for their review and planning purposes. MECO has stated that additional review is required during the design development stage of Honua'ula to determine if expansion of the existing substation will be necessary. MECO |
| metering, they receive credit at the retail rate for self-produced electricity. The retail electric rate that MECO charges includes not only recovery of the cost of producing electricity, but also the cost for: 1) facilities (e.g., lines, substations, etc.) to deliver power to MECO customers; 2) maintaining and operating facilities; and 3) administrative and other operating costs, such as billing. Those MECO customers who produce their own electricity on-site only incur the cost of generating the electricity. | has also stated that although the current capacity of the MECO electrical system to serve Honua'ula may be limited, with continuously evolving demands for MECO's service, along with MECO's on-going efforts to upgrade and maintain their system to serve new and existing loads, capacity may be in place and adequate to serve Honua'ula by the time Honua'ula is under construction. MECO will continue to review its electrical system and requirements as Honua'ula progresses into the design development stage so that MECO will he able to evaluate 1) the size of actual electrical loads that MECO is required to |
| and other costs. By receiving creat at the full relatives, in essence, the mice of costs in the meters is receiving a subsidy from all other customers. By providing a cap, the subsidy can be the to a reasonable level and still help to support small to medium | serve; 2) the dates when these loads need to be energized by MECO; and 3) the state of the MECO electrical system at the time when these loads are expected to be connected. |
| renewable energy producers. POTENTIAL IMPACTS AND MITIGATION MEASURES When fully built-out, the peak forecasted electrical demand for Honua'ula is estimated to be 9,467 11,103.3 kilowatts (kW) per-month. This peak forecasted electrical demand | In anticipation of the need, Honua'ula Partners, LLC will continue to include an area for the expansion of the existing substation on Honua'ula plans. Should MECO not require additional area, the existing substation would not be expanded. Since MECO cannot make a determination until Honua'ula is within the design development stage, details on the requirements for serving Honua'ula are not available at this time. Should the substation be |
| Page 1 of 5 | Page 2 of 5 |

| Attachment Electrical System | In compliance with County of Maui Ordinance No. 3554 (Condition 30), Honua'ula Partners, LLC will design and construct energy systems for all residential units to meet all applicable ENERGY STAR requirements established by the EPA in effect at the time of construction. Energy systems will include all hot water systems, roof and attic areas, outside walls, windows, air cooling systems, and heating systems. Now a joint program under the EPA and the U.S. Department of Energy, the ENERGY STAR program was established in 1992 for energy-efficient computers. Now a joint program under the EPA and the U.S. Department of Energy, the ENERGY STAR program under than 35 energy-efficient product categories for | nomes and workplace. Homes that earn the ENERGY STAR designation must meet guidelines for energy efficiency set by the EPA. ENERGY STAR qualified homes can include a variety of energy- efficient features, such as effective insulation, high performance windows, tight construction and ducts, efficient heating and cooling equipment and ENERGY STAR qualified lighting and appliances. | In further compliance with County of Maui Ordinance No. 3554, Honua'ula Partners, LLC will: 1) equip all residential units (<u>single-family and multi-family</u>) with a primary hot water system at least as energy efficient as a conventional solar panel hot water system, sized to meet at least 80 percent of the hot water demand for the unit (Condition 30); 2) ensure that all air cooling systems and all heating systems for laundry facilities, swimming pools, | and spa areas will make maximum use of energy-efficient construction and technology (Condition 30) ; and 3) obtain confirmation from MECO that the proposal to relocate and/or landscape MECO facilities is incorporated in the Project District Phase II application and site plan (Condition 18)). | Equipping all residential units with a primary hot water system at least as energy efficient as a conventional solar panel hot water system, sized to meet at least 80 percent of the hot water demand for the unit is expected to reduce the energy consumption for hot water Honua'ula homes by approximately 32 percent since energy consumption for hot water heating is typically about 40 percent of total residential energy use. Based on average residential energy consumption of alphomes in Honua'ula a 32 percent reduction in energy use would result in a savingt of 220,800 kWh per month. In relation to total energy use for all of Honua'ula the residential hot water systems would reduce total electrical demand by approximately <u>8.5 percent</u> . | In addition to the water heating systems provided with all homes, if a homeowner chooses to install a photovoltaic system, electrical demand could be further reduced. Assuming a homeowner installs a 2 kW PV system and assuming a very conservative four hours per day of usable sunlight, an additional reduction in energy consumption (2 kW x 4 hours/day x 30 days/month) of 240 kWh per month would be contributed by each such home with a photovoltaic system. Assuming that 200 homeowners choose to install a PV system the total reduction in energy demand would be 49,000 kWh per month (200 system the total reduction in energy demand would be the month would be reduction in energy the month would be total reduction. | |
|---------------------------------|---|---|---|--|--|---|--|
| Attachment Electrical System | expanded, however, MECO's additional equipment (i.e. transformers, switchgear, cabling, etc.) and structures currently are anticipated to be similar to what is presently constructed at the existing substation. In response to a question from the Maui Planning Commission on the Draft EIS regarding the feasibility of the Wailea Substation expansion to include batteries for the storage of energy, a MECO representative noted that battery storage is expensive, but feasibility would not be evaluated based only on cost, but on many different considerations, such as land availability, integration design, system impact, etc. The MECO representative stated that MECO was exploring this option near the Wailea Substation as there are grant funds that may be available to offset the cost. | Maui Electric Company (MECO) strictly complies with all applicable Federal. State, and County regulations regarding public safety and the environment. MECO designs its substations in accordance with current and applicable codes and standards. Presently, the National Electrical Code, 2008 Edition, and the Uniform Building Code, 1997 Edition, as approved by the County of Maui, along with the National Electrical Safety Code, 2002 Edition: govern minimum separation and clearance requirements. In addition, MECOs | substation equipment installations meet all applicable County, state, and rederal environmental regulations and guidelines and do not contain toxic substances. All new electrical lines within Honua'ula will be underground and Honua'ula Partners, LLC proposes to place underground the existing overhead lines that run over the Property in the mauka-makai direction and along the makai boundary. | | own photovoltaic system. Features of "photovoltaic ready" homes and buildings could include: 1) roof slopes orientated for optimal photovoltaic efficiency and aesthetic appeal; and 2) specific items such as inverters, grid intertie components, and fundamental wiring to easily connect to roof top photovoltaic panels. "Photovoltaic ready" homes and buildings would make installation of photovoltaic panels. "Photovoltaic ready" homes and buildings would make installation of photovoltaic systems more attractive for home and buildings would make installation of photovoltaic systems more attractive for home and building owners, thereby encouraging net metering agreements with MECO and on-site power generation. Because of the cap imposed by the PUC on the amount of total energy received from renewable energy generators, it may not be possible for all homes and buildings within Honua'ula to participate in net energy metering, and therefore not all homes in Honua'ula would need to be "photovoltaic ready" in anticipation of being able to participate in net energy metering. | Honua'ula Partners, LLC is committed to limiting the environmental impact of Honua'ula by reducing energy consumption. Energy-saving concepts and devices will be encouraged in the design of Honua'ula. In compliance with Chapter 344 (State Environmental Policy) and Chapter 226 (Hawai'i State Planning Act), HRS, all Honua'ula buildings_ activities, and grounds will be designed with energy-saving considerations. Design standards will specify low-impact lighting and will encourage energy-efficient building design and site development practices. | |

ĥ

Attachment Electrical System


homes x. 240 kWh/month equals 48,000 kWh/month) and the resulting energy savings would equal approximately 1.85 percent of Honua'ula's total energy demand. Cumulatively, a 10.4 percent reduction in energy consumption could be achieved with the energy savings from the hot water systems combined with 200 homes installing a photovoltaic system. Additional reductions in energy consumption are anticipated as a result of: 1) meeting all applicable ENERCY STAR requirements; 2) ensuring that all air cooling systems and all heating systems for laundry facilities, swimming pools, and spa areas make maximum use of energy-efficient construction; and 3) and other energy conservation measures; however the projected reduction in energy consumption from these additional measures has not been calculated. The following additional energy saving methods and technologies will also be considered during the design phase of Honua'ula:

- Use of site shading, orientation, and naturally ventilated areas to reduce cooling load:
- Maximum use of day lighting;
- Use of high-efficiency compact fluorescent lighting,
 - Exceeding Model Energy Code requirements;
- Roof and wall insulation, radiant barriers, and energy efficient windows;
 - Use of solar parking lot lighting;
- Use of light color or "green" roofs,
- Use of roof and gutters to divert rainwater for landscaping;
 Use of landscaping for dust control and to minimize heat gain to area; and
 - Use of photovoltaics, fuel cells and other renewable energy sources.
- Installation of right-sized air conditioning systems with duct work that does not pass through unconditioned space (i.e. attic) unless the duct itself is insulated.
 - Installation of zoned air conditioning systems with programmable thermostats.
- Installation of energy feedback devices in homes, such as a TED (The Energy Detective) so occupants can monitor energy use and adapt behavior to reduce power use.


ATTACHMENT FIGURE 2 REGIONAL LOCATION

Page 5 of 5

ATTACHMENT FIGURE 13. TRAILS NETWORK



ATTACHMENT GROUNDWATER



- Golch Trail Mauka/Makai Connectors

Plan By: VITA

SLAND OF MA 1.200

| Attachment Groundwater | Attachment Groundwafer |
|---|---|
| 3.5.1 Groundwater | <u>wells, 43 are known or presumed to be in use, 47 are no longer in use or do not draw</u> |
| | from the basal lens, and 44 are of unknown status relative to their use (TNWRE 2010b). Current actual aquifer pumpage is estimated to be approximately 4.0 MGD (TNWRE 2010a; TNWRE 2010a). |
| report is included in Appendix B. In response to a request from the Maui Planning Commission, TNWRE prepared a supplemental report which contains data for all wells in the Kama'ole Aquifer available from the CWRM. Information from this supplemental report is summarized below. The complete sumplemental report is also included in | Examination of CWRM data shows that reporting of chlorides and water levels to CWRM is minimal. Only three of the 43 wells in the aquifer that are known or presumed to still be active are presently reporting this information. For wells for which TNWRE has independent data chloride levels have been stable for a decade of monthly cannum |
| Appendix B. In their letter commenting on the Draft EIS dated May 20, 2010, CWRM stated that the Draft EIS "thoughtfully discusses groundwater and surface water issues." The complete CWRM letter is included in Appendix AA. | No well has been drilled to sufficient depth through the basal lens to define the depth and character of transition zone anywhere in the aquifer. However, what is known or can be reasonably summised recarding the transition zone is that: |
| The Property and the wells that will supply the Property are located in the Kama'ole Aquifer System. The system comprises a triangular-shaped area of approximately 89 square miles, with its apex at the top of Haleakala and its base along the 11-mile length of shoreline from Watakoa Gulch on the north to Cane Kina'u on the south. The Walakoa | Groundwater levels along the 1,700-foot contour are approximately six feet above sea level; therefore, the midpoint of the transition zone below the 1,700-foot contour would be approximately 240 feet below sea level: |
| Gulch boundary of the aquifer is coincident with the Wailuku-Makawao district boundary, but is otherwise of no known hydrologic significance. The southern boundary of the sourifer is the southwast rift zone of Halashay which is likely to be a branier to | Wells along or just below the 600-foot contour have water levels from 2.6 to 3.1 feet above sea level, indicating a midpoint of the transition zone below the 600-foot contour behave 100 and 135 feet below contour behave 100 and 135 feet be |
| aquiter is the southwest find zone of nareawara, which is meny to be a partiel to groundwater flow. Groundwater in the Kama'ole Aquifer exists as a basal lens from the shoreline as far inland as the 1,700-foot contour. The direction of groundwater flow in the basal lens is mauka to makai. | The stability of the transition zone, although not directly measured, can be inferred from the stability of chlorides pumped by wells. The most accurate and complete data of chlorides for the region shows stable chloride levels for a decade. The Underwround Injection Control Line 2 as established by the State DOUL is Incorted. |
| The Property, located toward the western and southern end of the Kama'ole Aquifer, is generally semi-arid, with rainfall averaging about 18 inches per year. Because of the | approximately along the 600-foot elevation contour, above the majority of the Property. |
| relatively dry conditions on and above the Property, there are no perennial streams on the Property or in the vicinity. Runoff occurs in the mauka-to-makai gulches which cross the Property only during, and for a short time following, intense rainfall events. | Currently, Honua'ula has four brackish wells. Two of these are on the Property (Wailea 670 1 and 2). The other two are off-site (Kama'ole 1 and 2) in an area north of Maui Meadows and on land owned by Haleakalā Ranch. The total safe yield of the four wells, with one as standby, is 1.3 MGD (TNWRE 2010a). All of the wells are within the |
| In 1990, the CWRM set the sustainable yield of the Kama'ole Aquifer at 11 million gallons per day (MGD). This was based on a computed groundwater recharge of 25 MGD and the assumption that 44 percent of the recharge could be withdrawn by wells without | Kama'ole Aquifer System and are fully permitted by CWRM. POTENTIAL IMPACTS AND MITIGATION MEASURES |
| sophisticated studies are meaning on adams. However, social ran manual and sophisticated studies on the aquifer's recharge have been completed since then (USGS 1999; Waimea Water Services Inc. 2004; USGS 2007). These studies indicate that the | Water Resources |
| recharge amount on which the CWRM's sustainable yield is based is substantially underestimated; the actual sustainable yield of the aquifer may be as much as 50 percent greater than the 1990 CWRM estimate. The most recent of these studies—which is considered to be the most reliable—estimates the groundwater flowrate to be 3.4 MGD | Four aspects of Honua'ula have the potential to impact water resources: 1) use of groundwater for potable consumption and landscape irrigation; 2) generation, treatment, and reuse of domestic wastewater; 3) increase in surface water runoff; and 4) percolation of excess landscape irrigation to groundwater. Potential impacts to groundwater may |
| ZOTOBJ. According to CWRM records, there are a total of 134 wells within the Kama'ole Aquifer System, many of which are more than 60 years old and no longer in use. Of the 134 | ² Underground Injection Control Line (UIC) means the line on the DOH Underground Injection Control maps which separates exempted aquifers and underground sources of drinking water (Section 11-23-03, HAR). |
| Page 1 of 13 | Page 2 of 13 |

| Attachment Groundwater | Based on CWRM records, there are 20 wells in this downgradient and lateral zone. Most of these wells are more than 50 years old and are no longer in use. However, at least siv | are relatively recent (installed since the 1990s) and were developed to provide brackish landscape irrigation water for condominium parcels. The total draft of these wells is likely to be in the range of 0.12 to 0.30 MGD as a year round average. With the use of Honua'ula's off-site wells, the active downgradient irrigation wells may be impacted by a potential increase in salinity due to reduced flowrate, which current calculations indicate may be on the order or five percent. If the actual impact materially impairs the utility of the downgradient landscape irrigation wells, additional wells (pumping the same combined amount of water) in the area north of Maui Meadows to distribute the draft over a greater area would alleviate the impact so that the utility of downgradient wells is not materially impacing the impact so that the utility of downgradient wells is not | Wastewater Generation, Treatment, and Reuse – Two alternatives are being considered for treatment of Honua'ula's wastewater: 1) develop, maintain, and operate a private on- site WWRF; or 2) transport wastewater to the Mäkena WWRF for treatment and return the treated effluent to Honua'ula for irrigation use. With either alternative, wastewater will be treated to R-1 quality and used for golf course irrigation. Potential impacts related to use of R-1 water for intrastion are discussions halow reacarding to use of | groundwater and summary of impacts. For more information on Honua'ula's wastewater system see Section 4.8.2 (Wastewater System). | Collection and Detention of Rainfall Runoff – Honua'ula will use detention basins so that there will be no increase in the peak rate of stormwater runoff leaving the Property compared to existing conditions. Of the 18 inches of average annual rainfall received on the Property, it is assumed that one-third of the rainfall percolates to groundwater and the remaining two-thirds evaporates to the atmosphere or becomes runoff. | Runoff will be stored in 26 detention basins located on the Property in low lying areas, within the golf course, or along the makai Property boundary. Each of the detention basins will have a drainage outlet consisting, in part, of a vertical perforated pipe within a gravel mound which will act as a filter. In addition to reducing the peak runoff rate by detention storage, this configuration will also capture floatables and suspended solids in the basin, thus reducing sediments in the water released from the detention basins. With the use of detention basins, the peak rate of runoff leaving the Property will not increase over current conditions and seepage of water into the ground from the detention basins. With the use of detention basins, the peak rate of runoff leaving the Property will not increase over current conditions and seepage of water into the ground from the detention basins will actually increase to actually increase to detention basins to actually basin the actual basin. | percolation to grountwater are uscussed below. For more information on monua uta's drainage system see Section 4.8.3 (Drainage System). Percolation to Groundwater – Irrigation water used within Honua'ula will be a combination of: 1) brackish water from wells; 2) R-1 quality recycled water from the either |
|---------------------------|--|--|---|--|--|--|---|
| Attachment Groundwater | occur in two geographically distinct areas: 1) beneath and downgradient of the Property itself, and 2) downgradient of Honua'ula's off-site wells. | Use of Groundwater – Honua'ula's potable and irrigation water supply will be provided by brackish wells. As noted above, four of these wells have already been developed: two are on the Property (Wailea 670 Wells 1 and 2); and the other two are off-site (Kama'ole Wells 1 and 2) in an area north of Maui Meadows. All of the wells are fully permitted by CWRM. Honua'ula's total average groundwater use at full build-out is projected to be approximately 1.7 MGD. To provide for summertime maximum use periods and to have standby capacity, two more wells will be needed. Depending on actual water use rates build-out. For more information on Honua'ula's water system, see Section 4.8.1 (Water Screen). | Honua'ula spans a 1.9-mile length of coastline mauka of the shoreline. Assuming a lateral Honua'ula spans a 1.9-mile length of coastline mauka of the shoreline and a groundwater may occur across a 2.3-mile section of the shoreline. The existing groundwater flowrate discharging into the marine environment in this area is estimated to be on the order of 7.8 MGD. | Five of Wailea Resort's nine golf course irrigation wells are within this downgradient and lateral zone. According to CWRM records, the draft of these wells is approximately 1.4 MGD as a vear-round average. However, because Wailea Resort's Well 2 (No. 4126-02) | is nearly directly downgradient from Honua'ula's on-site wells, it is the only well in which there may be a potential increase in salinity due to the potential decrease of groundwater flow being taken up by the <u>on-site</u> Honua'ula wells. Decreased pumping of Honua'ula's on-site wells would alleviate this potential impact. | Honua'ula's well system, with on-site and off-site wells, was specifically engineered to minimize impacts to Wailea Resort's golf course irrigation wells. Honua'ula's two on-site wells are fully permitted by CWRM and have been in place for nearly 20 years; however they cannot supply all water needed for Honua'ula. Rather than drill additional wells on- site, which could lead to potentially adverse impacts to Wailea Resort's downgradient wells, Honua'ula's off-site wells will draw from groundwater flows removed from Wailea Resort's wells, in an area north of Maui Meadows that has far less downgradient water withdrawals. The use of this off-site water within Honua'ula lessens the need for groundwater withdrawals from on-site Honua'ula wells. | Honua'ula's off-site wells, located north of Maui Meadows, and potential new wells in the same area, span an 0.8-mile long length at about the 580-foot elevation and have the potential to impact groundwater flow along an approximate 1.4-mile long shoreline segment. The existing groundwater flow rate discharging into the marine environment in this area is estimated to be on the order of 4.8 MGD. Use of Honua'ula's off-site wells is calculated to reduce this flow rate by approximately 27 percent. |

Page 3 of 13

Page 4 of 13

.

| Attachment Groundwater | The net potential change is calculated to be: a 2.9 percent reduction in flowrate; a 0.6 percent increase in salinity; a reduction in nitrogen loading of 4.3 percent; and a reduction in phosphorus of 4.8 percent. | The net decrease in nitrogen and phosphorus is due to several compounding reasons: 1) | existing groundwater is already high in nitrogen and phosphorus due to naturally occurring processes upgradient of the Honua'ula wells; 2) pumping of the two on-site Honua'ula wells will thus decrease nitrogen and phosphorus in groundwater flowing to | the ocean because of the reduced groundwater flow; 3) the total amount of groundwater withdrawn from the Honua'ula wells will not all percolate to groundwater, as some will be absorbed by plants, evaporate, or be captured as runoff in the detention basins; 4) for | the water that does percolate to groundwater or flow from detention basins, natural processes will remove 80 percent of dissolved nitrogen and 95 percent of dissolved phosphorus in the hundreds of feet of travel by the percolate through the vadose zone (the | unsaturated lavas between the ground surface and groundwater) and the thousands of feet of the shoreline. | Summary of Potential Impacts – Table 1 below presents a compilation of potential changes to groundwater in the area downgradient of Honua'ula after full build-out incorporating the assumptions noted in the previous discussions. | | |
|---------------------------|---|---|--|---|---|---|--|--|---|
| Attachment Groundwater | the on-site WWRF or the Måkena WWRF; and 3) concentrate from reverse osmosis (RO) treatment of the potable supply. ³ To calculate notantial changes to aroundwater, the groundwater assessment study made | | The salinity of water from the brackish well water will be 0.95 parts per thousand (ppt); | The R-1 water from the on-site WWRF or the Mākena WWRF will have 775 μM (micromoles)(10.85 milligrams per liter (mg/l) nitrogen and 165 μM (2.00 mg/l) phosphorus; | Essentially all of the nitrogen and phosphorus in the brackish well water that is run through the RO treatment process will be contained in the concentrate that is used for irrigation; | Rainwater percolating to groundwater will have an increase in nitrogen of 20 µM and an increase in phosphorus of 2.0 µM over existing conditions; Fertilizer annicreations in photecaned areas will be at three notingle per 1.000 cutates | | Percolation of excess applied irrigation water will occur from irrigating: 1) the golf course and driving range; 2) landscaping along roadways and in buffer areas; 3) parks and other landscaped public areas; and 4) residential parcels. It is assumed that 10 percent of the applied irrigation water on the golf course percolates to groundwater and 15 percent of applied irrigation water on other irrigated landscaped areas percolates to groundwater. At build-out, the total percolation to groundwater of excess applied irrigation is estimated to be 0.206 MGD. For all the irrigation water, it is assumed that the portion percolation to root zone will have a salinity increase of 10 percent and a 50 percent reduction of in the soil: and | In the hundrads of feet of travel by the percolate through the vadose zone (the unsaturated laves between the ground surface and groundwater) and the thousands of feet of travel for groundwater to discharge at the shoreline, natural processes will remove 80 percent of dissolved nitrogen and 95 percent of dissolved phosphorus. |

Page 6 of 13

³ Brackish well water will be treated by RO to produce potable water for Honua ula. The RO process generates brine concentrate in the course of producing potable water. However, by diluting the brine water with other non-potable water (brackish and R-1), the salt content will be reduced to a degree that it can be used for irrigation, thus avoiding the use of injection wells to dispose of the brine. See Section 4.8.1 (Water System) for more details.

| After Fu | | | | | |
|--|----------------------------|-----------------------------|-------------------------|--------------------------|---|
| | iroundwat ull Build-C | er in the Ar ut | ea Downgi | adient of | MGD as a year round average). It is not known if the increase in salinity would materially impair the utility of the wells; however if the utility of the wells is materially impaired, additional wells (pumping the same combined amount of water) in the area north of Maui Mandows would distribute the dired over a manager and allowing the increase |
| Pre-Development Groundwater Withdrawal by On-site Wells (No. 4125-01 and -02) | Flowrate (MGD) | Salinity (PPT) | Nitrogen (lbs/dav) | Phosphorus (lbs/dav) | downgradient. Honuarule and une over a greater area and woud aneviate the impact downgradient. <u>Honuarule Partners, LLC commits to distributing the draft over a greater</u> area if the utility of active Advunctachient wells is domontenated to be materially invested. |
| Withdrawal by On-site Wells (No. 4125-01 and -02) | 7.8 | 1.00 | 228.3 | 5.217 | |
| | 0.43 | 0.95 | 12.59 | 0.288 | In addition, Honua'ula Partners LLC will construct an unsradient soff course monitor well |
| Percolation From the Project Site to Groundwater | | | | | to a depth that will allow the well to also be used to monitor the transition zone below the |
| | No Change | No Change | 0.14 | 0.0077 | basal lens; however available data from wells across the entire aguifer, and more |
| Percolation From the Golf Course | | | | | specifically in the mauka-makai corridor that may be affected by Honua'ula's wells, does |
| RO Concentrate | 0.0203 | 2.651 | 0.170 | 0.0010 | not indicate a monitor well is needed. Nonetheless, the monitor well will be installed |
| WWRF Effluent | 0.0274 | 0.440 | 0.248 | 0.0114 | prior to the start of use of Honua'ula's production wells and periodic profiling of salinity |
| Brackish Water | 0.0240 | 1.045 | 0.070 | 0.0004 | and temperature through the monitor well's water column will be performed. This data |
| Applied Fertilizer Dissolved in Percolate | ; | ł | 0.788 | 0.0066 | will be used to track salinity in the basal lens and the movement. If any, of the transition |
| Percolation From Other Landscaped Areas | | | | | ZONE. |
| Brackish Water | 0.1336 | 1.045 | 0.391 | 0.0022 | |
| Applied Fertilizer Dissolved in Percolate | 1 | I | 0.981 | 0.0082 | All existing on- and off-site wells are fully permitted by CWRM. All new wells will he |
| Post-Development Groundwater | | | | | developed in compliance with all requirements of Chanter 174C HRS (state Matter Code) |
| Amounts | 7.5753 | 1.0062 | 218.498 | 4.9665 | and HRR. Chapters 13-167 to 13-171. as anolicable nertaining to CWRM and |
| Change Compared to Pre-Development | | | | | |
| Flowrate | -2.9% | +0.62% | -4.3% | -4.8% | permits entails: 1) the preparation of an extensive application that includes analysis of a |
| | | | | | the public interest; b) the rights of the Department of Hawaiian Home Lands; c) any |
| As shown on Table 1 the computed changes to groundwater in the area downgradient of | groundwa | ter in the a | rea downg | radient of | interference with any existing legal uses; and d) alternatives; 2) a thorough public and |
| Honua'ula are: 1) a relatively small 2.9 percent reduction in flow rate discharging into the | reduction | in flow rate | dischargin | g into the | ageney review process; 3) public hearing(s); and 4) a formal decision from CWRM. Well |
| marine environment; 2) a relatively insignificant 0.6 percent increase in salinity; 3) a | int 0.6 pe | rcent incre | ase in sali | nity; 3) a | <u>well</u> construction/ pump installation permits also have requires an extensive application |
| reduction in nitrogen loading of 4.3 percent (a | a positive | impact reg | garding oce | ean water | process t hat includes with thorough review by the State Department of Health (DOH) for |
| quality); and 4) a reduction in phosphorus of 4.8 percent (a positive impact regarding | 4.8 perce | nt (a positi | ve impact | regarding | compliance with DOH rules and standards, including the appropriateness of the well |
| ocean water quality). The largest factor contributing to these results is that most of the | outing to t | hese result: | is that m | ost of the | location. Therefore, there will be extensive analysis, review, and evaluation of potential |
| groundwater supply (about 75 percent) will come from the off-site Kama ole wells; the use | e from the | off-site Kai | na'ole wel | s; the use | impacts of any new wells. |
| of this off-site water will: 1) lessen the need to | or grouna | water with | arawais tro | m on-site | |
| Honua'ula wells, thus preserving more groundwater flow to downgradient wells; and 2) contribute to groundwater recharge flowing toward the downgradient wells. | water flow ard the dov | to downgi vngradient | adient wei wells. | ls; and 2) | Cattle Ranching |
| , | | , | | | Cattle ranching activities upslope of the Property and the off-site Honua'ula wells have |
| Based on these results, the hydrologic assessment concludes that the creation of | ssment co | oncludes th | hat the cr | eation of | very limited potential for contamination of Honua'ula's groundwater sources. The areas |
| Honua'ula will not impair Waifea Resort's golf course irrigation wells, with the possible | course irr | igation wel | ls, with the | e possible | |
| exception of a salinity increase in Wailea Resort's Well 2 (No. 4126-02), which is directly | 's Well 2 (| No. 4126-0 | 02), which | is directly | cattle grazing in these areas is extensive, not intensive. The two- and 10-year zones of |
| downgradient of Honua'ula's two on-site wells. Decreased pumping of Honua'ula's on- | . Decrease | ad pumping | of Honua | 'ula's on- | contribution would potentially cover the area from the 500-foot elevation (a short distance |
| site wells would alleviate this potential impact. | | , | | | down slope from the highest point of the Property) to the 1,600-foot elevation |
| | | | | | approximately 10,000 feet upslope of the Property). These elevations are the vertical |
| An estimated six active downgradient wells may be impacted by a potential increase in | ly be impa | icted by a | potential ir | icrease in | travel distances for contaminates to reach groundwater. Substantial natural protection is |
| salinity due to reduced flowrate resulting from Honua'ula's off-site wells, which current | Honua'ula | a's ott-site | vells, which | ch current | provided by these distances as well as the multiple layers of successive lava flows, and |
| carcutations indicate may be on the order of tive percent. These downgradient brackish wells were developed to provide landscape irrigation for individual condominium parcels. | ive percen ation for ir | t. These ac ndividual co | wngragien ondominiur | r brackisn n parcels. | theretore upslope cattle ranching activities are not expected to impact Honua/ula/s anoinchaster contrast |
| and the combined draft of all of these wells is relatively small (in the range | latively sm | all (in the i | ange of 0.1 | of 0.12 to 0.30 | STOUTINT MALE AND LESS |
| Dare 7 of 13 | 13 | | | | Dama 8 of 13 |
| rage / 01 | <u>c</u> | | | | |

| | Colf Course Condition 2 of DOH's "12 Conditions" relates to establishing a groundwater To ensure that Honua'ula's golf course is developed and operated in an environmentally 0 Condition 3 of DOH's "12 Conditions" requires immediate action if data Tersponsible manner and potential impacts to water resources are mitigated, Environmental 0 Condition 3 of DOH's "12 Conditions" requires immediate action if data responsible manner and potential impacts to water resources are mitigated, Environmental 0 Condition 3 of DOH's "12 Conditions" requires immediate action if data responsible manner and potential impacts to water resources are mitigated, Environmental 0 Form the monitoring system indicates increased levels of a contaminate that from the monitoring system indicates increased levels of a contaminate that poses, or may pose, a threat to public health and the environment. | COCUTA 2005 and "Twelve Conditions," Version 4, DOH 1992). The BMPs further satisfy all previous DOH recommendations regarding golf courses, include a modern irrigation system designed to use non-potable water efficiently. The key component of the irrigation system will be a central computer to store information for every sprinkler, including the type of sprinkler, nozzle sizes, location, soil type, slope, infiltration, exposure, etc., so that the exact amount of water norm of the exact amount of water norm of the unation. The golf course will be used for all golf course with several of the DOH's location state protection are infiguration, exposure, etc., so that the exact amount of water norm the function are just turning on sprinklers for a set duration). Control of the intervence of the DOH's infiltration, exposure, etc., so that the complete BMP document. | The overall goal of the Honua'ula BMPs is to reduce the turf chemical and water inputs required to manage the 18-hole golf course and to minimize waste generation. The most required to manage the 18-hole golf course and to minimize waste generation. The most required to manage the 18-hole golf course and to minimize waste generation. The most required to management zone. Each management zone. Each management zone. Each management zone. Traditionally, Hawaii golf courses have used bermudagrass, which presents an excellent traditionally. Hawaii golf courses have used bermudagrass, which presents an excellent playing surface under typical Hawaii conditions. However, the new varieties of Seashore paspalum rival bermudagrass in turf quality and have many additional environmental etcliptes, including tolerance of alternative water sources and high sodium and salt biotech, the potential to substantially reduce fertilizer requirements (including a two-thirds, the potential to substantially reduce fertilizer requirements (including a two-thirds in nitrogen requirements) and minimal need for herbicides and fungicides. | Groundwater Monitoring – Two monitoring wells are tentatively proposed for installation on-site. An existing irrigation well will also be sampled. Baseline sampling and semi- amual operational phase sampling will be done. Analytes will include pesticides and annual operational phase sampling will be done. Analytes will include pesticides and relevant key metabolites, standard field parameters (such as PH and temperature), nitrate, phosphorus, and inorganic substances relevant to the ongoing nearshore monitoring program (see Section 3.5.2 (Nearshore Marine Environment)). A contingency plan is proposed that would trigger pesticides are detected at predetermined concentrations. The groundwater monitoring is required based on review of the prepared in accordance with the DOH's GoH 2005) and will continue until DOH certifies that no further monitoring is required based on review of the data. | In providing and executing the groundwater monitoring program, Honua'ula Partners, LLC will not be impected); and compliance with all Federal, State, and County regulations. The golf maintenance enter is located in an area sufficiently distanced from residential uses and will be designed to further lessen noise to surrounding uses. | Condition 18a, which requires compliance with Condition 1 of DOH's "12 Conditions," which relates to establishing baseline groundwater/vadose zone and nearshore water quality (see Section 3.5.2 (Nearshore Marine Environment) data and reporting findings to DOH; and condition 18b, which requires compliance with Condition 2 and 3 of DOH's "12 Conditions," specifically: | Page 9 of 13 |
|--|---|---|---|---|---|---|--------------|
|--|---|---|---|---|---|---|--------------|

| Attachment Groundwater | | Condition 11 of the UOH's "12 Conditions" relates to: 1) tugitive dust during construction, which is addressed in Section 4.6 (Air Quality) and 2) application of pesticides and chemicals, which is discussed below; and Condition 18g, which requires compliance with Condition 9 of DOH's "12 Conditions," which relates to minimizing noise from golf course maintenance | activities. Integrated Pest Management – Integrated Pest Management (IPM) is an interdisciplinary program that manages pest control tactics in a single system to prevent unacceptable levels of pest damage. IPM uses the least toxic control approach to address pest problems, using chemical controls only when other strategies are not effective. Appropriate control | methods are generally not designed to eradicate pest populations but to manage turt grass in the most economical way with the least effect possible on people, property, and the environment. | The use of IPM avoids the conventional spray approach to pest management and is likely to reduce pesticide use by 30 percent or more. This approach ultimately develops hardier turf grass and increases the population of beneficial organisms and natural enemies to pests. Control tactics are implemented based on pest populations and not by spray | There is no single pest control method that provides complete control of turf grass pathogens (pathogens cause disease), but the multifaceted IPM approach provides the best | and most economical control of pests. Golf courses, like other agricultural commodities, are susceptible to occasional attacks from a rather complex list of pests. These pests and causal agents may be observed during various climatic conditions and life cycles. They may be controlled by a variety of methods. With the IPM approach, pest populations are monitored such that an appropriate treatment is implemented when pest pressure exceeds the action tolerance level of damage to turf. A threshold is a level of damage or potential damage such as the number of insects or weeds per square foot of turf. The treatment may | be one of a variety of pest control measures (e.g., mechanical removal, biorational products, chemical treatments, etc.). The IPM approach will work on every defined management area but must be tailored for each tee, green, fairway, and rough. | Monitoring control systems will provide the basis for developing thresholds and determining any actions necessary for control. The system should be simple, accurate, and part of the daily regimen for turfgrass management. Pests may be defined as bacteria, plant pathogenic fungi, insects, nematodes, rodents, viruses, weeds, etc. The information obtained through monitoring will provide site specific educational knowledge and limit the levels of predictable loss to turf grass. Pest occupancy is very weather-dependent; |
|---------------------------|--|---|---|--|---|---|---|---|--|
| Attachment Groundwater | maintenance facility complex may include soil, sand, grass clippings, petroleum products (small amounts of oil and gasoline), fertilizers, and other typical hard surface runoff substances. There should be minimal to no presence of pesticides in runoff water due to the use of closed-loop recirculating systems and special containment pads. | The maintenance center will include a recycling wash water system for turfgrass equipment. The system will be capable of capturing grass clippings, oil and grease, and trace organics and will include a closed-loop wash/recycle wash-down water system independent of the stormwater drainage system. | Fuel storage will be within a split, above-ground fuel tank. One tank will be used for gasoline, and one for diesel. Both tanks will have double walls with vehicle barriers for accident prevention. The tanks will conform to the Uniform Fire Code and National Fire Protection Association regulations for above-ground tanks and will be designed to meet above-ground regulatory storage requirements in the State of Hawaii. | Pesticide/biocide storage will be in a pre-fabricated building specifically designed for pesticide storage to be ventilated, fire resistant, vapor explosion resistant, vandalism protected, spill self-contained, and climate controlled. The building will be designated | and posted as a pesticide storage area (as required by law) with a list of all chemicals contained in storage on file in the superintendent's office. Fertilizer and other dry bulk material typically contained in bag form will be stored in a separate building with masonry walls to prevent corrosion caused by fertilizer salts. | A self-contained concrete mixing/loading pad, enclosed on three sides, will be designed to safely contain any spill, or emergency release of materials and prevent release of any chemicals or spray mix other than proper application to the turf. | Golf course maintenance equipment and vehicles used on-site will be stored in a paved area of the maintenance center. The floor of the equipment storage area will be hard surfaced, allowing easy clean-up of oil leaks, spills, or other fluids that might come from the equipment. Proper absorbent materials throughout the storage area will allow for quick clean up of spills. No fluids will be allowed to escape this area. Floor drains will not be allowed. | in providing a state-of-the-art golf course maintenance center, Honua'ula Partners, LLC will also be in compliance with County of Maui Ordinance No. 3554: | Condition 18e, which requires compliance with Condition 6 of DOH's "12 Conditions," which relates to storage of petroleum products for fueling golf carts, maintenance vehicles, and emergency power generators that pose potential risk to groundwater; Condition 18f, which requires compliance with Conditions 7, 8, and 11 of DOH's "12 Conditions," specifically: |

Page 11 of 13

Page 12 of 13

Attachment Groundwater

therefore it is necessary to observe pest populations for several years to have a good idea about the range of pest problems.

A fertilizer/hutrient management plan will provide site-specific guidelines and plant requirements to maintain healthy turf grass, avoiding the over-application of nutrients resulting in transportation of dissolved nutrients off-site. Approximately half of the nitrogen fertilizer applied to turf grass is incorporated into the plant; the other half can be found stored in the soil and lost to the atmosphere. Thus there is limited fertilizer nitrogen temaining that can leach into ground water or be transported as runoff into surface water (Petrovic 1990; Cohen 1999). Golf courses can be managed so nitrogen from fertilizers does not contaminate ground water supplies (Petrovic 1990; Cohen 1999).

Biorational/organic products (fungi, bacteria, viruses, nematodes, and non-target insects) will be used whenever it is feasible, and there is a scientific basis to support their use. Biorational products can provide an effective and efficient method of eradicating disease and other pest pressures. Additional methods, such as applying composts containing microorganisms as top dressing and the use of compost teas may also suppress diseases before they harm turfed areas. EKO Compost, located in Pu'unēnē, manufactures and sells compost and compost-based mixtures. When applied as top dressing, EKO compost has been shown to improve yellowing areas on tees and fairways (Burgett 2006; EKO 2006).

Chemical treatments will only be used when a pest is present at significant levels to cause damage and should only be applied when the pest is most vulnerable to the pesticide (i.e., in juvenile stages of development) and when the environment is best suited to manage the application (e.g., not when soil is saturated, or during windy or rainy weather to prevent the amount of potential drift and surface water runoff). If the pest infestation is limited in scope, spot treatments may be possible. When applying chemical controls it is important that equipment is properly calibrated and adequately maintained. Pesticide will be rotated (alternative chemicals, or alternative pest control methods and cultivation controls) to reduce the possibility of pests becoming resistant to the applied chemicals, and also to reduce the frequency of chemical applications.

In implementing an Integrated Pest Management program, Honua'ula Partners, LLC will also be in compliance with County of Maui Ordinance No. 3554 Condition 18f, which requires compliance with Conditions 7, 8, and 11 of DOH's "12 Conditions," specifically:

- Condition 7 of DOH's "12 Conditions" relates to buildings designed to house fertilizers and biocides and was discussed above;
- Condition 8 of DOH's "12 Conditions" relates to a golf course maintenance plan and program in regard to: 1) use of fertilizers and biocides which is discussed above; and 2) irrigation, which was discussed above;
 - Condition 11 of DOH's "12 Conditions" relates, to 1) fugitive dust during construction which is addressed in Section 4.6 (Air Quality) and 2) application of pesticides and chemicals, which is discussed above.

Page 13 of 13

ATTACHMENT NOISE

| Attachment Noise | primarily limited to short-term construction activity and, in the long-term, increases in traffic and human activity within the community. | Short-term Impacts – During construction <u>of Honua'ula, the widening of Pi'ilani</u> Highway, the Wailea lke Drive and Wailea Alanui Drive intersection improvements, and the off-site water and wastewater infrastructure there will likely be noise impacts associated with operation of heavy construction machinery, paving equipment, and material transport vehicles <u>, and possible blasting to break or dislodge rock. As an</u> alternative to blasting, the use of chemical expansion to break or dislodge rock will be considered. Chemical denolition agents are non-toxic and provide environmentally- | intentiony, sate, controlled demonttion, Expansive powers are mixed with water and pound into pre-drilled holes in rock. The non-explosive demolition agent swells and exerts significant expansive thrust on the hole-wall. After a certain period, the pressure induced by the chemical non-explosive demolition agent fractures the wall and splits the rock across the line of the drill holes. These chemicals easily split and fracture mass rock without producing any noise or vibration. | During construction of Honua'ula, the widening of Pi'ilani Highway, the Wailea Ike Drive and Wailea Alanui Drive intersection improvements, and the off-site water and widenater inference Persons process provide managements will be completed as | wastering and a structure trooper proper proper integrating integrates with the entropoyed to minimize construction-related noise impacts and comply with all Federal and State noise control regulations. Increased noise activity due to construction will be limited to daytime hours and persist only during the construction period. Noise from construction activities will be short-term and will comply with State DOH noise regulations (HAR, Chapter 11-46, Community Noise Control). When construction noise exceeds, or is expected to exceed, the DOH's allowable limits, a permit must be obtained from the DOH. Specific permit restrictions for contruction activities are: | No permit shall allow any construction activities that emit noise in excess of the maximum permissible sound levels before 7:00 a.m. and after 6:00 p.m. of the same day, Monday through Friday; No permit shall allow any construction activities that emit noise in excess of the maximum permissible sound levels before 9:00 a.m. and after 6:00 p.m. on Saturday; and | • No permit shall allow any construction activities that would emit noise in excess of the maximum permissible sound levels on Sundays and holidays. The acoustic study concludes that adverse impacts from construction noise (from the widening of Pri'llani Highway and creation of Honua'ula) are not expected to affect public health and welfare due to the temporary nature of the work and the administrative controls regulating noise impacts. <u>Public health and welfare are also not expected to be affected due to the construction of the Wailea Alanui Drive intersection improvements and the off-site water and wastewater infrastructure.</u> |
|---------------------|--|---|---|---|---|--|---|
| Attachment Noise | A.5 NOISE Y. Fhisu & Associates menared an acoustic study to: 1) study the existing and future noise | environment in the environs of Houna'us, and 2) evaluate potential noise impacts environment in the environs of Houna'us, and 2) evaluate potential noise impacts associated with Houna'ula, including the widening of Pi'liani Highway; and 3) provide recommendations for minimizing noise impacts. Appendix N contains the complete acoustic study. Y. Ebisu & Associates also prepared a separate acoustic study specifically for the widening of Pi'liani Highway. Appendix R contains the complete Pi'liani Highway Widening Project Final EA. Appendix F of the Final EA contains the acoustic study specifically for the widening of Pi'liani Highway. | Sources of noise in the vicinity of the Property stem from traffic traveling along Pi'ilani Highway and other surrounding roads, distant construction, and natural sources, such as wind, rain, and birds. <u>Sources of noise in the vicinity of the Wailea Alanui Drive</u> intersection include traffic noise from vehicles transversing the intersection. <u>Sources of</u> noise in the vicinities of the off-site wells, waterline, storage tank, and the wastewater transmission line alignment for possible connection to the Måkena Resort WWRF (off site | water and sewer infrastructure) include activity associated with human habitation, and natural sources, such as wind, rain, and birds. | Currently, existing traffic noise levels along Pi'ilani Highway south of Maui Meadows in the immediate vicinity of the Property do not exceed U.S. Federal Highway Administration (FHWA) or State DOT noise standards for residential structures. However, existing traffic noise levels at two residences adjacent to Pi'ilani Highway north of the Pi'ilani Highway/Okalani Drive/Mikioi Place currently exceed State DOT noise standards for residential structures. | Some existing residences makai of Pr'ilani Highway presently benefit from the noise shielding effects of walls which have been constructed along the lot boundary lines. Residences in the Maui Meadows subdivision on the mauka side of the highway benefit from the noise shielding effect of the large highway cuts. In general, if the visual lines of sight between the residences are blocked by the walls or the highway cuts, residences experience lower traffic noise levels due to the sound attenuation effects of the obstructions. | Along Wailea Ike Drive existing traffic noise levels do not exceed the FHWA or DOT noise standards for residential structures at Wailea 'Ekolu Village, which is located on the south side of Wailea Ike Drive. Existing traffic noise levels from Wailea Ike Drive also do not exceed FHWA and DOT noise standards for commercial buildings. <i>POTENTIAL IMPACTS AND MITICATION MEASURES</i> Potential impacts on the ambient quality of the site and surrounding area due to the creation of Honua'ula. the widening of Pi'illani Highway, the Wailea Alanui Drive intersection improvements, and the off-site water and wastewater infrastructure, are |

Page 1 of 4

Page 2 of 4

| Attachment Noise | To mitigate impacts to residences along Pi'ilani Highway subject to noise levels that exceed FHWA and DOT residential noise standards, sound attenuating walls are recommended in accordance with DOT's traffic noise abatement policy ¹ . <u>Walls fronting</u> two lots mauka of Pi'ilani Highway and one lot makai of Pi'ilani Highway have a possibility of being considered as reasonable and feasible under the current DOT traffic noise abatement policy. Landscaping should be considered on the roadway side of sound attenuating walls to mitigate potential visual impacts and the potential for graffiti. | addressing the impacts (including noise impacts) of the widening PY/IIani Highway is being prepared and will be submitted to the State OEQC for public and State agency review. The DOT will be the accepting authority for the EA has accepted the final EA and issued a Finding of No Significant Impact which was published in the OEQC's The Environmental Notice on May 8, 2012. | While a specific acoustic study was not prepared for the Wailea lke Drive and Wailea Alanui Drive intersection improvements, long-term impacts are not expected to be significant as the improvements will accommodate anticipated future traffic while providing similar vehicle flow and queuing times at the intersection as compared to exiting conditions. | Long-term noise impacts from the off-site water and wastewater infrastructure are not expected to be significant, as after these facilities are created there will be very little to no noise generating activity associated with on-going operations. | To mitigate potential noise from golf course maintenance activities and facilities, in compliance with County of Maui Ordinance No. 3554 (Condition 18g), the golf maintenance center is located in an area sufficiently distanced from residential uses and will be designed to further lessen noise to surrounding uses. All golf course maintenance will be conducted in a manner so as not to cause a nuisance to residents. | | | ¹ "Noise Analysis and Abatement Policy" State of Hawaii Department of Transportation, Highways Division, Materials, Testing, and Research Branch; June 1997. Under this policy if the cost of the sound attenuating wall does not exceed \$35,000 per benefited residence, construction of the walls can be considered to be reasonable and feasible. | |
|---------------------|--|---|---|---|--|---|--|---|--|
| Attachment Noise | Long-term Impacts – The acoustic study concludes that the widening of Pi'ilani Highway and the creation of Honua'ula will not cause increases in traffic noise levels that would exceed DOT's criteria signifying a substantial change, which is defined as an increase of 15 decibels (dB) or more over existing conditions. By the year 2022 maximum increases in traffic noise levels in the vicinity of Honua'ula should not increase more than 10 decibels (dB) along Pi'ilani Highway and 3.6 dB along Wailea Ike Drive as a result of: 1) regional growth in traffic volumes; 2) the widening of Pi'ilani Highway; 3) the creation of Honua'ula; and 4) the planned extension of Pi'ilani Highway into Honua'ula to connect with Karkhi Street | While a substantial change in noise levels (as defined by DOT) will not occur, by the year 2022 the number of residences along Pi'ilani Highway subject to noise levels that exceed DOT residential noise standards is projected to increase from two residences under existing conditions to: | 13 residences due to regional increases in traffic even if Pi'ilani Highway is not widened and Honua'ula is not built; 14 residences if Pi'ilani Highway is widened and Honua'ula is not built; and 16 residences if Pi'ilani Highway is widened and Honua'ula is built. | In other words, noise levels along Pr'ilani Highway are projected to increase even if Pr'ilani Highway is not widened and Honua'ula is not built. Noise levels at two residences adjacent to Pr'ilani Highway currently exceed State DOT noise standards for residential structures. By 2022 this number will increase to 13 due to regional increases in | traffic conditions even if Pri'llan Highway is not widened and Honua'ula is not built. If Pri'llani Highway is widened and Honua'ula is built, by 2022 noise levels at three additional residences adjacent to Pri'llani Highway would exceed State DOT noise standards for residential structures. Thus, the direct impact of widening Pri'llani Highway and building Honua'ula is that three additional residences adjacent to Pri'llani Highway would exceed State DOT noise standards for residential structures compared to projected future conditions if Pri'llani Highway is not widened and Honua'ula is not built. Therefore | the primary noise impacts to residences adjacent to Pi'ilani Highway are from regional increases in traffic that are projected to occur even if Pi'ilani Highway is not widened and Honua'ula is not built, and not the direct result of the widening of Pi'ilani Highway and the building of Honua'ula. | Under all of the above scenarios, by the year 2022 future traffic noise levels along Pl'ilani Highway <u>fronting Honua'ula</u> and <u>along</u> Wailea Ike Drive should not exceed FHWA and DOT noise standards for residential or commercial structures. Future traffic noise levels along the Pl'ilani Highway extension into Honua'ula should not exceed FHWA and DOT noise standards for residential or commercial structures, since adequate setback distances | from the highway extension's centerline will be provided in accordance with Section 19.90A.030(E)(6), MCC. In addition, DOT's criteria for a substantial change in noise levels will not be exceeded for existing residences at Wailea 'Ekolu Village and Diamond Resort. | |

Page 3 of 4

Page 4 of 4

| 4.10.5 Recreational Facilities |
|--|
| There are over 3.8 acres of total park land per 1,000 residents in the Kihei-Mäkena area. Over 90 percent of Kihei-Mäkena's parks are either directly on a beach, or separated from a beach by a road. The Kihei-Mäkena public currently has access to ten tennis courts, three tot lots, six sport fields, four sport courts, and two community centers, in addition to the supplemental facilities offered by resorts in the area. The following County public parks and community centers are available in the region: |
| Kama'ole Beach Park (I, II, III); Charlie Young Beach; Kalama Beach Park; Kama'ole Point: |
| Keone are solved Keone Park; Cove Park; Vitohood Park; |
| Kinotana and Kinotana and Kenolio Recreation Complex; and |
| Kenolio Park; Po'olenalena Beach Park; Kalepolepo Beach Park, Lot 2-A; |
| <u>Haycratt Park (Ma'alaea);</u> <u>Ma Poina 'Oe la'u Park;</u> <u>Kihei Beach Preserve;</u> <u>Hale Pi'ilani Park; and</u> Kihei Aquatic Center. |
| The total County-owned sub-regional park space in the Kihei-Mākena region is approximately 114.2 acres, with the bulk of the community's parks categorized as special use beach parks." Special use parks serve a regional or islandwide populace because their activities or points of interest are tied to a specific location. |
| Kilohana Park, located on Kilohana Drive, is the County park facility nearest to Honua'ula. |
| Despite a relativity large ratio of park area to people in comparison to other communities, according to the <i>Public Facilities Assessment Update County of Maui (R.M. Towill</i> <u>Corporation 2007</u>) the Kthei-Måkena region has a deficiency of <u>County</u> park space and facilities, <u>including beach parks</u> ; however there is still land area available that is more than adequate to accommodate future park development (R.M. Towill Corporation 2007). The County is in the process of developing a 44-acre park site near Kfhei Elementary School, which will include six sports fields and a gym with community meeting rooms. According to the Public Facilities Assessment, the County also has a 150-acre parcel |

Attachment Recreational Facilities

According to the Public Facilities Assessment, the County also has a 150-acre parcel mauka of Kamali'i Elementary school which may be developed for a park, or used as an

ATTACHMENT RECREATIONAL FACILITIES

| Attachment | Attachment |
|--|---|
| Recreational Facilities | Kecreational Facilities |
| exchange for suitable park land in another area of the region (R.M. Towill Corporation 2007). | course that will link to several other trail segments and a Nature/Cultural trail that will border the Native Plant Preservation Area and traverse an adjacent Native Plant Conservation Area (Fjoure 12): and 3) an 18-hole homeowner's onlf course and related |
| <u>There are currently 28.8 acres of County beach parks the Kilpei-Måkena region (R.M.</u> Towill Cornoration 2007) This does not include Ultua Wailea Polo Palauea | |
| each, Martine and All All All All (R.M. Towill Corporation 2007) projects a need for an add | To provide the greater community the opportunity to enjoy the recreational benefits of the golf course, in compliance with County of Maui Ordinance No. 3554 Honua'ula Partners, LLC will: |
| of County beach park space by 2030 ¹ . | Allow one non-profit organization per quarter, other than Maui Junior Golf Association ("Maui Junior Golf"), to use the golf course and clubhouse for a fund- |
| In addition to County parks, Mākena State Park is located in the Kīhei-Mākena region. This | raising activity (Condition 12a); |
| 164-acre scenic wildland beach park is characterized by prominent cinder cone Pu'u Õla'i and a large white sand beach. Because it is a State park, the 164 acres of Makena | Develop an organized instructional program for junior golfers from September to January each year, allow Maui Junior Golf to use the golf course in accordance |
| State Park is not included in the inventory of County beach parks provided in the Public Escription Accessment Underse County of Maiu (P. M. Towill Composition, 2007) not in the | with an instructional program, and sponsor one Maui Junior Golf fund-raising |
| area of Makena State Park considered in relation to the projected need for an additional | Allow for the Maui Interscholastic League and the Hawai'i High School Athletic |
| <u>37 acres of County beach park space by 2030.</u> | Association to each use the golf course once per year for an official golf tournament or results season plavoff if requisited (Condition 12c); and |
| Wailea Resort contains several recreational facilities, including the three championship | Allow for Maui residents to play at the polf course on Tuesday of each week at a |
| golf courses, an 11-court tennis center, and white sand beaches with public access, as | discounted rate that does not exceed 40 percent of the average market rate in South |
| well as amenities within the Wailea Resort. <u>Public beaches fronting or near the the Wailea</u> Resort include: Ulua Beach. Wailea Beach, and Polo Beach. The Mākena Resort includes | Maui for green fees and golf cart rental fees (Condition 12d). |
| the Mäkena North and South golf courses as well as the Mäkena Tennis Club. Public | To heln alleviate the shortage of nark snace and facilities in the KThei-Mäkena region in |
| beaches fronting or near the the Mākena Resort include: Palauea Beach and Po'olenalena | compliance with County of Maui Ordinance No. 3554 (Condition 11), Honua'ula |
| <u>Beach.</u> | Partners, LLC will develop six acres of private parks and 84 acres of open space within Homaruatula. The private parks will be open to the public and privately maintained |
| In addition to parks and related recreation facilities, the Kihei-Mākena region also contains | Furthermore, the private parks and open space will not be used to satisfy the park |
| facilities for recreational boaters at the Kihei Ramp. The 11.5 acre Kihei Ramp facility is | assessment requirements under Section 18.16.320, MCC, or for future credits under the |
| manged by the Department of Land and Natural Resources, Division of Boating and | subdivision ordinance. The Director of Parks and Recreation and Honua'ula Partners, LLC |
| Ocean Recreation and contains three boat ramps (accommodated by one 35 foot-wide | agree that the park assessment will be satisfied with an in-lieu cash contribution for the |
| ramp), two loading docks, and parking for cars and trailers. The Public Facilities <u>Assessment Update County of Maui</u> (R.M. Towill Corporation 2007) projects the need for | entire project. The amounts and timing of payment of the in-lieu fees shall be subject to the provisions of Section 18.16.320, MCC. This cash contribution will be used to upgrade |
| three additional boat ramps island wide by 2030 based on island-wide population increases projected by the Maui Planning Department. | Maul County parks and facilities, which may include beach parks, as determined by the Department of Parks and Recreation in accordance with their park facility priorities. |
| POTENTIAL IMPACTS AND MITIGATION MEASURES | Additionally, in compliance with County of Maui Ordinance No. 3554 (Condition 10), Homorula arrase that in lian of the dedication of a 1 the Learne field and related |
| Honua'ula will include: 1) neighborhood parks open to the public but privately maintained; 2) over 12 miles of pedestrian and bike trails along the community's roadways, gulches, and drainage ways, including a scenic trail along portions of the golf | notida una agrees una infrieur on une deucation or a Little League amenities and based on current land and construction cost estimates for the Little League Field, not less than \$5,000,000 will be paid to the County upon Project District Phase II approval for the development of the South Maui Community Park. The amount shall not be credited against future nark assessments |
| | |
| ¹ The park planning standards, used in the Public Facilities Assessment Update County of Maui were obtained from: 1) Department of Parks and Recreation. City and County of Honolulu (1980); 2) Department of Parks and Recreation. County of Maul. Open Space and Outdoor Recreation Plan (2002); and 3) National Recreation and Parks Association (NHPA 2000). | In their comment letter on the EA/EISPN, the Department of Parks and Recreation (DPR) stated that they have no objections to Honua'ula. DPR stated further: |
| | Dang 2 of 4 |

Attachment Recreational Facilities

The 6 acres of private parks and 84 acres of open space proposed to be developed outside of park assessment requirements, in addition to the agreement to satisfy the provisions of Section 18.16.320, Maui County Code, with an in-lieu cash contribution for the entire project, meets with our approval. The applicant's offer of payment not less than 55,000,000 the County in lieu of the dedication of a Little League Field, upon Project District Phase II approval for the development of the South Maui Community Park is also acceptable. Finally, the applicant's agreement to support Maui Junior Golf, MIL athletic groups, and provide reduced rates for kama'aina is a favorable commitment.

In addition, in their comment letter on the Draft EIS DPR stated:

The Draft Environmental Impact Statement for the subject project adequately addresses the concerns of the Department of Parks and Recreation. We have no additional comments or objections to the subject project at this time. Regarding beach use by Honua'ula residents, it is assumed that some Honua'ula residents will go to Maui beaches; however the number of Honua'ula residents going to a specific beach on any given day cannot be known and it cannot be assumed that Honua'ula residents will patronize only the beaches nearby Honua'ula, such as Ulua, Wailea, Polo, Palauea, Po'olenalena, Keawakapu, and Makena beaches; rather it is likely that they could choose to go to any beach in the Kithei-Mākena region or on the entire island.

Maui Planning Department population projections indicate that the Maui and the Kihei-Mäkena populations are increasing. This increase is projected with or without Honua'ula. The additional population will use public facilities, such as beaches. Therefore increased beach use and associated impacts will occur with or without Honua'ula. Furthermore many of Honua'ula's future residents may already be existing Maui residents making periodic use of public facilities such as beaches because Honua'ula's 450 on-site workforce affordable homes must be offered for sale to Maui residents. Based on a household size of 2.5 people per household approximately 1.125 (73 percent) of Honua'ula's future 1.541 full-time residents may be existing Maui residents. Regarding the Kihei Boat Ramp and boat ramp facilitates on Maui in general, it is not anticipated that Honua'ula will trigger the need for additional boat ramp facilitates considering that: 1) the County projects a population increase with or without Honua'ula. 2) approximately 73 percent of Honua'ula's future residents may already be exiting Maui residents; and 3) relatively few new boat ramps will be necessary by 2030 to support the island wide population increase projected by the County.

ATTACHMENT REFERENCES

Page 4 of 4

| Attachment References | Bruner, P. 2004. Avifaunal and Feral Mammal Field Survey of Wailea 670. La'ie, Hawai'i: Report prepared for WCPT/GW Land Associates LLC. | Chapman, P. and Kirch, P. 1979. Archaeological Excavation at Seven Sites, Southeast Maui, Hawaiian Islands. Honolulu, Hawai'i: Bishop Museum, Department of Anthropology Report Series. | Char, W.P. 1993. <i>Wailea Ranch (Maui Wailea 670) Botanical Survey Update</i> . Honolulu, Hawai'i. Letter report dated 19 July 1993 to D. Hulse, PBR HAWAII. | Char, W.P. 2004. <i>Wailea 670 Property Botanical Resources Update</i> . Letter report dated 30 August 2004 to Charlie Jencks, Wailea 670 Associates. | Char, W.P. and Linney, G.K. 1988. <i>Botanical Survey, Maui Wailea 670 Project, Wailea,</i> Makawao District, Island of Maui. Honolulu, Hawai'i: Report prepared for PBR HAWAII. | Cordy, R. 1974. Cultural Adaptation and Evolution in Hawaii: A Suggested New Sequence. Journal of the Polynesian Society. | Cordy, R. and Athens, J. 1988. Archaeologocial Survey and Excavations, Seibu Sites 1916 and 2101, Makena, Honua'ula, Maui. Honolulu, Hawai'i: International Archaeological Research Institute, Inc. | County of Maui. 1998. <i>Kthei-Mākena Community Plan.</i> Wailuku, Hawai'i. | County of Maui, Department of Environmental Management, Solid Waste Division by GBB Solid Waste Management Consultants. 2009. <i>Integrated Solid Waste Management</i> Plan. | County of Maui, Office of Economic Development. 2008. <i>Maui County Data Book 2008</i> . Kīhei, Hawai'i: Hawaii Business Research Library. | County of Maui, Planning Department. 2006. Socio-Economic Forecast: The Economic Projections for the Maui County General Plan 2030. Wailuku, Hawai'i. | County of Maui, Planning Department. 2009. <i>South Maui Development Projects Māʿalaea to Mākena</i> . Wailuku, Hawai'i. Available online at http://co.maui.hi.us/documents/ | Planning/Long Range Division/GIS Maps/DevProj200907_SouthMaui_WM.PDF. Drew: 11 معط McCuiran 1M Prevention of Crime: 4n overview of Gated Communities | and Neighborhood Watch. Copyright 1996-2005, International Foundation for Protection Officers [www.ifpo.org/articlebank/gatedcommunity.htm]. | |
|--------------------------|---|---|--|--|--|---|---|---|---|--|---|--|---|---|--|
| Attachment References | 10 REFERENCES | Aki Sinoto Consulting, LLC, Hana Pono, LLC, and Munekiyo and Hiraga, Inc. 2010. Cultural Resource Preservation Plan: Proposed Honua'ula Development Paeahu, Palauea, & Keauhou ahupua'a Makawao District, Maui Island (TMK: (2) 2-1-08: por 56 and 71. Honolulu, Hawai'i: Report prepared for Honua'ula Partners, LLC. | Altenberg, L. 2007. <i>Remnant Wiliwili Forest Habi</i> tat at Wailea 670, Maui, Hawai'i. Kihei, Hawai'i. | Austin, Tsutsumi & Associates, Inc. 2010. <i>Traffic Impact Analysis Report Honua'ula, Wailea, Maui, Hawai'i</i> . Honolulu, Hawai'i: Report prepared for Honua'ula Partners, 11.C | | Housing Project and Honua'ula Project District, Wailea, Maui, Hawai'i. Honolulu, Hawai'i: Report prepared for Honua'ula Partners, LLC. | Austin, Tsutsumi & Associates, Inc. 2009. <i>Transportation Management Plan for Post-</i> <i>Construction Operations of Ka'ono'ulu Affordable Housing Project and Honua'ula</i> <i>Project District, Wailea, Maui, Hawai'i</i> . Honolulu, Hawai'i: Report prepared for Honua'ula Partners, LLC. | B.D. Neal & Associates. 2009. Air Quality Study for the Proposed Honua'ula Project, | warrea, Maur. Naru. Narua. Nawar I. Neport prepared for France data arrierts, LCC Baker, H.L. et al. 1965. <i>Detailed Land Classification, Island of Maui</i> . Honolulu, Hawai'i: Land Study Bureau, University of Hawai'i. | Barrere, D. 1975. Wailea: Waters of Pleasure for the Children of Kama. Honolulu, Hawaii: Bishop Museum | <u>Blakely, E. J. 1999. The Gated Community Debate. Urban Land.</u> | Blakely, E. J. and Snyder, M. 1997. Fortress America Gated Communities in the United States. Washington D.C.: Brookings Institution Press. | Bruner, P. 1988. Survey of the avifauna and feral mammals at Mäkena 700 property, Mäkena, Maui. La'ie, Hawai'i: Report prepared for PBR HAWAII. | Bruner, P. 1993. Faunal (Bird and Mammal) Survey of Wailea Ranch (Maui Wailea 670), Maui. La'ie, Hawai'i: Report prepared for PBR HAWAII. | |

Page 1 of 8

Page 2 of 8

| Attachment References | Kennedy, J. 1988. Archaeological Survey Results Concerning the Proposed Maui Wailea 670 Development. TMK: 2-1-08:56 & 71. Letter Report. Archaeological Consultants of | riawari. male iwa, Olanu. <u>Kirch, P.V. 1977. Valley Agricultural Sys</u> tems in Prehistoric Hawaii: An Archaeological <u>Consideration. Asian Perspectives.</u> | Kirch, P.V. 1985. Feathered Gods and Fishhooks: An Introduction to Hawaiian Archaeology and Prehistory. The University of Hawai'i Press. Honolulu, Hawai'i. | Kleiger, P. et. al. 1992. Archaeological Data Recovery Report for Parcel SF-7, Wailea, Paeahu Ahupua'a, Makawao District, Island of Maui. Honolulu, Hawai'i: Prepared for Wailea Resort Co. Ltd. | La Perouse, J.F.D. 1798. A Voyage Round the World, performed in the years 17851788, by the Boussole and Astrolabe. London, England. | Le COIX, K. 2004. Cated communities sprawl in Southern California and social segregation. Paper presented at the International Conference on gated communities. | Marine Research Consultants, Inc. 2010a. Assessment of Marine Water Chemistry for the Honua'ula Project Wailea, Maui. Honolulu, Hawai'i: Report prepared for Honua'ula Partners, LLC. | Marine Research Consultants, Inc. 2010b. Assessment of Marine Community Structure Honua'ula Project Wailea, Maui. Honolulu, Hawai'i: Report prepared for Honua'ula | Partner's, LLC. <u>Marine Research Consultants, Inc. 2011. Marine Environmental Monitoring Program:</u> <u>Honua'ula Wailea, Maui, Water Chemistry Report 1-2011. Honolulu, Hawai'i: Report</u> prepared for Honua'ula Partners, LLC. | Maui Planning Department, 2006. Socio-Economic Forecast: The Economic Projections for the County of Maui General Plan 2030. | <u>Medeiros, A.C., L.L. Loope, and C. Chimera. 1993. Biological inventory and management</u> <u>recommendations for Kanaio Natural Area Reserve. Report to Hawaii Natural Area</u> <u>Reserve Commission. Haleakala National Park.</u> | Munekiyo & Hiraga, Inc. 2010. Final Environmental Assessment Wailea Ike Drive and Wailea Alanui Drive Intersection Improvements. Wailuku, Hawai'i: Report prepared for Honua'ula Partners 11.C | |
|--------------------------|--|--|---|--|--|---|--|---|--|--|--|--|---|
| Attachment References | Donham, T.K. 1986. Archaeological Survey Test Excavations, Kapalua Hotel Development Site 2-H, Kapalua Bay Resort, Land of Honokahua, Lahaina Disctrict, Island of Maui. PHRI, Inc. Report No. 227-052286. Hilo, Hawai'i. On file at SHPD, Kapolei, Hawai'i. | Environmental & Turf Services, Inc.: Ingram, K., Barnes, N.L., Cohen, S.Z., Baris, R., Ma, Q.L. 2010. <i>Draft Best Management Practices for the Honua'ula Golf Course</i> . Wheaton, Maryland: Report prepared for Honua'ula Partners, LLC. | Fredericksen, E. M. and Fredericksen D.L. 1998. Archaeological Inventory Survey Report on a 1-acte Parcel Located in Waipao ahupua'a Honua'ula, Makawao District, Maui Island (TMK: 2-1-07:71). Pukalani, Maui: Report prepared for Mr. Robert Cella. | Gosser, D. et al. 1997. Data Recovery Procedures in Parcels III and IV, Mākena Resort Corporation, Mākena, Makawao, Maui. Honolulu, Hawai'i: Report prepared for Wailea Resort Company, Ltd. | Gosser, D. et al. 1993. Na Lawai'a O 'Ao'Ao Kona O Ka Moku: Excavations at the Southern Acreage and Lot 15, Wailea, Maui. Honolulu, Hawai'i: Report prepared for | Wallea Kesort Corporation. | Croup 70. 2009. Kihei High School State of Hawai't, Department of Education Kihei, Maui, Hawai'f Environmental Impact Statement Preparation Notice. Honolulu, Hawai't: Report preared for State of Hawai't Deparment of Education Facilities Development Branch.Group 70. 2011. Kihei High School State of Hawai't, Department of Education Kihei, Maui, Hawai't Draft Environmental Impact Statement. Honolulu, Hawai't: Report | preared for State of Hawai'i Deparment of Education Facilities Development Branch. | Halistrom Group Inc., The. 2009. <i>Market Study, Economic Impact Analysis, and Public Costs/Benefits Assessment of the Proposed Honua'ula Community, Wailea, Maui, Hawai'i</i> . Honolulu, Hawai'i: Report prepared for Goodfellow Brothers, Inc and Honua'ula Partners, LLC. | Hammatt, H. 1979. Archaeological Reconnaissance of the Proposed Wailea View Estates Subdivision and Other Lands in a 700 Acre Parcel at Paeahu and Palauea, Honua'ula, Maui Island. Letter Report. Archaeological Research Center Hawai'i, Lāwa'i, Kaua'i. | Hana Pono, LLC.: Tau'a, K. and Kapahulehua, K. 2009. <i>Cultural Impact Assessment for the Proposed Honua'ula Development</i> . Ha'íkū, Hawai'i: Report prepared for WCPT/GW Land Associates LLC. | Handy, E.S.C. 1940. <i>The Hawaiian Planter Volume I: His Plants, Methods and Areas of Cultivation</i> . Honolulu: Bishop Museum Bulletin 161. | Handy and Handy. 1972. Native Planters in Old Hawai'i: Their Life, Lore, and Environment. Honolulu: Bishop Museum Bulletin 233. |

| Attachment References | Sinoto, A. and Pantaleo, J. 2000. Archaeological Inventory Survey of the 190 Acre Southermost Portion of Lands Known as Wailea 670, Palauea, Keauhou, Makawao, Maui, TMK 2-1-08: Por 56 and 71. Honolulu, Hawai'i: Report prepared for WCPT/GW Land Associates, LLC. | Sinoto, A. and Pantaleo, J. 2001. Addendum Survey Report: Supplemental Inventory Survey Procedures in the Northern and Southern Portions of Lands Known as Wailea 670, Paeahu, Palauea & Keauhou, Makawao, Maui, TMK 2-1-08: 56 and 71. Honolulu, Hawai'i: Report prepared for WCPT/GW Land Associates, LLC. | <u>Sinoto, A. and Pantaleo, J. 2008. Draft Revised Archaeological Inventory Survey:</u> <u>Supplemental Archaeological Procedures Proposed Honua'ula Development Area,</u> <u>Paeahu, Palauea, & Keauhou ahupua'a, Makawao District, Maui Island TMK: 2-1-08:</u> <u>56 and 71. Honolulu, Hawai'i: Report prepared for Honua'ula Partners, LLC.</u> | State of Hawai'i, Department of Agriculture. 1977. Agricultural Lands of Importance to the State of Hawai'i. Honolulu, Hawai'i. State of Hawai'i. Department of Health. 2008. 2006 State of Hawaii Water Quality | Monitoring and Assessment Report: Integrated Report to the U.S. Environmental Protection Agency and the U.S. Congress Pursuant to Sections §303(D) and §305(B), Clean Water Act (P.L. 97-117). Honolulu, Hawai'i. | State of Hawai'i, Department of Health, Office of Environmental Quality Control. 1999. <i>Cuidelines for Sustainable Building Design in Hawai'i: A Planner's Checklist.</i> Honolulu, Hawai'i. | State of Hawai'i, Department of Health. 2010. Personal communication between PBR Hawaii and David C Penn. TMDI Coordinator Environmental Plannins Office. State of | Hawaii Department of Health, February 18, 2010. Sterling, E. 1998. <i>Sites of Maui</i> . Honolulu: Bishop Museum Press. | Stocker, T. et al. 1992. Archaeological Inventory Survey of a Portion of Parcel MF-12 (TMK 2-1-08:42) Wailea, Maui Island, State of Hawai'i. Honolulu, Hawai'i: Prepared | for Wailea Resort Co. Ltd. | <u>SWCA Environmental Consultants, Inc. 2008. Wildlife Survey of Wailea 670 Alternative</u> <u>Wastewater Alignments, Wailea, Maui. Honolulu, Hawai'i: Prepared for Honua'ula</u> <u>Partners, LLC.</u> | SWCA Environmental Consultants, Inc. 2009 <u>a</u> . <i>Botanical Survey of Alternative Wastewater Line Alignments for Honua ula (Wailea 670), Kithet, Maui</i> . Honolulu, Hawai'i: Report prepared for Honua'ula Partners, LLC. | Page 6 of 8 |
|--------------------------|---|---|--|--|---|--|---|--|---|--|---|---|-------------|
| Attachment References | Munekiyo & Hiraga, Inc. 2012. Final Environmental Assessment Pi'ilani Highway Widening Project (Kilohana Drive to Wailea Ike Drive). Wailuku, Hawai'i: Report prepared for Honua'ula Partners, LLC, A&B Wailea LLC, Keaka LLC, and ATC Makena Holdings LLC. | <u>Nasser, H. E. 2002. Cated communities more popular, and not just for the rich. USA</u> <u>Today.</u> PBR HAWAII. 1988. Maui Wailea 670 Final Environmental Impact Statement. Honolulu, | Pawaru. PBR HAWAII. 1992. Application for Submittal for Change in Zoning and Wailea 670 Community District Development Approval Phase I Kihei-Mākena Community Plan Wailea 670 Community District 9. Honolulu, Hawai'i. | Price, J.P., S.M. Gon, J.D. Jacobi, and D. Matsuwaki. 2007. Mapping Plant Species Ranges in the Hawaiian Islands: Developing a Methodology and Associated GIS Layers. Hawai'i Cooperative Studies Unit, University of Hawai'i at Hilo, Tech. Rept. HSCU- 008. | Pūkuʻi, M.K. et at. 1974. <i>Placė Names of Hawaiʻi</i> . Honolulu, Hawaiʻi. University of Hawaiʻi Press. | Pūku'i, M.K. 1983. <i>'Õlelo No'eau: Hawaiian Proverbs & Poetical Sayings</i> . Honolulu: Bishop Museum Press. | Quintal, D. and Thompson, S. 2007. Cated Communities: The search for security. Paper presented at the State of Australian Cities National Conference. | R.M. Towill Corporation. 2007. Public Facilities Assessment Update County of Maui. Honolulu, Hawai't: Report prepared for Planning Department County of Maui. | Schilt, A.R. 1988. Archaeological Reconnaissance Survey of Seibu Parcels III and IV, Makena, Maui. Honolulu, Hawai'i: Report prepared for Makena Resort Corporation. | Sinoto, A. Aki Sinoto Consulting, LLC. 2010. <i>Revised Archaeological Inventory Survey:</i> Sumlemental Archaeological Pricedures Princeed Houristila Development Area | paperturbation and a subject of the | Sinoto, A. and Pantaleo, J. 1993. Archaeological Inventory Survey of the Proposed Cinder Haul Road, Keauhou, Makawao, Maui Island (TMK 2-1-08:71). Honolulu, Hawai'i: Report prepared for WCPT/GW Land Associates, LLC. | Page 5 of 8 |

| Attachment References | United States Environmental Protection Agency. 2007. Reducing Stormwater Costs through Low Impact Development (LID) Strategies and Practices. Washington, D.C.: Report prepared under Contract No. 68-C-02-108. | United States Fish and Wildlife Service. 2009. USFWS Species Assessment and Listing Priority Assignment form for Canavalia pubescens. Region 1. | United States Fish and Wildlife Service. 2010. USFWS Species Assessment and Listing Priority Assignment Form for Canavalia pubescens. Region <u>1.</u> | United States Fish and Wildlife Service. 2011. Endangered and Threatened Wildlife and Plants. Review of Native Species That Are Candidates for Listing as Endangered or Threatened: Annual Notice of Findings on Resubmitted Petitions: Annual Description of | Progress on Listing Actions. Federal Register 76 (207): 66370-66439. | United States Geological Survey: Pat Shade. 1999 <u>. Water Budget of East Maui, Hawaii</u> USGS Water Resources Investigations Report 98-04159. | United States Geological Survey: John Engott and Thomas Vana. 2007. <u>Effects of</u> <u>Agricultural Land-Use Changes and Rainfall Recharge in Central and West Maul.</u> <u>Hawaii:</u> USGS Scientific Investigations Report 2007-5103. | Van Gelder, E., and S. Conant. 1998. Biology and conservation of Manduca blackburni. Report to U.S. Fish and Wildlife Service, Honolulu, Hawai'i. 52 pp. | Waimea Water Services, Inc. 2004. Water Resources Review of the Kama'ole Aquifer. | Walton, B. 1972. Archaeological Survey, Palauea and Keauhou Section, Pi'ilani Highway, Island of Maui. Honolulu, Hawai'i: Reprort prepared for State of Hawai'i, DOT. | Wilson Okamoto and CWRM. 2008. <i>Hawai'i Water Plan: Water Resource Protection</i> <i>Plan</i> . Honolulu, Hawai'i: Report prepared for State of Hawai'i, DLNR CRWM. | Wilson Okamoto Corporation. 2010. <i>Preliminary Engineering Report Honua'u</i> la <i>Wailea,</i> <i>KThei-Mäkena, Maui</i> . Honolulu, Hawai'i: Report prepared for Honua'ula Partners, LLC. | Y. Ebisu & Associates. 2009. Acoustic Study for the Honua'ula Development, Wailea, Maui. Honolulu, Hawai'i: Report prepared for Honua'ula Partners, LLC. | | Page 8 of 8 |
|--------------------------|---|---|---|---|---|---|--|---|---|--|--|--|---|--|-------------|
| Attachment References | SWCA Environmental Consultants, Inc. 2009b. Biological Survey Wailea Alanui/Wailea Ike Dr. Intersection, Wailea, Maui. Honolulu, Hawai'i: Prepared for Honua'ula Partners, LLC. | SWCA Environmental Consultants, Inc. <u>2009c. Pi'ilani Highway Botanical Survey, Kihei,</u> Maui: Honolulu, Hawai'i: Report prepared for Honua'ula Partners, LLC. | <u>SWCA. Environmental Consultants, Inc. 2009d. Pi'ilani Highway Wildlife Survey, Wailea,</u> <u>Maui. Honolulu, Hawai'i: Report prepared for Honua'ula Partners, LLC.</u> | SWCA Environmental Consultants, Inc. 2010a. <i>Botanical Survey of Honua'ula (Wailea 670) Kihei, Maui</i> . Honolulu, Hawai'i: Report prepared for Honua'ula Partners, LLC. | SWCA Environmental Consultants, Inc. 2010b. <i>Honua'ula Conservation and Stewardship Plan, Kihei, Maui</i> . Honolulu, Hawai'i: Report prepared for Honua'ula Partners, LLC. | SWCA Environmental Consultants, Inc. 2010c. Wildlife Survey of Honua'ula (Wailea 670) Kithei Maui Honolulu Hawai'r Renort nrenared for Honua'ula Partners 11 C | SWCA Environmental Consultants, Inc. 2010d. Terrestrial Flora and Fauna Survey Proposed Honua'ula (Wailea 670) Water System, Kihei, Maui, Hawai'i. Honolulu, Huvusi'i. Panori resorts for Honus'ula Pernare 11.0 | Tom Nance Water Resource Engineering, 2010a. Potential Impact on Water Resources of the Honua'ula Project in Wailea, Maui. Honolulu, Hawai'i: Report prepared for | Honua'ula Partners, LLC. | Tom Nance Water Resource Engineering. 2010b. <i>Subject: Responses to the Planning Commission's Informational Request on Existing Wells in and Other Aspects of the Kamaole Aquifer (Comments 9, 10, and 11).</i> Supplemental Report prepared for PBR | Hawaii and Honua'ula Partners, LLC. | Tom Nance Water Resource Engineering. 2010c. Subject: Cost of the Potable and Non- Potable Systems. Supplemental Report Prepared for PBR Hawaii and Honua'ula Partners, LLC. | United States Census Bureau, Current Housing Reports, Series H150/01. 2002. American Housing Survey for the United States: 2001. Washington, D.C.: U.S. Government Printing Office. | United States Department of Agriculture Soil Conservation Service. 1972. <i>Islands of</i> Kaua'i, O'ahu, Maui, Moloka'i, and Lāna'i, State of Hawai'i. Honolulu, Hawai'i | Page 7 of 8 |

.

| Attachment Trails and Access | 4.3 TRAILS AND ACCESS | Honua'ula is accessed directly from the Kihei southern terminus of Pi'ilani Highway, which is a two-lane State highway. There are several unimproved roads on the Property that provide limited access within the Property. | Remnant segments of a road referred to as the Kanaio-Kalama roadway are present along a portion of an existing jeep road which was constructed atop the same alignment. The original alignment is not followed by the current jeep road and only a small modified segment of the Kanaio-Kalama roadway exists. Water-worn cobbles and boulders, representing objects foreign to the environment presumably used in the original construction of the Kanaio-Kalama roadway, can be seen on either side of the jeep road in certain locations. Portions of the roadway may also have been modified for use by the military. | Discontinuous segments of steppingstone trails are present within the southern portion of Honua'ula. Researchers such as Chapman and Kirch (1979) proposed that a pattern of transience existed between coastal and inland areas. Foot trails linking upland and coastal settlements were used by travelers from upland areas to gain access to the coast and marine resources. | POTENTIAL IMPACTS AND MITIGATION MEASURES | The creation of Honua'ula will make the Property much more accessible relative to the current limited access. Honua'ula will include a system of pedestrian and bike trails along the community's roadways, gulches, and drainage ways (Figure 13). This secondary circulation system of linked pedestrian/bike trails will connect residential areas to the will ge mixed use areas, neighborhood parks, golf course clubhouse, and other areas and will provide residents a meaningful alternative to driving within the community. | A connector loop trail that ranges in width from six to eight feet will be suitable for walking and biking throughout the community. This trail will circle the Property from its northern to southern boundary and connect to the Walea lke Drive and Pi'ilani Highway intersection. A minor street path from Kaukahi Street will allow connection from Walea to trail systems throughout Honua'ula. A proposed scenic trail along portions of the golf course will also link to several other trail segments and is expected to provide sweeping views, both mauka and makai. | The Native Plant Preservation Area contains known archaeological and cultural sites. Therefore, to-protect the integrity of these sites and native plants, the Native Plant Preservation Area will remain undisturbed and development will be prohibited, with the exception of a Nature/Cultural trail that will border the Native Plant Preservation Area and traverse the adjacent Native Plant Conservation Area. |
|---------------------------------|-----------------------|---|---|---|---|---|---|---|
| | | | | ATTACHMENT TRAILS AND ACCESS | | | | |

Page 1 of 4

| Attachment Trails and Access | Typically gated communities evoke images of mini mansions in exclusive enclaves, but restricted access multi-family townhouse and other higher density developments can also be classified as "gated communities." While some upscale gated communities cater to upper income level residents, there are also many gated communities that are geared to average homohumer. | <u>average nonrectyces</u> , <u>minougly gared communities are orient circled as errors and homogeneous</u> , data suggests that gated communities are not necessarily reserved only for the rich (Nasser 2002). The 2001 American Housing Survey conducted by the U.S. Census Bureau reported that more than severe million households live in a type of gated community. The statistics also show that residents of gated communities are popular with control with a homo function different demographic types, not just the wealthy. Cated communities are popular with control with cont | young taimines with current, retrieses, second-nique, bytets, protessionals, and many others. The elderly have been attracted to gated communities since the 1970s. Other potential buyers include empty nesters who are away frequently on vacations and young double-income families in which no one is home during the day (Blakely 1999). For second-home buyers, gated communities are especially attractive for the security they provide during long periods of vacancy (Blakely 1999). | Research shows that motivations for living in a gated community reflect, to varying degrees, a range of social values. (Blakely & Snyder 1997). Some people are drawn to gated communities for prestige: some are looking for privacy, some want to protect themselves from crime and traffic (Blakely & Snyder 1997). For some, gated communities provide an added measure of security, less traffic, and increased pedestrian safety, a peaceful and quiet setting, social familiarity with neighbors, a sense of community, and shared ownership of space. Cated communities of the protection and usually offer a high level of residential amenity and recreational value. | The series of community and occurring and occurrents are a more a more amore a more reaction of security than is provided by gates alone as residents within gated communities tend to know or recognize each other thereby being able to easily identify non-residents (Quintal & Thompson 2007). Through restrictions on design and access, gated communities may help to reduce uncertainty by enabling residents to exert greater control over their living environment (Quintal & Thompson 2007). For some, gated communities provide for both security and a self-directed, democratic community in which all members of the association are activate participants in community eventance (Blakely 1999). While | gated communities may not appeal to all, they do offer features many find attractive for their choice of style and quality of living. In some municipalities gated communities have been considered "cash cows" for local governments because the developer initially provides all infrastructure froads. | iarios-agnig, parks, communy centers, etc. wrum ure community and ure restorms pay homeowner's fees for the on-going maintenance of these common facilities. Thus, initially the developer, and then the residents pay for services that may typically be borne by government; however the residents in gated communities still pay property taxes to government based on property values, which may be higher in gated communities (Le Coix, 2004). Therefore gated communities can be particularly desirable for local |
|---------------------------------|--|---|---|---|---|---|--|
| Attachment Trails and Access | As recommended by the Honua'ula cultural impact assessment, Honua'ula will provide traditional native Hawaiian mauka-makai access trails across the Property (<i>ala i ke kai</i> (pathway to the ocean) and the <i>ala i ke kula</i> (pathway to the uplands)). These trails will follow the Property's natural gulches from mauka to makai. | The steppingstone trail segments within the Property, which represent discontinuous remnants of traditional trails, will be preserved <i>in situ</i> . In their current state they are truncated not only by prior disturbances, but also by private land holdings and existing developments that straddle portions of traditional land divisions. Segments beyond the boundaries of Honua'ula are beyond the jurisdiction of Honua'ula Partners, LLC. | In terms of the Kanaio-Kalama road, only a small modified segment still exists, with major segments of the original alignment altered by an existing jeep road. In addition, the integrity of the roadway has been lost outside of the Property both at the Kalama and Kanaio segments, which mer multiple ownerships. In a letter dated July 31, 2009, Nã Ala Hele of the DLNR Division of Forestry and Wildlife (DOFAW) states that no documentation of the Kalama roadwar could be found in the roval erant nations. | documentation on the relation-valuation between the property that were avarded in 1850. Also, no record exists of the road being in existence prior to 1892, when the U.S. Highways Act was passed. Thus, the Kanaio-Kalama roadway is not considered to be a public highway. However, to further enhance mauka-makai access across the Property, the approximate route of the Kanaio-Kalama road will be incorporated into the Honua'ula trail system. This functionally equivalent route will approximate the alignment shown on the current TMK map (Figure 3), and thus will run diagonally from Kaukahi Street, through the Native Plant Preservation Area, to the southeast corner of the Property. | The Native Plant Preservation Area contains known archaeological and cultural sites. Therefore, to protect the integrity of these sites and native plants, the Native Plant Preservation Area will remain undisturbed and development will be prohibited, with the exception of: 1) the Kanaio-Kalama trail, which will transverse through the Native Plant Preservation Area; and 2) a Nature/Cultural trail that will border the Native Plant Preservation Area. | In their July 31, 2009 letter, Nā Ala Hele letter also stated, "The proposed development of walking trails and the preservation of the stepping stone trail will provide recreational opportunities that can highlight the historical and cultural values of the area." Overall, Honua'ula will not be a gated community; however builders of some individual | areas. No geted community areas have been proposed, but it has not been determined if areas. No gated community areas have been proposed, but it has not been determined if any areas would be gated or where these areas would be located within the Property or at what phase they would be built. However, any gated area would not be so restricted to prohibit anyone with a legitimate reason from accessing an area. Specifically, any gated area would not be designed to exclude access to any cultural or archaeological resources. |

Attachment Trails and Access

governments and in some areas are seen as a public-private partnership rather than an attempt to secede from the public realm (Le Goix 2004).

While research has shown that gated communities provide a sense of community and stability for their residents (Quintal & Thompson 2007), critics of gated communities believe that when people wall themselves from others they are cutting themselves from the mixed, open society that is needed for a social and political democracy (Drew & McGuigan 2005). Rather than being involved in an open society, critics argue that gated communities tend to foster segretation where better-off citizens gradually become less encommentes that when the necessary resources can quietly secede from the large and diverse public into homogenous enclaves within which their earnings need not be redistributed to people less fortunate than themselves (Blakely 1999; Drew & McCuigan 2005). Thus people with the necessary resources can quietly secede from the large and diverse public into homogenous enclaves within which their earnings need not be redistributed to people less fortunate than themselves (Blakely 1999; Others contend that gated communities, such as delivery people, maintenance workers, and other visitors (Drew & McCuigan 2005). Thus people with the gated communities because of the perception of more stellable goods within the gated communities because of the perception of more valuable goods within the gates (Nasser 2002). Alternatively, others have theorized that gated communities cause crime to be redistributed to areas outside the gated communities (Le Goix 2004).

All neighborhoods, gated and non-gated, have the same ultimate goals: safety and security, no crime, safe streets, slow traffic, and a stable quality of life. To some extent, gated communities attain these goals and in this respect have a positive influence on the lives of those residents. Honua'ula seeks to achieve these goals through design, with key objectives of reflecting community values, emphasizing vibrant community development, and creating a sense of place. Building on overall goals of safe and secure neighborhoods, the Maui Police Department recommends incorporating principles of Crime Prevention Through Environmental Design (CPTED) into the design of Honua'ula. The goal of CPTED is to prevent crime by designing a physical environment that positively influences human behavior. The theory is based on four principles: 11 natural surveillance, which refers to the placement of physical features that maximize the neighborhood so residents can observe their surroundings: 2) access management, which involves guiding people by using signs, wellmarked entrances and exits, and landscaping so visitors can be seen entering and exiting: 3) *territoriality*, which is the clear delineation of space to create pride or ownership and a vested interest of owners in their neighborhood; and 4) *physical maintenance*, which includes repair and general upkeep to maintain a well-kept appearance and neighborhood pride.

ATTACHMENT WASTEWATER SYSTEM

Page 4 of 4

| Attachment Wastewater System | Attachment Wastewater System |
|---|--|
| 4.8.2 Wastewater System | Management, and DWS before Project District Phase II approval (Condition 16) ¹⁰ ; and 2) |
| The Wailea area is serviced by the Kihei WWKF, located approximately four miles northwest of Honua'ula. Sewage from the Wailea area is conveyed to the Kihei WWRF via the South Kihei Collection System, which consists of trunk sewer mains running along Wailea Alanui Drive and South Kihei Routh Kihei communities along this route are also served by this system. The Kihei WWRF currently has unused capacity; however, the addition the County devices the reverse adequate to support the unused curver the collection and transmission system may not be adequate to support the 20 and the County devices the reverse the nursed curver to accommodate other the curve devices the reverse the nursed curve to accommodate other the curve devices the reverse the nursed curve to accommodate other curve devices the reverse the nursed curve to accommodate other curve devices the reverse the nursed curve to accommodate other curve accommodate | will ensure that sewer rates for the residential workforce housing units will be no higher than the residential sewer rates set by the County in its annual budget, for as long as the units are subject to Chapter 2.96, MCC (Condition 17). Sewer rates for Honua'ula's market rate residential units have not yet been established; however, the Mäkena WWRF is regulated as a public utility by the State Public Utility Commission (PUC), as are all private wastewater companies. If an on-site WWTF is built at Honua'ula, it will also be a private facility. The PUC prescribes rates, tariffs, charges and fees, for public utilities. |
| development in the existing service area, rather than extend the service area to Honua'ula. | Wastewater system design, and construction, and operation will be in accordance with |
| The Mäkena Wastewater Corporation owns and operates the Mäkena WWRF, which is approximately one mile south of Honua'ula. The Mäkena WWRF was <u>is currently</u> designed to handle wastewater flows of 720,000 gallons per day (gpd) <u>and is also</u> <u>designed to be expandable to handle 1.54 million gallons per day (mgd)</u> . Currently the facility is only handline <u>304 413</u> 114 440 and leaving an inuused caractive of 328 582 | county standards and all wastewater plans and racinities will conform to applicable provisions of: Chapter 11-62, HAR (Wastewater Systems); Section 11-62-27, HAR (Recycled Water Systems); and Chapter 11-21, HAR (Cross-Connection and Backflow Control). <u>Chapter 11-62, HAR (Wastewater Systems) specifically requires that wastewater systems shall not create or contribute to foul or noxious odors.</u> |
| 605,550 gpd. | In complying with the DOH regulations, Honua'ula Partners, LLC will also be in compliance with County of Maui Ordinance No. 3554: |
| Currently, the Honua'ula Property does not contain any wastewater infrastructure and is not served by a wastewater collection system. Honua'ula is located in the critical wastewater disposal area as determined by the Maui Wastewater Advisory Committee. No new cesspools are allowed in this area. | Condition 18c, which requires compliance with Condition 4 of DOH's "12 Conditions Applicable to All New Golf Course Development" relating to connecting the golf course clubhouse and other golf course facilities to a WWRF; and |
| POTENTIAL IMPACTS AND MITIGATION MEASURES | • Condition 18d, which requires compliance with Condition 5 of the DOH's "12 |
| Wastewater from Honua'ula will be managed to protect human health and the environment, and Honua'ula will not rely upon or burden any public facilities. Using | Conditions Applicable to All New Golf Course Development [®] relating to use of treated wastewater for golf course irrigation. |
| County of Maui design standards, Wilson Okamoto Corporation projected the average wastewater flow from Honua'ula at full build-out <u>is projected</u> to be 0.562 MGD <u>380,000</u> gpd. | Alternative 1 – Mākena WWRF – The first, and preferred, alternative is to transport wastewater to the Mākena WWRF for treatment. Wastewater from Honua'ula would be conveyed to the Mākena WWNF via a pump station and force main. R-1 recycled water would be pumped back to Honua'ula for golf course irrigation use. Figure 2 shows the |
| Wastewater Treatment | proposed wastewater alignment for possible connection to the Makena Resort WWRF. The alignment provides for underground wastewater transmission and R-1 return lines. |
| Honua'ula will not rely upon or burden any public wastewater facilities. In compliance with County of Maui Ordinance No. 3554 (Condition 17), Honua'ula Partners, LLC will either participate in the operation of a private WWRF and system that accommodates the needs of Honua'ula (Alternative 1) or provide a WWRF on-site (Alternative 2). No | approximately 12-inches in diameter within an unpaved easement approximately 6,400 linear feet in length and 30 feet in width. The 30-foot easement width allows for access and maintenance parallel to the underground transmission line. |
| cesspools will be developed within Honua'ula. Connection to the Mākena WWRF would be in conformance with the option of participating in the operation of a private wastewater treatment facility, and therefore is being considered for Honua'ula wastewater treatment. | Makena WWRF (as well as the County Kihei WWRF) uses a process called "extended aeration activated sludge/coagulation/filtration" to treat wastewater. With this process wastewater first passes through bar screens to remove large debris. The screened wastewater then enters aeration lagoons where naturally-occurring mitro-organisms |
| In further compliance with County of Maui Ordinance No. 3554, Honua'ula Partners, LLC will. 1) provided a sewage disposal analysis to the Maui County Council that has been reviewed and commented on by DOH, DLNR, the County Department of Environmental | 10 Active a curvated shugge / consume organic indentation of the micro-organisms settice to the 10 Honua 'ula Partners. LLC submitted the sewage disposal analysis to the Maui County Council on May 11, 2010. After receiving the analysis, the Maui County Council accepted the analysis and did not subject Honua'ula to any additional conditions or amendments. As a result, |
| Page 1 of 6 | Condition 16 has been fully satisfied. Page 2 of 6 |

| Attachment | | Attachment |
|---|--|---|
| Wastewater System | | Wastewater System |
| bottom of a clarifier, and are returned to the aeration lagoon. Flocculants like ferric chloride and/or polymer are added to the clarified water to agglomerate small particles into larger particles that can be removed by a granular media filtration process. The filtered water is then disinfected using UV light prior to reuse. | <u>on. Flocculants like ferric</u> agglomerate small particles dia filtration process. The | Conveying wastewater from Honua'ula to the Mäkena WWRF will require a pump station to receive the flows from Honua'ula. The pump station would be located at the southwest corner of the Property at approximately the same location as an on-site WWRF. The pump station would convey the wastewater via a force main directly to the Mäkena WWRF. For recorded water to be returned to Loundula 2 socied wastewater viated. |
| Transporting wastewater to the Mākena WWRF for treatment provides the benefit of consolidating wastewater services for both Honua'ula and Mākena, allowing economies of corle in the treatment proces and consolidation toolid. | int provides the benefit of akena, allowing economies commission cutificiant raft | action watch to be required to home up, a recycled wastewatch pump station recated at or near the Måkena WWRF and a force main would be required. See Figure 2 for the location of the wastewater force main route to the Måkena WWRF. |
| or scare in the relativent process and consolidated regulatory compilatice, course land is available within both Honua'ula and the Mãkena Resort percent of the recycled water for irrigation. | | Honua'ula Partners, LLC has had substantive discussions about this alternative with the Mäkena WWRF owner, Mäkena Wastewater Corporation, and they support the connection: however formal agreements with Mäkena Wastewater Connoration have not |
| While there is currently unused capacity at the Mākena WWRF, it may be necessary to expand certain portions of the Måkena WWRF in the future to provide a small amount of | RF, it may be necessary to provide a small amount of | yet been finalized. |
| additional capacity to accommodate the total projected Honua'ula wastewater flows additional with the projected Makena Resort flows before each project is completely built out. | onua'ula a strate attraction of the strate att | Alternative 2 – On-Site Treatment Plant – The second alternative is to construct an on-site WWRF that is capable of treating all of the Honua'ula wastewater to R-1 standards. The on-site WWRF would be located at the southwest connert on annorvationately. |
| The Makena WWRF is currently designed to handle wastewater flows of 720,000 gpd and | er flows of 720,000 gpd and | four acres of land. R-1 water would be delivered to the Honua'ula golf course water |
| <u>is also designed to be expandable to 1.54 million gallons per day (mgd). Currently the</u> facility is only handling 114,440 gpd, leaving an unused capacity of 605,560 gpd based | r day (mgd). Currently the acity of 605,560 gpd based | features for storage and eventual irrigation of the golf course and other landscaped areas. RO concentrate from the on-site desalination facility (see Section 4.8.1 (Water System)) |
| on the current capacity of 720,000 gpd. Future development within Måkena Resort is estimated to produce flows of 276,973 gpd. Therefore the total flow from the Måkena | nt within Mäkena Resort is otal flow from the Måkena | would be blended with the R-1 water. |
| Resort is projected to be 391,413 gpd at build-out. See Table 5 below. | <u>below.</u> | A membrane bioreactor (MBR) wastewater treatment system is proposed for the on-site MMMDE to produce D-1 audity water for non-patholic and Tho MBD process is a biological |
| After the build-out of Honua'ula, the total Honua'ula wastewater flow is | ater flow is projected to be | product for ground for graning watch for information user, the much process is a productane process (activated sludge process) combined with a separation process (membrane |
| 380,000 gpd. Combined with the total Makena Resort flow, the combined | | system). MBR systems are widely used throughout the world and are considered an |
| Mäkena Resort and Honua'ula would be 771,413 gpd, which is 51,413 gpd more than the | <u>s 51,413 gpd more than the</u> | industry standard for the production of reliable R-1 recycled water. In addition, MBR |
| current capacity of 720,000 gpd of the Mākena WWKF. See Table 1 below. Preliminary indications are that the headworks, effluent filters, and UV disinfection systems would | <u>Table 1 below. Preliminary</u> disinfection systems would | systems have the smallest tootprint of the various biological treatment systems available and provide the highest quality recycled water. |
| require modifications to handle the additional capacity. Expansion of the Makena WWRF | nsion of the Makena WWRF | |
| will not be necessary until both Honua'ula and Mākena Kesort approach 90 percent of build out. which could be 10 to 20 vears from now. As both Honua'ula and Mākena | <u>ort approach 90 percent of</u> oth Honua'ula and Mākena | In a MBK system the first element of the wastewater treatment process is screening to remove debris. This takes place in an enclosed building to control odors. Air collected |
| Resort will be built out over a number of years, improvements can be implemented at the | can be implemented at the | from the building is then passed through a biofilter to remove odors. During the MBR |
| appropriate time, when needed. | | process, wastewater is pumped into aeration basins, where a population of naturally- |
| Table 1. Current and Projected Mäkena WWRF Capacities | F Capacities | occurring micropes (activated studge) treats the water by consuming organic matter. The activated sludge is separated from the water using membranes. Iocated in the MBR basins. |
| Description | GPD | The activated sludge is pumped back to the head-end of the aeration basin to be used |
| <u>Current Mākena Resort flow</u> Future Mākena Resort flow | <u>114,440</u> 276,973 | again. |
| Total Makena Resort flow at build-out | 391,413 | Periodically, excess activated sludge must be removed (wasted) from the treatment system. |
| <u>Honua'ula flow at build out</u> | <u>380,000</u> | The activated sludge goes through a thickening process to form dewatered solids. The |
| <u>Total Mākena Resort and Honuaula flow at build-out</u> | 771,413 | dewatered solids will be taken to the County landtill for composting by EKO Compost, which operates a composting facility at the landfill. At build-out the on-site WWRF is |
| Current Mākena WWRF Capacity | 720,000 | expected to produce approximately 17 wet tons of dewatered solids per week. EKO Compost has the capacity to accept this amount of dewatered solids for composting. |
| <u>Additional capacity required to accommodate both</u> | | The treated water will be disinfected with a disinfected with with the treated water will |
| <u>Mäkena Resort and Honua'ula at build-out</u> | 51,413 | flow through concrete channels containing banks of submerged UV light bulbs. The water water |
| Page 3 of 6 | | Page 4 of 6 |

| | e UV light. The UV light unable to replicate. The and will be suitable for liver the R-1 water to the | | lieu of the MBR is via an | or coagurant circinicals <u>setween MBRs and other</u> | d aeration activated mtv Kihei WWRFs) is the | Research in the second s | <u>mail for the passage of</u> <u>er, but large enough to</u> | <u>ded aeration activated</u> ke ferric chloride and/or | s into larger particles that | equation activities with a summer ad aeration activities will be distributed in piping | | | | nemorates periority are volumed and non-potable systems. Tollua una piping systems ne tank. Additional land will be in full compliance with these requirements. | ach is taken ucad Tha | <u>system was used</u> . The operation water is not expected to have negative impacts on groundwater have been to have negative impacts on groundwater have been and water year of the currently used at the complex discussions be discussed as a complex discussion on a consistence and water resources and water resources are complex discussed as a construction of the complex discussed as a construction of the complex discussed as a construct of the co | o | | m the various areas and oposed roadway system. evater from homes and | or these service areas, the ump stations will be used | ula. From there the flows ed to the Måkena WWRF | | | |
|---------------------------------|--|---|--|--|--|---|---|---|--|--|---|---|--|--|--|--|---------------------------------|---------------------------|---|---|---|----------------|--------------------|--|
| Attachment Wastewater System | will be disinfected as it passes by the bulbs and is exposed to the UV light. The UV light penetrates the cells of pathogenic organisms, rendering them unable to replicate. The disinfected water exiting the channel will meet R-1 standards and will be suitable for reuse. A pump station located adjacent to the UV channel will deliver the R-1 water to the | rease. A pump success adjacent to the OV champer with Honua'ula golf course. | Another potential approach to treating Honua'ula wastewater in lieu of the MBR is via an | extended activated studies process, ronowed by autiton of coagulant crienticals and granular media or cloth disk filtration. The main difference between MBRs and other | R-1 treatment technologies (such as the extended aeration activated sludge/coarulation/filtration mocess used at the Mäkena and County Kihei WWRFs) is the | method of separating the suspended solids from the water. MBRs have thin membranes | with many thousands of micro-perforations, which are too small for the passage of suspended solids and microorganisms present in the wastewater, but large enough to | allow the passage of water molecules. In the extended aeration activated sludee/coagulation/filtration process, combination flocculants like ferric chloride and/or | polymer are added to treated water to agglomerate small particles into larger particles that | dature removed by a grammar media mutation process, which coupled with disinfection system, both MBR systems and extended aeration | sludge/coagulation/filtration systems are capable of reliably producing R-1 quality water | neets all DOH R-1 water quality standards. In a | land area to treat a given now than extended aeration activated chridra/coamilation/filtration systems This is heralise the MRR membranes perform the | equivalent treatment of gravity sedimentation and filtration in one tank. Additional land | area within Honua'ula would have to be set aside for the WWRF if this approach is taken an extended society of childred contraction filtration events used The | an <u>extended aertation activated studge/coagulation/filtration approach is currently used at the Matheman Antheman approach is currently used at the Matheman Antheman Anthema</u> | Makena WWKF and the Ninel WWKF. | On-Site Collection System | The on-site wastewater collection system will collect flows from the various areas and uses within Honua'ula. Sewer lines will essentially follow the proposed roadway system. A network of eight-inch gravity sewer lines will collect wastewater from homes and | buildings throughout the site within four service areas. In each of these service areas, the sewer lines will follow the topography and will flow by gravity. Pump stations will be used where the topography requires flows to travel upslope. | All wastewater flows will flow to the southwest corner of Honua'ula. From there the flows will either enter the on-site WWRF for treatment or will be pumped to the Mākena WWRF | for treatment. | Recycled Water Use | |

Page 5 of 6

Page 6 of 6

| | Attachment Water System 4.8.1 Water System |
|--------------|--|
| | Potable water for the Kihei-Wailea region is presently supplied by the 'fao Aquifer, which Potable water for the Kihei-Wailea region. A 36-inch and an 18-inch transmission main convey water from the 'fao Aquifer to the Kihei-Wailea area. As of July 21, 2003, the 'fao Aquifer was designated as a groundwater management area by the State CWRM. The sustainable yield of the 'fao Aquifer is 20.0 MGD, and existing water use is 18.940 MGD (Wilson Okamoto/CWRM, 2008). |
| ATTACHMENT | The Property, and the wells that will supply the Property, are located in the Kama'ole Aquifer System. The system comprises a triangular-shaped area of approximately 89 square miles, with its apex at the top of Haleakalā and its base along the 11-mile length of shoreline from Waiakoa Culch on the north to Cape Kina'u on the south. Groundwater in the Kama'ole Aquifer exists as a basal lens from the shoreline as far inland as the 1,700- foot contour. In 1990, the CWRM set the sustainable yield of the Kama'ole Aquifer at 11 MGD. This was based on a computed groundwater recharge of 25 MGD and the |
| WATER SYSTEM | assumption that 44 percent of the recharge could be withdrawn by wells without adversely impacting the integrity of aquifer. However, several far more detailed and sophisticated studies on the aquifer's recharge have been completed since then (USGS 1999; Waimea Water Services Inc. 2004; USGS 2007). These studies indicate that the recharge amount on which the CWRW's sustainable yield is based is substantially underestimated; the actual sustainable yield of the aquifer may be as much as 50 percent greater than the 1990 CWRM estimate. Current actual aquifer pumpage is estimated to be approximately 4.0 MCD (TNWRE 2010a). |
| | The County of Maui does not have any water service lines to the Honua'ula Property. Existing water systems in the vicinity of the Property include the County Maui Meadows System to the north and the County potable Wailea Resort System to the west. The Maui Meadows System consists of a high-level 0.5 MG tank located at the 799 foot elevation and a mid-level 1.0 MG tank located at the 563 foot elevation. The Wailea Resort System consists of a low-level 2.0 MG tank at the 210 foot elevation south of Wailea Resort System consists of a low-level 2.0 MG tank at the 210 foot elevation south of Wailea Resort System consists of a nid-level 3.0 MG tank at the 210 foot elevation south of Wailea Resort. The Wailea Resort also operates a private non-potable system for golf course irrigation. The vest is also an existing 1.0 MG water tank located to the Honua'ula Property above Kaukahi Street that will be dedicated to the County of Maui to provide service to properties below Honua'ula. |
| | Honua'ula has four brackish wells. Two of these are on the Property (Wailea 670 1 and 2). The other two are off-site (Kama'ole 1 and 2) in an area north of Maui Meadows and on land owned by Haleakalā Ranch. The total safe yield of the four wells, with one as standby, is 1.37 MGD (TNWRE <u>20092010a</u>). All of the wells are within the Kama'ole Aquifer System and are fully permitted by CWRM. |

Page 1 of 8

POTENTIAL IMPACTS AND MITIGATION MEASURES

.

.

| Attachment Water System | Attachment Water System |
|--|--|
| Honua'ula will not rely upon or burden any County water system or facilities. Instead, Honua'ula Partners 11.C will develon, maintain, and onerate a mivate water system | water consumer rates set by the County in its annual budget, for as long as the units are subject to Chapter 2.96, MCC. |
| providing both potable and non-potable water for use within Honua'ula. The complete water system will include a: | In addition, non-potable water will be used for all irrigation purposes in compliance with County of Maui Ordinance No. 3554 (Condition 14) |
| Non-potable system supplied by brackish wells to provide water for irrigation of common areas and within individual parcels; Potable system supplied by RO treated water, using brackish groundwater as the feed/water sumply to movide drinking water, and other notable water meader and | In developing, maintaining, and operating the water system, Honua'ula Partners, LLC will comply with all requirements of Chapter 174C, HRS (State Water Code) and HAR, Chapters 13-167 to 13-171, as applicable, pertaining to CWRM and administration of the State Water Code As recommended by CWRM Honus'ula Partners LLC will coordinate |
| 3. Golf course irrigation system supplied by recycled water needs and concentrate from the RO treatment of the potable supply, and brackish groundwater from the non-potable irrigation system. | vate vates code to recommended by CwNW, hourd and ratures, LLC will conditiate with the County to incorporate Honua'ula into the County's Water Use and Development Plan. Honua'ula Partners, LLC will also comply with: 1) DOH Engineering and Capacity report requirements; and 2) the County's Water Availability Policy, codified as Chapter 14.12, MCC The above oversight horocostes and the sector of the water course and the |
| The average daily potable water use for Honua'ula is estimated to be 0.34 MGD at build- out. <u>Non-potable water will be used for all irrigation within Honua'ula, including single-</u> | water source development will not interfere or conflict with County plans for source development. In addition, as stated in Section 3.5.1 (Groundwater), the UIC line ¹⁰ , as |
| terminy and munitamity fors. The average non-potable demand for inngation excluding the golf course is estimated to be 0.810 MCD at build-out. The non-potable demand for golf course is estimated to be 0.717 MCD. Reactively wall was well be used to | established by the state UOH, is located approximately along the 600-goot elevation content above the majority of the Property. Therefore Honua'ula's on- and off-site wells are helow the ITU line. Since the wells will invovide the course of water for Honua'ula's the source of water for Honua'ula's |
| supply all Honuardia water needs. The brackish well water will supply all honuardia water for the RO system, thus producing boatable water. Will supply the feedwater for | potable (and non-potable) water system, settlexes will be established which may restrict new and existing interion well construction. Honua'ula Pathers, LLC will inform |
| potable supply will also be produced. Much of the potable <u>waste</u> water will be recycled (R-1) then mixed with the RO concentrate and used for golf course irrigation. With this system, the total average withdraw from brackish wells is estimated to be 1.7 MGD. | landowners located within the setbacks surrounding the wells of the effect of such setbacks on the injection well development potential of their properties. |
| · · · · | Potable System |
| To provide for summertime maximum use periods and to have standby capacity, two more wells will be needed. Depending on actual water use rates that materialize, a third new well may or may not be needed as Honua'ula approaches build-out. New wells will | Source and Treatment – Brackish well water will be treated by RO to produce potable water for Honua'ula. The RO process involves initially passing the brackish water through |
| | a filter to remove particulate matter. The filtered water is then forced through a membrane under pressure. The membrane acts as a barrier to salts and other constituents. The water |
| contains the discussion on the potential impact of existing and new wells. | that passes through the membrane may be further chemically treated and disinfected, as necessary, prior to use. |
| <u>The existing off-site wells and any new off-site wells will be connected to Honua'ula by an</u> approximately 12-inch diameter underground water line running roughly parallel to the | The RO process generates brine in the course of producing potable water. However, by |
| upper boundary of Maui Meadows in an unpaved easement approximately12,000 linear feet in length and 30 feet in width. The 30-foot easement width allows for access and | diluting the brine water with other non-potable water (brackish and R-1), the salt content will be reduced to a degree that it can be used for irrigation , thus avoiding the use of |
| maintenance parallel to the underground transmission line. | injection wells to dispose of the brine. In periods of extended wet weather when irrigation requirements are minimal, it may be necessary to dispose of the RO concentrate in a |
| Honua'ula's private water system will be provided in compliance with County of Maui Ordinance No. 3554 (Condition 1). In further compliance with County of Maui Ordinance No. 3554 (Condition 1), Honua'ula Partners, LLC will: 1) comply with applicable water | disposal well with delivery in the saltwater zone below the basal lens. Such a disposal well will be in compliance with all provisions of HAR Title 11, Chapter 11-23 (Underground Injection Control). |
| ordinances that pertain to the supply and utabilities of water notif the blants of mani- when such ordinances are enacted; 2) offer to the County the right to purchase the water system when completed at the cost of development of the system; and 3) ensure that the water rates for the residential workforce housing units will be no higher than the general | ¹⁰ Underground Injection Control Line (UIC) means the line on the DOH Underground Injection Control maps which separates exempted aquifers and underground sources of drinking water (Section 11-23-03, HAR). |
| Page 2 of 8 | Page 3 of 8 |

| Attachment Water System | performed by the State Laboratories Division of the State of Hawaii, will be submitted to DOH to demonstrate compliance with all drinking water standards; Assessment to delineate a source water protection area and creation of a source water protection plan, including activities to protect the source of drinking water; | Coperation of the possibility of lasticity of addition and water (teatment plat operation methyng the extent methods extern and the possibility of backfollow of water from the non-potentic system and the possibility of backfollow of water from the non-postible system. The two system must be clearly labeled and physically systemated by air gaps or reduced presser principle backfollow prevention devices to avoid contamnating the drinking water system. The two system must be clearly labeled and physically system and the possibility of backfollow of water from the non-postible system and the possibility of backfollow of water from the non-postible system and intropable sphgas and intripated areas must be clearly labeled with watming grito the postibility below of mater from the non-postible system. The two system system and intropable sphgas and intripated areas must be clearly labeled with watming the pointing water system. The two system and the source water posterion area and source by the following tactors: Matter and the postibility policy, codified as Chapter 14.12. Mati Contropable sphgas and provide the posterion area and source water posterion area and source water posterion area and source mater posterion area and source provide the poly of water before posterion area and source water posterion area and source publicitoria area approved. In accordance with source source and area and source the poly of water backs and the source area posterion area and the approximation and area and source area and area and the approximate and the posterion area and the approximation and area and source and poly of water before approximater and provide the adverse protect in the source and and area and | |
|----------------------------|--|--|--|
| Attachment Water System | The RO plant will be located at the eastern border of the Property next to a water storage tank. A portion of the brackish water will bypass the RO plant for use as non-potable water for irrigation. | The RO plant and other components of the water system will be subject to regulation as a choice, varene system and will meet requirements of the safe SOD+ including HAR chapters 1.1.20 (Probable Water Systems). 11:21 (Cross-Connection & Backfolox Control and 11:25 (Operating Personnel in Water Treatment Plants). The water treatment facility and other components of the water system (in e., storages, problem, purplet and the components of the water system will be equilited to satisfy all components of the Water Systems). All components of the water system (in e., storage, storage) are subject to the source stift up. In the addition to successfully completing the start up testing process, the water system will be equilited to satisfy all components of the tube Systems. All financial creabilities to enable the system to comply with safe drinking water states and satisfactor technical. managerial and texture technical managerial and texture technical managerial and texture technical managerial and texture technical managerial. All financial creabilities to enable the system to comply with safe drinking water states and concrete maintenance. All contraction exercises the water states. All contraction replaces an preventing the state to the public water system. All contraction exercises that the table water system. All contraction replaces that the public water system. All contraction replaces that the public water system. All contraction replaces that the sources of income. Including particulated states and maintenance. All contraction replaces that the sources of income. Including particulated states. All contraction replaces that and the sources of income. Including the sources of income. Including particulated states. All contraction replaces that the public water system. and antenesses. All contraction replaces that the public water system. and anotes that the sources of income and cash re | |

| Attachment Water System Distribution – Similar to the potable system, the non-potable water distribution system will largely follow the proposed roadway system providing non-potable water to irrigate individual residential lots, roadway buffers, and other landscaped areas. A separate distribution system will be used to irrigate the golf course. Pressure reducing valves will be used to regulate excessive pressures within the pressure zones. | Estimated Water Infrastructure Cost and Consumer Rates TNWRE prepared estimates of the cost to construct and operate Honua'ula's potable and non-potable water systems (2010c). The estimates are summarized below. Appendix B contains the complete estimate report. | The estimated potable and non-potable water infrastructure cost is \$21 million. This includes costs for: construction and testing the required off-site wells, piping from the off-site wells, piping from the off-site wells, piping from the off-site wells to the on-site storage tank, booster pumps, on- and off site potable and non-potable storage tanks, and the RO plant. It does not include piping for distribution to individual Honua'ula homes and businesses. Based on infrastructure costs and assumptions such as infrastructure efficiencies, electrical power costs, and costs for opticable and non-potential gersonnel, achimistration, and maintenance, the daily operating cost for both potable and non-potable systems would be \$3,000 per day. The cost of capital recovery would be \$3,000 per day. The cost of capital recovery would be \$3,000 per any. | without capital recovery would be as follows:Estimated Cost in Dollars per Thousand CallonsCostPotableNon-PotableItems IncludedWaterWaterWaterBased on Operation and Maintenance Exclusively\$4.00\$2.00IncludedIncluded\$10.64\$5.32RecoveryRecovery\$10.64\$5.32 | For fiscal year 2010-2011 the cost for potable water for general water consumers set by the County in its annual budget is \$1.70 per 1.000 gallons for users that use up to 10.000 gallons bi-monthly. The price increases for users that use more than 10.000 gallons bi- monthly. In compliance with County of Maui Ordinance No. 3554 (Condition 1) water | rates for the residential workforce housing units will be no higher than the general water consumer rates set by the County in its annual budget, for as long as the units are subject to Chapter 2.96, MCC. Water Conservation Honua'ula Partners, LLC is committed to aggressive water conservation strategies to reduce consumption, conserve resources, and minimize water demands. The goal is to reduce the total water requirements through a combination of water saving equipment and strategies. To conserve water within Honua'ula, Honua'ula Partners, LLC will implement |
|---|---|---|---|--|---|
| Attachment Water System | In addition. Honua'ula's private water system will be regulated as a public utility by the State Public Utility Commission (PUC). The PUC: 1) prescribes rates, tariffs, charges and fees. 2) determines the allowable rate of earnings in establishing rates; 3) issues guidelines concerning the general management of public utility businesses; and 4) acts on requests for the acquisition. sale, disposition or other exchange of utility properties, including mergers and consolidations. | Pressure Zones and Storage – The elevation of the Property ranges from 320 to 710 feet. To provide service and adequate water pressure over this range of elevation, the Property was divided into two pressure zones, contellating with a high and a low water storage system approximately divided by the 530-foot elevation. Water storage will be required for each pressure zone. A lower 0.5 MG potable water tank (at an approximate 640-foot elevation) will service the lower portion of the Property (below the 530 foot elevation) and will be located on-site along the eastern border adjacent to the RO plant. A higher 0.2 MG potable water tank (at an approximate 810-foot elevation) will be located on-site along the eastern border adjacent to the RO plant. A higher 0.2 MG potable water tank (at an approximate 910-foot elevation) will be broacted on-site anong the enstern border adjacent to the RO plant. A higher 0.2 MG models water tank and will environ to the prosent of the Property (below the 520 foot elevation) will some addition the environ of the prosent of the store of the prosent of the store of the prosent of the prosent of the prosent of the store of the prosent of the prosent of the store of the store of the store of the prosent of the store of the store of the prosent of the store of the store of the store of the store of the prosent of the store | foot elevation). Distribution – The potable water distribution system will largely follow the proposed roadway system providing potable water service to residential lots and other buildings. Pressure-reducing valves will be used to regulate excessive pressures within the pressure zones. Non-Potable System | Source – There are three sources of non-potable water: 1) brackish well water; 2) brine water from the RO facility; and 3) R-1 recycled water returned from the WWRF (see Section 4.8.2, Wastewater System). | Pressure Zones and Storage – Comparable to the potable water system, the Property is separated into two pressure zones for non-potable water due to the elevation difference across the Property. Storage tanks will be provided for each pressure zone. A lower 1.0 MG non-potable water tank will be located on site at the 640 foot elevation adjacent the RO plant. A higher 0.5 MG non-potable water tank will be located off-site and east (mauka) of the Property at the 810 foot elevation. Golf course irrigation water, supplied primarily from the WWRF, will be stored in lined water features located on the golf course. |

Page 7 of 8

Attachment Water System

water conservation recommendations of the County of Maui Department of Water Supply, including:

- Using climate-adapted plants for landscaping;
- Preventing over watering by automated systems;
- Not allowing single pass cooling pursuant to Section 14.21.20, MCC;
 Installing low-flow fixtures and devices throughout the community pursuant to
- Section 16.20A.680, MCC; and
 - Maintaining fixtures to prevent leaks.

Water conservation is also central to the functioning of the golf course. While non-potable water will be used for all golf course irrigation, the golf course will also include a modern irrigation system designed to use non-potable water efficiently. The key component of the irrigation system will be a central computer to store information for every sprinkler, including the type of sprinkler, nozzle sizes, location, soil type, slope, infiltration, exposure, etc., so that the exact amount of water needed is applied (i.e., not just turning on sprinklers for a set duration). Cycle/Soak features will prevent runoff when heavy to every sprinkler.

Records of irrigation procedures will be maintained for each management zone. Each management zone will be treated independently; the highest priority zones (greens, tees, fairways) will receive the highest amounts of water, while lower priority zones (secondary roughs, natural areas) will receive less water. These priority designations will help to efficiently manage overall water use on the golf course, providing the highest level of playability and aesthetics while incorporating water conservation and environmentally sustainable management practices.

In designing and implementing a detailed and efficient irrigation system, Honua'ula Partners, LLC will also be in compliance with County of Maui Ordinance No. 3554 Condition 18d, which requires compliance with Condition 5a of DOH's "12 Conditions Applicable to All New Golf Course Development." Specifically Condition 5a of the DOH's conditions relates to providing an irrigation plan.

ATTACHMENT WILDLIFE RESOURCES

Page 8 of 8

| Attachment Wildlife Resources | A single endangered Hawaiian hoary bat (<i>Lasiurus cinereus semotus</i>) was sighted flying seaward over the Property near the southern boundary. No other bats were observed during the survey. <i>Kiawe</i> trees, which are abundant on the Property, have been documented as roost trees for the Hawaiian hoary bat, thus, while not observed, it is possible that Hawaiian hoary bats roost within the Property. No Federal or State of Hawai'i listed threatened, endangered, or candidate species were observed in the areas of: 1) the off-site wells, waterline, and storage tank: 2) the widening of Pi'ilani Highway: and 3) the Wailea lke Drive and Wailea Alanui Drive intersection improvements. Native Birds | The endemic <i>pueo</i> (<i>Asio flammeus sandwichensis</i>) (short-eared owl) was the only native bird species observed within the Property. Six <i>pueo.</i> , 12 barn owls, and six other unidentified owls were sighted in grassland habitat, but no owl nests were found. Grasslands present on the Property are likely to provide good foraging and mesting habitat for owls, however, ground nesting increases vulnerability to predation by rats (<i>Rattus</i> spp.), cars (<i>Felis catus</i>), and the small Indian mongoose (<i>Herpestes auropunctatus</i>), all of which are present in the area. Native Indigenous seabirds that may fly over the Honua'ula area during the day include the greater frigate bird or <i>'wa (Fregata minor palmerstoni</i>) and tropic birds (<i>Phaethon</i> sp.). <i>Native Endemics seabirds that may fly over the site at night furtile the endangered</i> Hawaiian petter (<i>Prenotran sandwichensis</i>) and the Threatened Newell's sharwater <i>Orifinus auricularis newell</i>). While seabirds may traverse the area <u>at night during the</u> preeding season (February 1 through December 15), they-do-net none are known to nest within the Property. <u>Assing the pueo (Asio flammeus sandwichensis</u>) and a single <i>'wa</i> bird (<i>Fregata mino</i>) was observed during the survey of the alternative wastewater alignment for possible connection to the Malken Resort WWRF <u>see Section 4.8.2 (Wastewater System) and Figur 2</u> . No native birds were observed in the areas <i>ci</i> . 1) the off-site wells, waterline, and storage tank; 2) the widening of Pirlani Highway; and 3) the Wailea Koringe tank; 2) the widening of Pirlani Highway; and 3) the Wailea Koringe tank; 2) the widening of Pirlani Highway; and 3) the Wailea Koringe tank; 2) the widening of Pirlani Highway; and 3) the Wailea Koringe tank; 2) the widening of Pirlani Highway; and 3) the Wailea Korine tank mater and the areas of 1.1 the off-site wells, waterline, and storage tank; 2) the widening of Pirlani Highway; and 3) the Wailea Koring Diversione tank. | Page 2 of 11 |
|----------------------------------|---|--|---|
| Attachment Wildlife Resources | 3.7 WILDLIFE RESOURCES Several wildlife surveys of the Property have been conducted since 1988 (Bruner 1988, 1993, and 2004; SWCA 2010C). SWCA completed the most recent wildlife survey of the Honua'ula Property in 2009 (SWCA 2010C). <u>which included the area of the Pr'ilani</u> Highway extension ROW that traverses the Property (both the portion owned by the State and the portion owned by 'Ulupalakua Ranch). and the area of the Maui Electric substation. Specific objectives of the survey included: 1) documenting the presence and relative abundance of birds and mammals with the Property, and 2) determining the presence and abundance of any protected species within the Property, including migratory shorebirds, waterbirds, Federal and State of Hawaii listed endangered or threatened species, and "species of concern." Key findings of the SWCA survey are presence and below. | Appendix H contains the complete survey. SWCA also completed wildlife surveys for the areas of: 1) the alternative wastewater transmission line alignments for possible connection to the Makena Resort WWRF, which is located approximately one mile south of Honua ula (Appendix H). 2) the off-site wells, waterline, and storge tank (Appendix E): 3) the widening of Pir(ilani Highway (Appendix D of the Pirilani Highway Widening Project Final EA contained in Appendix R of this EIS); and 4) the Wailea Ike Drive and Wailea Alanui Drive Intersection Improvements (Appendix B of the Wailea Ike Drive and Wailea Alanui Drive Intersection Improvements Final EA contained in Appendix S of this EIS). Since the wildlife survey of the areas of the wastewater transmission line alignment to more information on the selected wastewater alignment for possible connection to the Mäkena Resort WWRF see Section 4.8.2 (Wastewater System) and Figure 2. Appendix H conducted, a decision has been made regarding which preferred alignment to use. For more information on the selected wastewater alignment for possible connection to the Mäkena Resort WWRF see Section 4.8.2 (Wastewater System) and Figure 2. Appendix H contains the complete wildlife survey of the alternative wastewater transmission line alignments. Findangered Blackburn's sphirx moths (Naanduca <i>blackburn</i>) was found within the Houna'ula Property during previous surveys (Bruner 1988, 1993, and 2004), evidence of endangreed Blackburn's sphirx moths (Naanduca <i>blackburn</i>) was found within the Houna'ula Property using the solected wastewater transmission line alignments. | augument or possiole connection to the makenia resort wwwrr. Trowever, only tree tobacco (Nicotiana glauca) plants at one point along the selected alignment showed substantial leaf damage that could be possibly attributed to the Blackburn's sphinx moth caterpillar. Page 1 of 11 |

| Attachment Wildlife Resources | Attachment Wildlife Resources |
|--|--|
| Migratory Birds | No Federal or State of Hawai'i listed threated, endangered, or candidate mammal species |
| A single non-native Northern harrier (<i>Circus cyaneus</i>) was observed flying over <i>wiliwili</i> trees in the southern portion of Honua'ula (SWCA 2010C). Pacific Golden-Plover or <i>Kölea</i> (<i>Pluvialis fulva</i>) have been observed in the vicinity (Bruner 1988 and 2004); however, they were not seen during the course of the SWCA (2010c) survey. | were observed in the areas of: 1) the alternative wastewater transmission line alignments; 2) the off-site wells, waterline, and storage tank; 3) the widening of Pi'llani Highway; and 4) the Wailea Ike Drive and Wailea Alanui Drive intersection improvements. POTENTIAL IMPACTS AND MITICATION MEASURES |
| <u>No migratory birds were observed in the areas of the alternative wastewater transmission</u> line alignments. | Honua'ula is not expected to significantly impact <u>effect</u> any <u>listed or candidate</u> endangered or threatened species incofar as extensive mitigation measures will be |
| The Pacific Golden-Plover was observed in the areas of: 1) the off-site wells, waterline, and storage tank; and 2) the Wailea lke Drive and Wailea Alanui Drive intersection improvements. While not observed during the survey of the alternative wastewater line alignments, the Pacific Golden Plover is expected to occur in these areas during the migratory season. | implemented to offset, avoid, and minimize inpacts, leading to a net benefit as defined in Chapter 195D, HRS, avoid, and minimize inpacts, leading to a net benefit as defined in Chapter 195D, HRS, evidence of the endangered Blackburn's sphinx moth. (Manduca blackburn) was found within the Honua-tila Property and a single endangered Havaiian hoary bat (Lasiurus cinereus semotus) was sighted flying seaward over the Property. No other Federal or State of Hawai'i listed threatened or endangered animal species were identified on the Property. Several mitigation measures will be implemented to protect |
| Introduced Birds | these endangered species and other animal species. |
| SWCA biologists observed 16 species of introduced birds within the Property. The most abundant were: Japanese white-eye (<i>Zosterops Japonicus</i>), nutmeg manikin (<i>Lonchura</i> <i>punctulata</i>), zeiva dove (<i>Geopelia striata</i>) and northern cardinal (<i>Cardinalis cardinalis</i>). Also common were: African silverbills (<i>Lonchura</i> caranas) and red-crested cardinals (<i>Paroaria coronata</i>). Another survey (Bruner 2004) identified other common birds: house finch (<i>Carpodacus mexicanus</i>), black francolin (<i>Francolinus francolinus</i>), nutmeg mannikin (<i>Lonchura punctulata</i>), and northern cardinal (<i>Cardinalis cardinalis</i>). | Endangered Species <u>Blackburn's Sphinx Moth – While evidence of the Live caterpillars and other sign of</u> Blackburn's sphinx moths (<i>Manduca blackburni</i>) was have been found within the Honua'ula property (frass, cut stems and leaves, and live caterpillars), no adult Blackburn's sphinx moths were observed. |
| A few cattle egrets (Bulbulcus ibis) were observed in the areas of: 1) the widening of Pi'ilani Highway; and 2) the Wailea Ike Drive and Wailea Alanui Drive intersection improvements. | Based on the presence of the non-native tree tobacco (<i>Nicotiana glauca</i>) and native host plants for the endangered Blackburn's sphinx moth, the USFWS has expressed concern that "habitat loss within the project site could adversely impact Blackburn's sphinx moth populations within this region of Maui." |
| Various other introduced bird species were observed in the areas of: 1) the alternative wastewater transmission line alignments; 2) the off-site wells, waterline, and storage tank; 3) the widening of Pirliani Highway; and 4) the Wailea like Dirve and Wailea Alanui Drive intersection improvements. The most abundant species common to all areas were the zebra dove (<i>Geopelia striata</i>) and common myna (<i>Acridotheres tristis</i>). | A discussed above in Section 3.6 (Botanical Resources) and below in the following sections. Honua'ula Partners, LLC proposes both on- and off-site measures to protect and enhance native plants and habitat for the Blackburn's sphinx moth. To protect Blackburn's sphinx moths <u>on-site</u> , Honua'ula Partners, LLC will: |
| Mammals | Provide Protect habitat for Blackburn's sphinx moths within the <u>40-acre</u> Native Plant Preservation Area (see Section 3.6, Botanical Resources). While a preserve for |
| The endangered Hawaiian Hoary Bat was the only native mammal observed during the SWCA (2010c) survey <u>of the Property</u> . Small herds of axis deer (<i>Axis axis</i>) were commonly seen. The small Indian mongoose (<i>Herpestes javanicus</i>) was observed, but was uncommon. Cats (<i>Felis catus</i>), rats (<i>Rattus spp.</i>) and mice (<i>Mus musculus</i>), while not observed, are expected to be present within the Property due to its proximity to the Maui Meadows subdivision and the Wailea Resort. While not the adows subdivision and the Wailea Resort. While not present during the survey, domestic cattle (<i>Bos taurus</i>) are sometimes grazed in the northern portion of the Property. | native plants, the only non-native species that will be allowed to remain in this area will be the tree tobacco (<i>Nicotiana glauca</i>) so as to provide food and habitat for the moths. However, because the intent of the Native Plant Preservation Area is to protect valuable native plant species, consideration is being given to propagating <i>'aiea</i> (<i>Nothocestrum latifolium</i>) (a native Blackburn's sphinx moth host plant) in this area to replace the non-native tree tobacco. The ultimate outcome of this effort is unknown because the Property is at a lower elevation than the elevation where |
| Page 3 of 11 | Page 4 of 11 |

Page 5 of 11

Page 6 of 11

| Attachment Wildlife Resources | <u>Hawaiian Hoary Bat</u> A single endangered Hawaiian hoary bat (<i>Lasiurus cinereus semotus</i>) was sighted flying seaward over the Property but no evidence of roosting or foraging was observed; however definitive conclusions about habitat use <u>by bats</u> cannot be made based on existing evidence. | Hawaijan hoary bats are known to roost in native and non-native trees greater than 15 feet tall. During the peak pup rearing season between June 1 and September 15, young Hawaijan hoary bat pups may be incapable of flight and harmed or killed if their roost site is disturbed. The removal of kiawe trees during construction may result in the loss of roosting habitat, but many large stature trees suitable for roosting will be preserved and other will be nonvocated for londor and the processive for proteining for home to investige | removal and trimming of trees greater than 15 feet tall will be avoided during the peak period and trimming of trees greater than 15 feet tall will be avoided during the peak pup rearing season between June 1 and September 15. To further protect Hawaiian hoary bats, and in conformance with County of Maui Ordinance No. 3554 Condition 9, Honua'ula Partners, LLC will: | Provide a qualified wildlife biologist to monitor for bats during construction. Should bats be found, assistance will be requested from the USFWS; Conduct additional bat point count surveys before construction to document any changes in abundance of bats and determine habitat utilization during the wet and dry seasons; | Monitor clearing of habitat trees 15 feet in height and taller during construction to reduce the potential take of nonvolent juvenile bats; and Propagate native tree species for landscaping to provide suitable bat roosting habitat and mitigate for the loss of possible roosting trees during construction. | In addition to the above protection avoidance and mitigation minimization measures, a multi species the draft Habitat Conservation Plan (to include the candidate endangered <i>dwikiwiki</i>) will be prepared under finalized in collaboration with USFWS and DLNR in accordance with Section 10(a)(1)(B) of the Endangered Species Act and in collaboration with CNN and CLINE of the Endangered Species Act and in collaboration action to the conduction of the conductio | with Chrkmane Ost Way Grapher 1920, FIKS. The final rapidit conservation Frain will provide: 1) measures to offset the potential impact of Honua'ula on two Covered Species; and 2) avoidance and minimization measures expected to avoid any negative impacts on five additional endangered species (including the Hawaiian hoary bat), one threatened species, one candidate endangered species, and the Hawaiian short-eared owl (pueo). Because avoidance and minimization measures are expected to avoid any impacts to the Hawaiian hoary bat, an ITP/ITL will not be requested for the Hawaiian hoary bat. | Nënë – Nënë are currently not found at or near the Property (SWCA 2010c); however creation of golf greens and lawns may conceivably attract nënë. As dicussed below, avoidance and minimization measures will be implemented in regard to native birds; however SWCA estimates that there may be direct or indirect take of nënë as a result of golf course operations. The final Habitat Conservation Plan will include measures to offset the potential impact of Honua'ula on nënë and provide a net benefit. In addition the |
|----------------------------------|---|---|---|---|---|--|---|---|
| Attachment Wildlife Resources | The proposed on- and off-site measures to protect native plants and Blackburn's sphinx moth habitat proposed by Honua'ula Partners, LLC provide a net conservation benefit (as required under Chapter 195D, HRS) through: | The protection and propagation of additional native host plants for both larval and adult Blackburn's sphinx moth (including the native host species 'aiea (Nothocestrum spp.) and halapepe (Pleomele spp.)); and Creation and protection of a higher number species of native host plants than currently exists on the Property. | The on- and off-site mitigation areas together provide approximately 394 acres of native dry shrublands for the perpetual protection and propagation of native dryland plants, including willwili. Through the perpetual protection and enhancement of these areas, a stable core habitat area will be secured for the moth, providing net benefit to this covered species, as well as a large number of additional native dryland species. | To implement the on- and off-site mitigation measures Honua'ula Partners, LLC, will finalize its draft Habitat Conservation Plan. The on- and off-site mitigation areas are subject to the approval of the Habitat Conservation Plan by USFWS and DLNR. The purpose of the Habitat Conservation Plan is to: | Offset the potential impact of Honua'ula on two Covered Species (Blackburn's sphinx moth and nene) with measures to protect and provide a net benefit to these species; and Provide avoidance and minimization measures expected to avoid any negative | | The Habitat Conservation Plan will be in support of an incidental Take Permit (ITP) in accordance with Section 10(a)(1)(B) of the federal Endangered Species Act (ESA) of 1973. as amended, and an Incidental Take License (ITL) in accordance with Chapter 195D, HRS. The Habitat Conservation Plan will include: specific avoidance, minimization, and mitigation measures; measures of success, and implementation specifics, including details on administration, monitoring and reporting, and funding. | Honua'ula Partners, LLC will fund the initial 15-year period covered by the Habitat Conservation Plan and the ITP/ITL. To secure funding in perpetuity for the maintenance of the on- and off-site mitigation areas after the initial 15-year period. Honua'ula Partners, LLC will establish an endowment, which will be overseen by the Honua'ula Master Home Owners' Association with financial management, provided by a licensed real property management company. |

Page 8 of 11

Page 7 of 11

| Attachment Wildlife Resources | Several species of native endemic seabirds (including the endangered Hawaiian petrel (Pterodroma sandwichensis)) and the threatened Newell's shearwater (Puffinus auricularis newelli)) may traverse the area but they do not nest on the Property at night during the | breeding season (rebruary 1 through December 15) however, none are known to nest within the Property. Any outdoor lighting could result in seabird disorientation, fallout, injury, and mortality. Young birds (fledglings) traversing the Property between September 15 and December 15, in their first flights from mountain nests to the sea, are particularly vulnerable. Seabirds are attracted to lights and after circling the lights they may collide with nearby wires, buildings, or other structures or they may land on the ground due to exhaustion. Downed seabirds are subject to high mortality caused by collision with automobiles, predation by dogs, cats, and wild animals, and starvation. To minimize potential impacts to native seabirds Honua'ula Partners, LLC will: | Shield outdoor lights in compliance with Chapter 20.35 (Outdoor Lighting), MCC7 | Avoid and the seabird Friendly Lighting Solution guide provided by USFWS; Avoid night-time construction-and provide: and <u>Provide</u> all staff with information regarding seabird fallout. | number of advanced of the good course, when the open failways final advance of a number final ways final advance of number of the species that currently are not present. These may include koloa (Hawaiian duck) (Anas wyvilliana), ae'o (Hawaiian siti) (Himantopus mexicanus knudsent), 'alae ke'oke'o (Hawaiian coot) (Fulica alai), 'alae 'ula (Gallinula chloropus | sandvicensis), and nēnē (Branta sandvicensis). In addition, there is the potential for lighting to attract threatened <u>a'o</u> (Newell's shearwater) (<i>Putifinus auricularis newelli</i>) and endangered <u>'ua'u</u> (Hawaiian petrel). (<i>Pterodroma sandwichensis</i>). The native migratory <i>kolea</i> , which was not seen on the Property at the time of the SWCA (2010c) survey, frequently uses roads and open spaces when wintering in Hawai'i and may be displaced if construction occurs during the migratory season. However, it is anticipated that landscaped open spaces, gardens, and lawns and fairways on the Property will provide additional habitat that <i>kolea</i> can use. To minimize potential impacts to other native birds Honua'ula Partners, LLC will: | Shield outdoor lights in compliance with Chapter 20.35 (Outdoor Lighting), MCC₇ and avoid and the Seabird Friendly Lighting Solution guide provided by USFWS. <u>Avoid</u> night-time construction; <u>Implement measures prohibiting the free movement of pets, discouraging the feeding of feral animals, and preventing increases in the populations of house mice rats, mongoose, and feral cats by:</u> o Incorporating these measures into community rules and regulations, such as covenants, conditions, and restrictions; and o Developing a public education program to ensure effectiveness; and conservation programs to insure the protection of native plants and animals within |
|----------------------------------|---|---|---|---|---|--|--|
| Attachment Wildlife Resources | <u>HCP will be in support of an 1TP/ITL for Blackburn's sphinx moth and nene in accordance</u> with Section 10(a)(1)(B) of the federal Endangered Species Act (ESA) of 1973, as amended, and Chapter 195D, HRS. | Other Endangered Species – Avoidance and minimization measures expected to avoid any negative impacts on additional endangered species (the Hawaiian duck, Hawaiian silt, Hawaiian coot, and Hawaiian petrel) are discussed below. Similar to the nene these species are not currently found at the Property, but may be attracted to the Property after construction of the golf course. The final Habitat Conservation Plan will include avoidance and minimization measures to avoid any impacts to the Hawaiian duck, Hawaiian solt, and Hawaiian petrel. Because these measures are expected to avoid any impacts to these species, an ITP/ITL for these species will not be requested. | Native Birds | The endemic <i>pueo (Asio flammeus sandwichensis</i>) (short-eared owl) was the only native bird species observed within the Property, although no nests were found. Construction within what is currently grassland may potentially disturb roosting and nesting <i>pueo</i> . After construction, <i>pueo</i> may be permanently displaced from the Property due to the loss of | grassland habitat. To minimize potential impacts to native <i>pueo</i> , and in conformance with County of Maui Ordinance No. 3554 Condition 9, Honua'ula Partners, LLC will: | Conduct additional <i>pueo</i> surveys before construction to document any changes in abundance of <i>pueo</i> and habitat use during the wet and dry seasons; and Conduct nest searches when necessary ahead of construction activities, and Delay delay construction around any areas found to contain <i>pueo</i> nests until chicks have fledged. | |

Page 10 of 11

Page 9 of 11

Attachment Wildlife Resources

the Native Plant Preservation Area and other Native Plant $\underline{Conservation}$ Areas throughout the Property.

In addition to the above avoidance and minimization measures, the draft Habitat Conservation Plan will be finalized in collaboration with USFWS and DLNR in accordance with Section 10(a)(1)(B) of the Endangered Species Act and Chapter 195D. HRS. The final Habitat Conservation Plan will provide: 1) measures to offset the potential impact of Honua'ula on two Covered Species (including mene); and 2) avoidance and minimization measures expected to avoid any negative impacts on five additional endangered species (including the Hawaiian duck. Hawaiian silt, Hawaiian coot, and Hawaiian petrel), one threatened species (Newell's shearwater), one candidate endangered species, and the Hawaiian short-eared owl (pueo).

Mammals

Non-native mammals such as axis deer (*Axis axis*), mongoose (*Herpestes javanicus*), cats (*Felis catus*), rats (*Rattus spp.*) and mice (*Nus musculus*), pose a threat to native plant and animal species within Honua'ula. For example, feral ungulates are known to graze on native plants, degrade and destroy habits, disrupt topsoil leading to erosion, and facilitate the establishment of non-native plants (SWCA 2010a). To control potential threats from non-native mammals and in conformance with County of Maui Ordinance No. 3554 Conditions 7 and 8, Honua'ula Partners, LLC will:

- Fence the perimeter of the Property, and other areas as appropriate, to exclude feral ungulates from the *kiawe-willwili* shrubland. A fence has already been erected, however fencing requirements will be reviewed and updated as the Native Plant Preservation Areas are established and site construction begins;
- Prepare and implement an Animal Management Plan, including an ungulate management plan, to ensure that goats, deer, pigs, and stray cattle are removed in a humane manner from the Native Plant Preservation Area and the Native Plant Conservation Areas. The Animal Management Plan will be prepared in cooperation with DLNR for submittal during Project District Phase II processing and approved by DLNR prior to submittal of Project District Phase III processing;
- Inform owners within Honua'ula that the area is subject to the intrusion of mammals such as axis deer, pigs, rodents, and the impacts and management plan associated with such intrusions; and
- Employ a Natural Resources Manager to help develop and implement specific conservation programs to insure the protection of native plants and animals within the Native Plant Areas and ether Native Plant <u>Conservation</u> Areas throughout the Property.